

USE DIRECTIONS

FOR CLEANING

Lightly soiled areas — surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of **SANICO UG-33** per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas—mop or brush soiled surface with a solution containing 2-3 ounces of **SANICO UG-33** per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of **SANICO UG-33** per gallon of water. Surfaces that are heavily soiled should be cleaned with 1-2 ounces of **SANICO UG-33** per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 3/4 ounce in 1 gallon of water. This solution will destroy *Trichophyton interdigitale*, a causative agent of athlete's foot.


HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of **SANICO UG-33** per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

SANITIZATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 3/4 ounce of **SANICO UG-33** per gallon of water. If surface is heavily soiled

SANICO



DISINFECTANT — CLEANER — SANITIZER — FUNGICIDE — DEODORANT

ACTIVE INGREDIENTS

n Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₀) dimethyl benzyl ammonium chloride _____ 5.0%
Sodium metasilicate _____ 3.0%
Tetrasodium salt of ethylene diamine tetraacetic acid _____ 1.8%

INERT INGREDIENTS _____ 90.2%

EPA Reg. No. 6190-27

DANGER

KEEP OUT OF REACH OF CHILDREN.

See First Aid and other precautions on side panel.

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

MANUFACTURED BY

SANICO

WORTHINGTON, OHIO HONOLULU, HAWAII

NET CONTENTS

ONE U.S. GALLON

use **SANICO UG-33** at a rate of 2-3 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1/2 ounce of **SANICO UG-33** per gallon of water. Those surfaces which will contact food must be rinsed with water of drinking quality before reuse.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of **SANICO UG-33** per gallon of water.

SANICO UG-33 is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, **SANICO UG-33** will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial detergent in schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

DANGER

KEEP OUT OF REACH OF CHILDREN

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Protect eyes when handling the concentrated product.

FIRST AID

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes then get medical attention promptly. In case of skin contact, flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly large quantities of milk, egg whites, gelatin solution or if these are not available drink large quantities of water. Call a Physician immediately.

USE DIRECTIONS

FOR CLEANING

Lightly soiled areas—Apply solution to surface to be cleaned. Rub with brush or scrubber. Rinse with fresh water. Repeat cleaning with fresh water.

Heavily soiled areas—Apply to heavily soiled surface with a solution containing 2-3 ounces of SANICO UG-33 per gallon of water. Rinse with fresh water.

GENERAL PURPOSE DISINFECTION

Sanitize walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and public areas. Apply to surface to be treated with a solution containing 1 ounce of SANICO UG-33 per gallon of water. Surfaces that are heavily soiled should be treated with 2 ounces of SANICO UG-33 per gallon of water and thoroughly rinsed. Those surfaces which may later come in contact with food should be rinsed with clean water of drinking quality.

Use same technique to sanitize work areas, food preparation areas and other areas where food is prepared. Do not use on food. Rinse thoroughly with clean water. Do not use on fabrics. Do not use on electrical equipment.

HOSPITAL DISINFECTION

Use in hospitals, nursing homes, and other health care facilities. Apply to surfaces to be treated with a solution containing 2 ounces of SANICO UG-33 per gallon of water. Surfaces that are heavily soiled should be treated with 4 ounces of SANICO UG-33 per gallon of water. Rinse thoroughly with clean water of drinking quality.

SANITIZATION

Use in homes, schools, and other public areas. Apply to surfaces to be treated with a solution containing 1 ounce of SANICO UG-33 per gallon of water. Rinse thoroughly with clean water of drinking quality.

SANICO

UG-33

DISINFECTANT - CLEANER - SANITIZER - FUNGICIDE - DEODORANT

ACTIVE INGREDIENTS

1. Sodium Hypochlorite (5.25% available chlorine) _____
2. Sodium Hydroxide (10.5% available sodium hydroxide) _____

INERT INGREDIENTS

Water, Fragrance, Dye, Stabilizer, etc. _____

DANGER

KEEP OUT OF REACH OF CHILDREN

Caution: This product contains sodium hypochlorite and sodium hydroxide. May irritate eyes, nose, throat, and skin. Avoid contact with eyes, nose, throat, and skin. If contact occurs, flush with water. Do not use in confined spaces.

MANUFACTURED BY

SANICO

NET CONTENT

SANICO UG-33 is a powerful disinfectant, cleaner, sanitizer, fungicide, and deodorant. It is used in homes, schools, hospitals, and other public areas. It is also used in industrial and institutional settings. SANICO UG-33 is a liquid concentrate that is diluted with water for use.

DEODORIZATION

Use on hard surfaces, including floors, walls, and rest rooms. Apply with a solution containing 2 ounces of SANICO UG-33 per gallon of water.

SANICO UG-33 is an effective disinfectant and sanitizer. It is designed for use in homes, schools, hospitals, and other public areas. It is also used in industrial and institutional settings. SANICO UG-33 is a liquid concentrate that is diluted with water for use. It is used to sanitize hard surfaces, including floors, walls, and rest rooms. It is also used to deodorize hard surfaces, including floors, walls, and rest rooms. It is used to disinfect hard surfaces, including floors, walls, and rest rooms. It is used to clean hard surfaces, including floors, walls, and rest rooms.

DANGER

KEEP OUT OF REACH OF CHILDREN

Caution: This product contains sodium hypochlorite and sodium hydroxide. May irritate eyes, nose, throat, and skin. Avoid contact with eyes, nose, throat, and skin. If contact occurs, flush with water. Do not use in confined spaces.

FIRST AID

If inhaled: Move to fresh air. If irritation persists, seek medical attention. If swallowed: Do not induce vomiting. Drink water. Seek medical attention. If on skin: Wash with water. If on eyes: Flush with water. Seek medical attention.