

006198-00003-112398

Printed: 13:24:35 Friday, 14 May, 1999 # 10 / 2799

Systems Integration Group, Inc.

٠. ٦

FRONT PANEL 3 1/2" X 3 1/2"

 $C:I \to O$

CHLOROMELAMINE SANITIZER

B-T-F

REG. U.S. PATENT OFFICE

ACTIVE INGREDIENTS
trichloromelamine
INERT INGREDIENTS

9.5%

monosodium dihydrogen phosphate anhydrous, sodium dodecyl benzene sullonale, citric acid anhydrous, sodium hexametaphosphate, tetrasodium pyrophosphate, sodium tripolyphosphate

90.5% 100.0%

E.P.A. Reg. No. 6198-3-AA E.P.A. Est. No. 6198-MN-1 NET WT. 16 % oz. (1 lb. % oz.) 475 gm.

DANGER

KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured by NATIONAL CHEMICALS, INC. Winona, MN 55987 1-800-533-0027

ACCEPTED

NOV 23 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

> LEFT PANEL 4" X 3 1/2"

RIGHT PANEL 4" X 3 1/2"

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MAKING B-T-F® SOLUTIONS

p.p.m. equals parts per million of available chlorine.

100 p.p.m. – add 1/6 oz. (4.7 gm.) to each 1 gallon (3.8 L) water.

200 p.p.m. – add 1/3 oz. (9.4 gm.) to each 1 gallon (3.8 L) water.

A level teaspoon in 1 gallon (3.8 L) of water gives 100 p.p.m. av. Cl.

A heaping measure in 3 gallons (11.4 L) of water gives 100 p.p.m. av. Cl.

RECOMMENDED METHOD of Washing and Sanitizing Hard Food Contact Surfaces.

For Commercial Use in Public Eating and Drinking Establishments,
Dairles and Food Processing Plants.
WISCONSIN FIVE - STEP PROCEDURE

- 1. Scrape and prewash utensils, glasses and surfaces whenever possible.
- Wash with compatible chemical detergents in hot or warm water...
 T-D-C[®], L-1-D[®], TAB-DET[®], L-1-D-TAB[®] or BLU-MAGIK[®].

Use clean brushes to more effectively remove soil, grease, lipstick, etc. NEVER USE SOAP.

- 3. Rinse with plain ... potable water. DO NOT add any chemicals to this water.
- 4. Sanitize in a B-T-Fe solution of ½ Oz. (14.2 gm.) to 3 Gal. (11.4 L) water (100 p.p.m.). Immerse all surfaces for contact time specified by governing sanitary code. Check Health Department as requirements vary. A two (2) minute exposure is required in some states.
- Remove items from solution and allow to drain and air dry. Place sanitized utensils on rack or drainboard to air dry. NEVER TOWEL DRY SANITIZED ITEMS.

STORAGE and DISPOSAL

STORAGE: Store in a cool, dry place. Do not expose to direct sunlight. Do not allow powder to be contaminated. Avoid contamination of lood.

DISPOSAL: WASTES resulting from use of this product may be disposed of on

site or at an approved waste disposal lecility.

CONTAINERS: TRIPLE RINSELTHEN dispose of in a sanitary landfill or

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

by other approved state and local procedures.

DANGER: Corrosive to eye and skin damage. Do not get in eyes, on skin, or clothing. Protect eyes and skin when handling. Harmful if swallowed. Do not breathe mist. Wash hands thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush immediately with plenty of water while holding eyelids apart.

Remove any contact lenses and continue flushing for 15 minutes.

Call a Poison Control Center or Physician immediately.

IF ON SKIN: Wash with plenty of soap and water. If Imitation occurs and persists, contact a physician.

IF SWALLOWED: Rinse mouth. Drink a glass full of water. Do not induce vomiting. Avoid alcohol. Call a Poison Control Center or Physician immediately.

> B-T-F[®] is sold by weight, not by volume. Contents may settle in transit.