

DET-SAN

DETERGENT - SANITIZER

FOR WASHING AND SANITIZING
DISHES AND GLASSES, FOOD PROCESSING EQUIPMENT AND UTENSILS,
INCLUDING DAIRY AND BREWERY EQUIPMENT AND UTENSILS

See Side Panel For Use Directions.

ACTIVE INGREDIENTS:

Sodium dichloro-s-triazinetrione dihydrate 5.6%
(Providing 3.08% Available Chlorine)
Sodium metasilicate, anhydrous 5.0%
Sodium dodecylbenzene sulfonate 4.0%

INERT INGREDIENTS:

	14.6%
	85.4%
Total	100%

EPA Reg. No. 6198-6-AA EPA Est. No. 6198-MN-1

NET WEIGHT 2 lbs., 2 oz. (34 oz., 908 gm.)

WARNING KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON SIDE LABEL
SEE FIRST AID ON SIDE LABEL

Manufactured by NATIONAL CHEMICALS, INC. Wagon, MN 55987

FRONT PANEL

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS & ANIMALS

WARNING: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. May cause eye damage or severe skin irritation.


ENVIRONMENTAL HAZARD: Toxic to fish. Keep out of lakes, streams and ponds. Treated effluent should not be discharged into lakes, streams, ponds or public waters unless in accordance with NPDES permit. Consult regional EPA office for guidance.

PHYSICAL & CHEMICAL HAZARD—STRONG OXIDIZING AGENT:
Use only clean dry utensils. Mix only with water. Mixing with other chemicals or gross filth will start a chemical reaction releasing toxic gases, heat and possibly fire. In case of decomposition, isolate container in open air and flood thoroughly with water.

FIRST AID: If swallowed feed gruel or cooked cereal followed by olive oil. CALL A PHYSICIAN. For contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothing until washed. For eye contact wash out with water for about 15 minutes. CALL A PHYSICIAN.

HEALTH AUTHORITIES — SANITARIANS

FDA evaluation shows isocyanurates may safely be used for sanitizing food and dairy equipment and supplies at concentrations to 100 ppm Av. Cl without after-rinse. Over 100 ppm they may be used with a potable water after-rinse. Isocyanurates are on the "LIST OF CHEMICAL COMPOUNDS authorized for use under USDA Poultry, Meat, Rabbit and Egg Products Inspection Programs" (Ref. Title 21 CFR S 178.1010).



SIDE PANEL

USE DIRECTIONS FOR DET-SAN SOLUTIONS

100 ppm Available Chlorine add 4 1/4 oz. (120.5 gm.) DET-SAN per 10 gal. (37.9 l) of water.
1/2 Standard Measuring Cup gives about 4 1/4 oz. DET-SAN

Use solution promptly. If solution is allowed to stand or is reused, check Av. Cl ppm with B-T-F Cl test paper. If concentration is less than required by governing sanitary code add sufficient DET-SAN to obtain ppm concentration recommended.

RECOMMENDED METHODS OF WASHING/SANITIZING

GLASSES, DISHES AND UTENSILS

- First: Scrape clean and rinse items prior to washing/sanitizing whenever possible.
- Second: Wash/sanitize in DET-SAN solution. Make solution to concentration directed by governing sanitary code. Allow 2 to 5 minutes contact time. Check Health Department as requirements vary. DET-SAN may be used in feed tank in immersion or spray type machines.
- Third: After sanitizing step remove items from DET-SAN solution.
- Fourth: Rinse items with potable water and air dry.

LARGE EQUIPMENT AND FLAT SURFACES

- First: Scrape clean to remove heavy soil.
- Second: Wash/sanitize in DET-SAN solution at concentration directed by governing sanitary code. Spread sanitizing solution over the surface to be treated. Allow DET-SAN solution to remain in contact with surface for 2 to 5 minutes.
- Third: Rinse well with potable water and air dry.

FEDERAL LAW PROHIBITS USE OF THIS PRODUCT
IN A MANNER INCONSISTENT WITH LABELING.

SIDE PANEL

45

45A