



006198-00012-061199

Printed: 08:10:04 Tuesday, 13 Jul, 1999 # 4 / 3561

Systems Integration Group, Inc.

PM 32

6198-12

6-11-99

10/1

B-T-F®**IODOPHOR SANITIZER ***

"more concentrated"

for

sanitizing

GLASSES - DISHES - UTENSILS

in

Restaurants, Bars

Hotels, Schools, Institutions

ACTIVE INGREDIENTS:Butoxy polypropoxy polyethoxy
ethanol-iodine complex (providing
1.6% titratable iodine)

12.54%

INERT INGREDIENTS

87.46%

100.00%

E.P.A. Reg. No. 6198-12-AA E.P.A. Est. No. 6198-MN-1
U.S. Patent No. 3,028,299

Approved under the Regulations of the Wisconsin State Board of Health

NET CONTENTS: 33 FLUID OUNCES
(1 QT. 1 OZ., 975.9 ml.)**CAUTION:** Keep out of reach of children.
(see additional cautions on back panel)**NATIONAL CHEMICALS, INC.**
Winona, MN 55987
1-800-533-0027

Front Panel

3" x 6"

DIRECTIONS FOR USE:It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.**Making B-T-F® Sanitizing Solutions**

Add B-T-F® IODOPHOR to cool or lukewarm water.

Never use hot water.

¼ th oz. in 2½ gallons water	12.5 ppm
½ capful = ¼ oz.	titratable iodine
¼ th oz in 1 gallon water	25 ppm
½ th oz in 3 gallons water	titratable iodine
Metric Equivalent: ¼ oz. = 3 ml.	
½ oz. = 6 ml. 1 gallon = 3.79 L	

NOTE: Use an iodophor test kit to verify ppm. As long as
solution is amber in color, there is sufficient iodine present
to sanitize. Make new solutions daily or when color fades.**RECOMMENDED METHOD FOR
WASHING & SANITIZING**

1. Scrape & prewash glasses, dishes, etc. whenever possible.
2. Wash with a good detergent (such as T-D-C®, L-f-D®
TAB-DET®, L-f-D TAB®, BLU-MAGIK® or INJECT®).
3. Rinse thoroughly with plain water.
4. Sanitize in B-T-F® IODOPHOR solution made to ppm
concentration recommended by Health Dept. Immerse for
2 minutes. Health requirements vary; so, check governing
sanitary codes for concentration & contact time.
5. Place sanitized items on a rack or drainboard to air dry.
Never towel dry sanitized items.

STORAGE and DISPOSAL**STORAGE:** Keep container closed when not in use. Do not store
below 32°F or above 100°F for extended periods.**DISPOSAL:** WASTES resulting from use of this product may be
disposed of on site or at an approved waste disposal facility.**CONTAINERS:** Triple Rinse! Then dispose of in a
sanitary landfill or by other approved state and local procedures.**HAZARDS TO HUMANS and DOMESTIC ANIMALS****CAUTION:** Avoid contact with food. Causes moderate eye injury. Avoid
contact with eyes, skin or clothing. Wash thoroughly with soap and water after
handling.**STATEMENT of PRACTICAL TREATMENT****IF IN EYES:** Flush with plenty of water for at least 15 minutes. Get medical
attention if irritation persists.**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention
if irritation persists.**IF SWALLOWED:** Rinse mouth. Drink a large glass full of water. Do not
induce vomiting. Avoid alcohol. Call a Poison Control Center or Physician.

Back Panel

3" x 6"

ACCEPTED**JUN 11 1999**

Saniticide Act, as amended, 1974
 Pesticide registered under
 E.P.A. Reg. No. 6198-12