


1-6-61
6179-2



(SODIUM DICHLORO ISO CYANURATE)
GRANULAR
33% AVAILABLE CHLORINE

- Store in a cool, well ventilated area. Keep contents and container dry and off of wet floors.
- Reseal polyethylene bag after use and keep container tightly closed.
- Sweep up any spillage and immediately flush down the sewer with a large volume of water and provide adequate ventilation.
- Empty containers must carefully be inspected and thoroughly cleaned-out of all material before disposal and should not be re-used.

WARNING!

Powerful oxidizing material. Contact with heat, foreign materials or contamination from any source may result in fire. Contact with water liberates irritating and hazardous gases.

POISON

Keep Out of Reach of Children



Harmful if taken internally. Do not breathe dust. Do not get in eyes, on skin or on clothing.

ANTIDOTES

ORALLY—Feed cooked cereal, large quantities of milk, cream, egg whites, gelusil or olive oil. Follow by inducing vomiting. **Call a physician!**

ORALLY—Flush skin or eyes with plenty of cool, running water in case of contact. For eyes, **call a physician!**

Active Ingredients: Sodium dichloro-s-triazinetrione — 100%
Net Weight: 200 Lbs.

U.S.D.A. Reg. No. 61992

For Manufacturing, Processing or Repackaging

ICL AMERICA, INC.
Los Angeles, California 90015

Camerman's Note

Poor Copy

TICA

(TRICHLORO ISO CYANURIC ACID)

GRANULAR

85% AVAILABLE CHLORINE

- Store in a cool, well ventilated area. Keep contents and container dry and off of wet floors.
- Reseal polyethylene bag after use and keep container tightly closed.
- Sweep up any spillage and immediately flush down the sewer with a large volume of water and provide adequate ventilation.
- Empty containers must carefully be inspected and thoroughly cleaned-out of all material before disposal and should not be re-used.

WARNING!

Powerful oxidizing material. Contact with heat, foreign materials or contamination from any source may result in fire. Contact with water liberates irritating and hazardous gases.

POISON

Keep Out of Reach of Children



Harmful if taken internally. Do not breathe dust. Do not get in eyes, on skin or on clothing.

ANTIDOTES

INTERNALLY—Feed cooked cereal, large quantities of milk, beaten egg whites, gelusil or olive oil. Follow by inducing vomiting. **Call a physician!**

EXTERNALLY—Flush skin or eyes with plenty of cool, fresh water in case of contact. For eyes, **call a physician!**

Active Ingredients: Trichloro-s-triazinetriene — 100%

Net Weight: 200 Lbs.

U.S.D.A. Reg. No. 6199-3

For Manufacturing, Processing or Repacking

ICI AMERICA INC.

Los Angeles, California 90015

Jan - 6 - 1969

6199

1-6-69
619

BEST DOCUMENT AVAILABLE

DDIC
(SODIUM DICHLORO ISO CYANURATE)
GRANULAR
60% AVAILABLE CHLORINE

- Store in a cool, well ventilated area. Keep contents and container dry and off of wet floors.
- Reseal polyethylene bag after use and keep container tightly closed.
- Sweep up any spillage and immediately flush down the sewer with a large volume of water and provide adequate ventilation.
- Empty containers must carefully be inspected and thoroughly cleaned-out of all material before disposal and should not be re-used.

WARNING!

Powerful oxidizing material. Contact with heat, foreign materials or contamination from any source may result in fire. Contact with water liberates irritating and hazardous gases.

POISON

Keep Out of Reach of Children



Harmful if taken internally. Do not breathe dust. Do not get in eyes, on skin or on clothing.

ANTIDOTES

INTERNALLY—Feed cooked cereal, large quantities of milk, beaten egg whites, gelusil or olive oil. Follow by inducing vomiting. Call a physician!

EXTERNALLY—Flush skin or eyes with plenty of cool, fresh water in case of contact. For eyes, call a physician!

Active Ingredients: Sodium dichloro-s-triazinetrione — 100%
Net Weight: 200 Lbs.

U.S.O.A. Reg. No. 6199-2

For Manufacturing, Processing or Repacking

A. C. AMERICA, INC.

Los Angeles, California 90015