16. 4.1969

.D. . . 6199 - 4

# PDIC

(POTASSIUM DICHLORO ISO CYANUFATE)

### **GRANULAR**

### 59% AVAILABLE CHLORINE

- Store in a cool, well ventilated area. Keep contents and container dry and off of wet floors.
- Reseal polyethylene bag after use and keep container tightly closed.
- Sweep up any spillage and immediately flush down the sewer with a large volume of water and provide adequate ventilation.
- Empty containers must carefully be inspected and thoroughly cleaned-out of all material before disposal and should not be re-used.

### WARNING!

Powerful exidizing material. Contact with heat, foreign materials or contamination from any source may result in fire. Contact with water liberates irritating and hazardous gases.

# **POISON**

## Keep Out of Reach of Children



Harmful if taken internally. Do not breathe dust. Do not get in eyes, on skin or on clothing.

### **ANTIDOTES**

INTERNALLY—Feed cooked cereal, large quantities of milk, beaten egg whites, gelusil or olive oil. Follow by inducing vomiting. Call a physician!

**EXTERNALLY**—Flush skin or eyes with plenty of cool, fresh water in case of contact. For eyes, call a physician!

Active Ingredients: Potassium dichloro-s-triazinetrione - 100%

Net Weight: 250 L.C.

U.S.D.A. Reg. No. 6199-4

For Manufacturing, Processing or Repacking ICI AMERICA INC.

Los Angeles, California 90015

# TICA

(TRICHLORO ISO CYANLIRIC ACID)

### **GRANULAR**

### 85% AVAILABLE CHLORINE

- Store in a cool, well ventilated area. Keep contents and container dry and off of wet floors.
- Reseal polyethylene bag after use and keep container tightly closed.
- Sweep up any spillage and immediately flush down the sewer with a large volume of water and provide adequate ventilation.
- Empty containers must carefully be inspected and thoroughly cleaned-out of all material before disposal and should not be re-used.

### WARNING!

Powerful oxidizing material. Contact with heat, foreign materials or contamination from any source may result in fire. Contact with water liberates irritating and hazard-

### **POISON**

### Keep Out of Reach of Children



Harmful if taken internally. Do not breathe dust. Do not get in eyes, on skin or on clothing.

### ANTIDOTES

INTERNALLY-Feed cooked cereal, large quantities of milk, beaten egg whites, gelusil or olive oil. Follow by inducing vomiting. Call a physician!

EXTERNALLY-Flush skin or eyes with plenty of cool, fresh water in case of contact. For eyes, call a physiciant

Active ingredients: Trichloro-s-triazinetrione - 100%

Net Weight: 200 Lbs.

U.S.D.A. Reg. No. 6199-3

ACCE Jan-1-1469

For Manufacturing, Processing or Repacking

TOI AMERICA INC.

Los Angeies, California 90015