

# PIONEER

Brand

## COPPER NAPHTHENATE

(With Pentachlorophenol)

### Wood Preserving Compound

#### CAUTION

KEEP OUT OF REACH OF CHILDREN  
SEE WARNING ON LEFT PANEL FOR  
ADDITIONAL CAUTIONS

Copper Naphthenate is toxic to all known decay causing fungi. Pentachlorophenol toxic to fungi. Will not crystalize on surface of wood. Will not leach out of wood. Forms insoluble soap which acts as a water repellent. Also protects against termites. Gives reliable protection to woods of all types. Toxic to plants, shrubs and grasses.

#### CAUTION

Do not inhale vapors. Do not get in eyes, on skin or on clothing. May cause skin irritation. Keep away from foodstuffs, children, pets and livestock.

To remove from skin, clean covered area with gasoline or other petroleum solvent, then wash with plenty of soap and warm water. In case of swallowing, induce vomiting by administering emetic — call a physician. Harmful if swallowed or absorbed through skin. Wash after handling.

ACCEPTED  
2-19-78  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 62202-5

#### ACTIVE INGREDIENTS:

Copper Naphthenate	12.0%
(1.13% Copper as metallic)	
Pentachlorophenol	2.1%
Other Chlorophenol and Related Compounds	.4%
Mineral Spirits	83.5%
Petroleum Oil	2.0%
	<hr/> 100%

Contains 2.5% of Technical Pentachlorophenol as defined in Federal Specification TT-W-570.

#### DIRECTIONS

Shake well or stir thoroughly to mix contents. Apply two or more brush coats or dip for a minimum of three minutes on all wood which is to be in contact with the soil. Material to be treated should be dry and free of bark. Will penetrate best at temperatures of above 70 degrees F.

DISTRIBUTED BY

**PIONEER BUILDING SPECIALTIES CO.**

1125 S. E. DIVISION ST.  
PORTLAND, OREGON

CONTENTS:

USDA Reg. No. 6202-5