

NEW
FORMULA

Summit PERMACIDE

NEW
FORMULA

DIRECTIONS FOR USE

USE A COARSE SPRAY OR PAINT BRUSH FOR ALL APPLICATIONS.

ROACHES, WATERBUGS, ANTS, SILVERFISH, SPIDERS, CRICKETS

Spray heavily in all cracks, around baseboards, and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, areas around water pipes, etc. Use on other localized areas infested with these pests. Repeat treatment as necessary, but it is recommended that applications be made at least once a month.

ACCESSIBLE FLOUR AND GRAIN BEETLES, WEEVILS, AND THEIR LARVAE

Spray liberally along the floor-wall junctions and in all cracks and crevices of flour storage rooms and other areas where infestations may occur. Do not apply in bins where loose flour or grain is stored.

HOUSE FLY, FRUIT FLY, AND FLYING MOTH CONTROL IN BUILDINGS

Apply as a coarse residual spray to the screens, walls, and ceilings of the processing plant early in the season before canning or other processing begins. Repeat applications when plant is not in operation. Avoid contamination of foods and processing equipment. Outside areas such as unloading docks, garbage dumps, and other places where flies congregate should also be sprayed thoroughly.

A CONCENTRATED RESIDUAL AS WELL AS RAPID ACTION INSECTICIDE MANUFACTURED FOR INDUSTRIAL AND INSTITUTIONAL USE

FORMULATED FOR THE CONTROL OF INSECTS WHICH HAVE BECOME RESISTANT TO OTHER INSECTICIDES

WILL DESTROY

Roaches, Waterbugs, Ants, Houseflies, Fruit Flies, Gnats, Phorid Flies, Fleas, Silverfish, Wasps, Spiders, Crickets, Carpet Beetles, Flour Moths, Chiggers, Brown Dog Ticks, Flour and Grain Beetles, Weevils, and their larvae

ACTIVE INGREDIENTS	100%
O,O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate*	1.00%
Pyrethrins	0.05%
N-octyl bicycloheptene dicarboximide	0.20%
Petroleum distillate	98.75%

*Diazinon—U.S. Patent No. 2,754,243

PERMACIDE IS DESIGNED FOR SPOT RESIDUAL APPLICATION. WHEN USED AS DIRECTED, IT MAY BE APPLIED IN FOOD PROCESSING PLANTS, RESTAURANTS, WAREHOUSES, THEATERS, AND MANY OTHER ESTABLISHMENTS.

CAUTION: Keep out of Reach of Children.

Harmful if swallowed. May be absorbed through the skin. Avoid contact with the skin, eyes, and clothing. Avoid contamination of feed, foodstuffs, and food handling equipment. Avoid repeated or prolonged inhalation of spray mist and skin contact. Wash thoroughly after using. Do not use on household pets or humans. FOR INDUSTRIAL USE ONLY. To be applied by Pest Control Operators or other Trained Personnel ONLY.

DO NOT USE IN COMMERCIAL FOOD PREPARATION AREAS OR IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS.

DIRECTIONS (Continued)

FLIES, PHORID FLIES, MOSQUITOES, WASPS, AND FLYING MOTHS OUTDOORS

Spray outside surfaces of screens, doors, window frames, or wherever these insects may enter the room. Also treat surfaces around light fixtures, manure piles, and other places where these insects alight or congregate.

CARPET BEETLES

Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks, or closets and infested areas of shelving. Repeat as necessary.


BROWN DOG TICKS INDOORS

Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of pets, and localized areas of floors and floor coverings. Applications should be repeated as infestations warrant and as re-infestations occur. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

FLEAS, CHIGGERS, ANTS, AND BROWN DOG TICKS OUTDOORS

For treatment of localized infestations of these insects in outdoor areas where there is no vegetation, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as re-infestations occur.

A PRODUCT OF



Insecticides for the Food Industry

BALTIMORE



USDA REGISTRATION NO. 6218-1