

[6218-3]  
1 of 3

(LEFT PANEL)

DIRECTIONS FOR USE

SPACE SPRAYING

Moths, Flies, Mosquitoes, Wasps, Fruit Flies, and other Small Flying Insects:

Spray MISTOCIDE, dispensed as a fog or mist upwards into the four corners of the room. Mechanical fogging or misting devices such as DYNA-FOG (thermo-fog applicator) or FOGMASTER (electric misting machine) are recommended.

Use approximately 1 fluid ounce per 1000 cubic feet. Repeat as necessary.

Doors and windows should be closed during fogging and for at least 15 minutes after treatment.

Roaches, Waterbugs, Ants, Fleas, Silverfish, Spiders, Crickets, and Exposed Stages of Beetles, Moths and Weevils:

Spray, with a mist or fog, cracks of woodwork, walls, floors, around doors and window frames, baseboards, and other places where these insects congregate or hide.

Use approximately 2 fluid ounces per 1000 cubic feet. Repeat as necessary.

DIRECT CONTACT SPRAYING

Use MISTOCIDE as a coarse spray dispensed through a tank or hand sprayer for this type of application. Apply at the rate of only 1 gal on to 1000 square feet of surface. Spray on all surfaces where insect activity is suspected. Wherever possible, direct spray into cracks and crevices along moldings, baseboards, window frames, door frames and sills, and other similar areas requiring special attention. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, areas around water pipes, and animal sleeping quarters. Use on other localized areas which may be infested. Repeat this treatment as often as necessary.

6218-3  
1 of 3

(CENTER PANEL)

[6218-3]  
2 of 3

Summit MISTOCIDE

HIGHLY CONCENTRATED, DEODORIZED, NON-STAINING INSECTICIDE

FORMULATED FOR INDUSTRIAL AND INSTITUTIONAL USE

For Use In Food Processing Plants, Hospitals, Restaurants,  
Motels, Warehouses, Theaters, Apartment Houses, and Many  
Other Establishments

For Control Of

Roaches, Waterbugs, Ants, Houseflies, Fruit Flies, Mosquitoes, Gnats,  
Fleas, Silverfish, Wasps, Spiders, Crickets; Accessible Stages of Flour  
and Meal Moths, Chocolate Moths, Tobacco Moths, Tobacco Beetles, Flour  
and Grain Beetles, Grain Weevils, and their Larvae.

ACTIVE INGREDIENTS	100%
Pyrethrins	0.4%
Technical Piperonyl Butoxide*	0.5%
N-Octyl Bicycloheptene Dicarboximide†	0.5%
Petroleum Distillate	98.6%

\*Equivalent to 0.4% of (butylcarbityl)(6-propylpiperonyl) ether, and  
0.1% of related compounds.

4MCK 264

18 point } → CAUTION: Keep out of Reach of Children ← 12 point  
See other precautions on right panel (point

MISTOCIDE IS A DUAL-SYNERGIZED PYRETHRIN FORMULATION WHICH CAN BE USED  
FOR EITHER SPACE SPRAYING (FOGGING) OR DIRECT CONTACT SPRAYING (WET  
SPRAYING). WHEN USED IN EITHER MANNER, IT WILL FLUSH INSECTS FROM  
THEIR HIDING PLACES AND DESTROY THEM ON CONTACT. MAY BE USED IN THE  
EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS. SEE "DIRECTIONS FOR  
USE" ON THE LEFT PANEL OF THIS LABEL.

A Product Of

Summit

BALTIMORE

MARYLAND

CHEMICAL CO.

ACC  
 12/18/53  
 12/18/53

[6218-3]  
3 of 3

(RIGHT PANEL)

PRECAUTIONS

CAUTION:

Harmful if swallowed. Do not use near open flame.

WHEN USED IN THE EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS  
Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation. Keep personnel outside treated buildings until the buildings are aired.

---

Seller's guarantee shall be limited to the terms of the label and, subject thereto, the buyer assumes any risk to persons or property arising out of use or handling, and accepts the product on these terms.

USDA REGISTRATION NO. 6218-5