

FLORA-FOG VAPONA®
CAUTIONS

ANTIDOTES:

If swallowed: Give 1 tablespoonful of saturated solution of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately.

If on skin: Wash immediately with soap and water.

Atropine and 2-PAM are antidotal.

DANGER:


ALWAYS WEAR A GAS MASK OF A TYPE RECOMMENDED BY THE U.S. BUREAU OF MINES FOR PROTECTION AGAINST DDVP INSECTICIDE.

Poisonous by skin contact if water is swallowed. Rapidly absorbed through skin. Do not get in eyes, on skin, or on clothing. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Do not breathe fog. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. Keep away from heat and open flame.

DO NOT RE-USE CONTAINER. DESTROY WHEN EMPTY. NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

Seller's guarantee shall be limited to the terms of the label and to the extent thereof; the buyer assumes all risk to persons or property, and all cost of use or handling, and accepts the product as delivered.

EPA REGISTRATION NO. 6218-13



DANGER! KEEP OUT OF REACH OF CHILDREN!
POISON



SEE LEFT PANEL FOR ANTIDOTES AND CAUTIONS



GREENHOUSE FOGGING INSECTICIDE

FORMULATED SPECIFICALLY FOR USE IN THERMAL FOG GENERATORS
CONCENTRATED INSECTICIDE FOR THE CONTROL OF INSECTS AND MITES DESTRUCTIVE TO THE FOLLOWING GREENHOUSE CROPS:

ORNAMENTALS

Plants, trees, shrubs, and flowers, including indoor plants, ferns, and palms.
*For use on plants in greenhouses, conservatories, and similar structures.

VEGETABLES*

NON-INJURIOUS TO EITHER BLOSSOMS OR FOLIAGE WHEN USED AS DIRECTED

KILLS: Aphids, Beet Mites, Leaf Miners, Spider Mites, and Thrips on most plants.

ACTIVE INGREDIENTS

2,2-dichlorovinyl dimethyl phosphite
Related Compounds
Petroleum Distillate

100%

9.3%

0.7%

90.0%

*Vapona trademark of Shell Chemical Co

*Low-phytotoxic greenhouse fogging oil

RECOMMENDATIONS

FOR ALL APPLICATIONS, CAREFULLY FOLLOW DIRECTIONS FOR USE ON THE RIGHT PANEL OF THIS LABEL. ALSO OBSERVE ALL PRECAUTIONS LISTED ON THE LEFT PANEL.

CAUTION: TO AVOID AVOIDANCE OF RESISTANCE TO THIS INSECTICIDE, IT IS RECOMMENDED THAT IT BE USED IN ROTATION WITH OTHER INSECTICIDES. ALWAYS USE THE LOWEST RATE OF APPLICATION WHICH WILL CONTROL THE PEST. ALWAYS WEAR PROTECTIVE CLOTHING AND GEAR.

LIMITATIONS FOR GREENHOUSE VEGETABLES: Do not use on plants in greenhouses, conservatories, and similar structures.

Formulated Exclusively For Geiger Corporation, Harleysville, Pa
A PRODUCT OF

BAITIMORE



MARYLAND

ACCEPTED WITH COMMENTS

DANGER: KEEP OUT OF REACH OF CHILDREN!



POISON



SEE LEFT PANEL FOR DIRECTIONS AND CAUTIONS



GREENHOUSE FOGGING INSECTICIDE

FORMULATED SPECIFICALLY FOR USE IN THERMAL FOG GENERATORS

CONCENTRATED INSECTICIDE FOR THE CONTROL OF INSECTS AND MITES DESTRUCTIVE TO THE FOLLOWING GREENHOUSE CROPS:

ORNAMENTALS

Roses, Chrysanthemums, Carnations, Snapdragons

VEGETABLES*

Tomatoes, Cucumbers, Lettuce, Radishes

*For vegetable applications, see "Limitations for Greenhouse Vegetables" below.

NON-INJURIOUS TO EITHER BLOSSOMS OR FOLIAGE WHEN USED AS DIRECTED

KILLS: Red Spider Mites, Aphids, Thrips, Whiteflies, Mealybugs, and Chrysanthemum Leaf Miners

ACTIVE INGREDIENTS

	100%
2,2-dichlorovinyl dimethyl phosphate*	9.3%
Related Compounds	0.7%
Petroleum Distillate†	90.0%

*Vapona, trademark of Shell Chemical Co.

†Low-phytotoxic greenhouse fogging oil

RECOMMENDATIONS

FOR ALL APPLICATIONS, CAREFULLY FOLLOW "DIRECTIONS FOR USE" ON THE RIGHT PANEL OF THIS LABEL. ALSO OBSERVE ALL "PRECAUTIONS" LISTED ON THE LEFT PANEL.

For spider mite control, treatments should be made on the 1st, 3rd, 7th and 9th days and this schedule repeated monthly.

It is recommended that greenhouses, containing plants susceptible to insect or mite attack be treated with either this preparation or one of the other FLORA-FOG GREENHOUSE FOGGING INSECTICIDES or MITICIDES on a routine basis, even if no apparent insect infestation exists. This is in accordance with good preventative control practices.

CAUTION: TO AVOID DAMAGE TO PLANTS, DO NOT FOG GREENHOUSES WHEN THE INSIDE TEMPERATURE EXCEEDS 80° F., OR UNDER CONDITIONS OF HIGH HUMIDITY, OR WHEN BLOSSOMS OR FOLIAGE ARE WET. THIS PRODUCT MAY BE INJURIOUS TO CERTAIN VARIETIES OF CHRYSANTHEMUM AND ROSES.

LIMITATIONS FOR GREENHOUSE VEGETABLES: 24 hours must be permitted to elapse between time of final treatment and harvesting.

Formulated Exclusively For Geiger Corporation, Harleysville, Pa.

A PRODUCT OF



BAITIMORE

MARYLAND

PRE

1. ()
2. ()

MET

1. ()
2. ()

3. ()
4. ()

5. ()
6. ()

6. ()
7. ()