

**DANGER! KEEP OUT OF REACH OF CHILDREN!
POISON**

SEE LEFT PANEL FOR ANTIDOTES AND PRECAUTIONS



FLORA-FOG MALATHION-LINDANE


ACCEPTED

6-12-68

6218-15

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR FEDERAL POISON REGISTER
ED UNDO NO.

Comments



PRECAUTIONS

ANTIDOTES:

If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately!

If on skin: Wash immediately with soap and water

Atropine is antidotal.

WARNING:

Poisonous by skin contact, inhalation, or swallowing! Rapidly absorbed through skin! Do not get in eyes, on skin or on clothing. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention! Do not breathe fog. Wash thoroughly with soap and water after handling and before eating or smoking, change to clean clothing. Keep away from heat and open flame. ALWAYS WEAR A GAS MASK OF A TYPE RECOMMENDED BY THE U.S. DEPARTMENT OF AGRICULTURE FOR PROTECTION AGAINST MALATHION AND LINDANE

Seller's guarantee shall be limited to the terms of the label and subject thereto, the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these terms

USDA REGISTRATION NO. 6218-15

GREENHOUSE FOGGING INSECTICIDE

FORMULATED SPECIFICALLY FOR USE IN THERMAL FOG GENERATORS

HIGHLY CONCENTRATED INSECTICIDE FOR THE CONTROL OF INSECTS AND MITES DESTRUCTIVE TO GREENHOUSE ORNAMENTALS, SUCH AS CARNATIONS, CHRYSANTHEMUMS, ROSES, SNAPDRAGONS, AND GERANIUMS. NON-INJURIOUS TO EITHER BLOSSOMS OR FOLIAGE WHEN USED AS DIRECTED

WILL DESTROY

Red Spider Mites, certain other mites, Aphids, Leafhoppers, Thrips, Whiteflies, Mealybugs, Cucumber Beetles, Chrysanthemum Leaf Miners, Orchid Weevil, Plum Moths, and Soft Scale Insects

ACTIVE INGREDIENTS

Malathion	100%	
Gamma Isomer of Benzene Hexachloride (from Lindane)	10%	0.0 dimethyl dithiophosphate of diethyl mercaptosuccinate
Petroleum Distillate†	5%	† Low phytotoxic greenhouse fogging oil
	85%	

RECOMMENDATIONS

FOR ALL APPLICATIONS, CAREFULLY FOLLOW "DIRECTIONS FOR USE" ON THE RIGHT PANEL OF THIS LABEL. ALSO OBSERVE ALL "PRECAUTIONS" LISTED ON THE LEFT PANEL.

It is recommended that greenhouses, containing ornamentals susceptible to insect or mite attack, be treated with either this preparation or one of the other FLORA FOG GREENHOUSE FOGGING INSECTICIDES or MITICIDES on a routine basis, even if no apparent insect infestation exists. This is in accordance with good preventative control practices.

CAUTION TO AVOID DAMAGE TO PLANTS, DO NOT FOG GREENHOUSES WHEN THE INSIDE TEMPERATURE EXCEEDS 80 F., OR UNDER CONDITIONS OF HIGH HUMIDITY, OR WHEN BLOSSOMS OR FOLIAGE ARE WET

Formulated Exclusively For Geiger Corporation, Harleysville, Pa.

A PRODUCT OF

BALTIMORE



MARYLAND

ACCEPTED WITH COMMENTS

DANGER! KEEP OUT OF REACH OF CHILDREN!
POISON

SEE LEFT PANEL FOR ANTIDOTES AND PRECAUTIONS

FLORA-FOG MALATHION-LINDANE

DIRECTIONS FOR USE

PREPARATION OF GREENHOUSE

1. Close all windows, doors, and ventilators.
2. Take all precautions necessary to prevent unprotected persons from entering the treated area.

METHOD OF APPLICATION

1. Calculate the area in cubic feet of the greenhouse to be treated.
2. Use one (1) fluid ounce of FLORA-FOG GREENHOUSE FOGGING INSECTICIDE per 3000 cubic feet of space.
3. Pour the amount of insecticide needed for the calculated area into the formulation tank of the thermal fog generator.
4. Adjust the metering valve or orifice size in the formulation line to produce a dry fog. Never apply a wet fog. A flow rate of 8 oz. per minute is recommended.
5. Start fogging at one end of the house and walk down the center aisle, continuously moving away from the fog. Do not over-apply to the point where foliage is visibly wet.
6. For best results, the greenhouse should remain closed for 1 1/2 hours after fogging. The house should then be completely ventilated for at least 1 hour before re-entering.

NET CONTENTS - 1 GALLON

ACCEPTED
 -12-68
 6218-15
 FEDERAL INSECTICIDE
 AND RODENTICIDE ACT
 POISON REGISTER
 NO.



GREENHOUSE FOGGING INSECTICIDE

FORMULATED SPECIFICALLY FOR USE IN THERMAL FOG GENERATORS

HIGHLY CONCENTRATED INSECTICIDE FOR THE CONTROL OF INSECTS AND MITES DESTRUCTIVE TO GREENHOUSE ORNAMENTALS, SUCH AS CARNATIONS, CHRYSANTHEMUMS, ROSES, SNAPDRAGONS, AND GERANIUMS. NON-INJURIOUS TO EITHER BLOSSOMS OR FOLIAGE WHEN USED AS DIRECTED.

WILL DESTROY

Red Spider Mites, certain other mites, Aphids, Leafhoppers, Thrips, Whiteflies, Mealybugs, Cucumber Beetles, Chrysanthemum Leaf Miners, Orchid Weevil, Plum Moths, and Soft Scale Insects

ACTIVE INGREDIENTS

100%

Malathion	10%	0.0 dimethyl dithiophosphate of diethyl mercaptosuccinate
Gamma Isomer of Benzene Hexachloride (from Lindane)	5%	
Petroleum Distillate†	85%	† Low-phytotoxic greenhouse fogging oil

RECOMMENDATIONS

FOR ALL APPLICATIONS, CAREFULLY FOLLOW "DIRECTIONS FOR USE" ON THE RIGHT PANEL OF THIS LABEL. ALSO OBSERVE ALL "PRECAUTIONS" LISTED ON THE LEFT PANEL.

It is recommended that greenhouses containing ornamentals susceptible to insect or mite attack, be treated with either this preparation or one of the other FLORA-FOG GREENHOUSE FOGGING INSECTICIDES or MITICIDES on a routine basis, even if no apparent insect infestation exists. This is in accordance with good preventative control practices.

CAUTION: TO AVOID DAMAGE TO PLANTS, DO NOT FOG GREENHOUSES WHEN THE INSIDE TEMPERATURE EXCEEDS 80 F., OR UNDER CONDITIONS OF HIGH HUMIDITY, OR WHEN BLOSSOMS OR FOLIAGE ARE WET.

Formulated Exclusively For Geiger Corporation, Harleysville, Pa.

A PRODUCT OF

BALTIMORE



MARYLAND

ACCEPTED WITH COMMENTS