

FLORA-FOG DIBROM

PRECAUTIONS

ANTIDOTES

1. In case of contact with the insecticide, wash the affected parts with plenty of water. If it gets into the eyes, wash them with water for at least 15 minutes. If it gets into the mouth, wash the mouth with water and drink plenty of water. If it gets into the lungs, cough it up and drink plenty of water. If it gets into the skin, wash it with water and soap. If it gets into the hair, wash it with water and soap. If it gets into the clothes, wash them with water and soap. If it gets into the shoes, wash them with water and soap. If it gets into the car, wash it with water and soap. If it gets into the house, wash it with water and soap. If it gets into the garden, wash it with water and soap. If it gets into the yard, wash it with water and soap. If it gets into the street, wash it with water and soap. If it gets into the park, wash it with water and soap. If it gets into the school, wash it with water and soap. If it gets into the office, wash it with water and soap. If it gets into the store, wash it with water and soap. If it gets into the restaurant, wash it with water and soap. If it gets into the hotel, wash it with water and soap. If it gets into the apartment, wash it with water and soap. If it gets into the house, wash it with water and soap. If it gets into the car, wash it with water and soap. If it gets into the yard, wash it with water and soap. If it gets into the garden, wash it with water and soap. If it gets into the street, wash it with water and soap. If it gets into the park, wash it with water and soap. If it gets into the school, wash it with water and soap. If it gets into the office, wash it with water and soap. If it gets into the store, wash it with water and soap. If it gets into the restaurant, wash it with water and soap. If it gets into the hotel, wash it with water and soap. If it gets into the apartment, wash it with water and soap.

WARNING

1. Do not use in enclosed areas. 2. Do not use in areas where people are present. 3. Do not use in areas where food is present. 4. Do not use in areas where children are present. 5. Do not use in areas where pets are present. 6. Do not use in areas where livestock are present. 7. Do not use in areas where birds are present. 8. Do not use in areas where bees are present. 9. Do not use in areas where butterflies are present. 10. Do not use in areas where moths are present. 11. Do not use in areas where flies are present. 12. Do not use in areas where mosquitoes are present. 13. Do not use in areas where ticks are present. 14. Do not use in areas where mites are present. 15. Do not use in areas where aphids are present. 16. Do not use in areas where scale insects are present. 17. Do not use in areas where mealybugs are present. 18. Do not use in areas where spider mites are present. 19. Do not use in areas where thrips are present. 20. Do not use in areas where whiteflies are present. 21. Do not use in areas where leaf miners are present. 22. Do not use in areas where root-knotting nematodes are present. 23. Do not use in areas where soil-borne fungi are present. 24. Do not use in areas where soil-borne bacteria are present. 25. Do not use in areas where soil-borne viruses are present. 26. Do not use in areas where soil-borne protozoa are present. 27. Do not use in areas where soil-borne insects are present. 28. Do not use in areas where soil-borne arachnids are present. 29. Do not use in areas where soil-borne mollusks are present. 30. Do not use in areas where soil-borne annelids are present. 31. Do not use in areas where soil-borne nematodes are present. 32. Do not use in areas where soil-borne fungi are present. 33. Do not use in areas where soil-borne bacteria are present. 34. Do not use in areas where soil-borne viruses are present. 35. Do not use in areas where soil-borne protozoa are present. 36. Do not use in areas where soil-borne insects are present. 37. Do not use in areas where soil-borne arachnids are present. 38. Do not use in areas where soil-borne mollusks are present. 39. Do not use in areas where soil-borne annelids are present. 40. Do not use in areas where soil-borne nematodes are present.

1. Do not use in enclosed areas. 2. Do not use in areas where people are present. 3. Do not use in areas where food is present. 4. Do not use in areas where children are present. 5. Do not use in areas where pets are present. 6. Do not use in areas where livestock are present. 7. Do not use in areas where birds are present. 8. Do not use in areas where bees are present. 9. Do not use in areas where butterflies are present. 10. Do not use in areas where moths are present. 11. Do not use in areas where flies are present. 12. Do not use in areas where mosquitoes are present. 13. Do not use in areas where ticks are present. 14. Do not use in areas where mites are present. 15. Do not use in areas where aphids are present. 16. Do not use in areas where scale insects are present. 17. Do not use in areas where mealybugs are present. 18. Do not use in areas where spider mites are present. 19. Do not use in areas where thrips are present. 20. Do not use in areas where whiteflies are present. 21. Do not use in areas where leaf miners are present. 22. Do not use in areas where root-knotting nematodes are present. 23. Do not use in areas where soil-borne fungi are present. 24. Do not use in areas where soil-borne bacteria are present. 25. Do not use in areas where soil-borne viruses are present. 26. Do not use in areas where soil-borne protozoa are present. 27. Do not use in areas where soil-borne insects are present. 28. Do not use in areas where soil-borne arachnids are present. 29. Do not use in areas where soil-borne mollusks are present. 30. Do not use in areas where soil-borne annelids are present. 31. Do not use in areas where soil-borne nematodes are present.

ACCEPTED
6-10-71
6-11-71
INSECTICIDE
INSECTICIDE ACT
FEDERAL REGISTER
with comments



GREENHOUSE FOGGING INSECTICIDE

FORMULATED SPECIFICALLY FOR USE IN THERMAL FOG GENERATORS
HIGHLY CONCENTRATED INSECTICIDE FOR THE CONTROL OF INSECTS AND MITES DESTRUCTIVE TO GREENHOUSE
ORNAMENTALS SUCH AS ROSES, CHRYSANTHEMUMS, CARNATIONS, SNAPDRAGONS, AND POINSETTAS.
ALSO GREENHOUSE VEGETABLES SUCH AS TOMATOES AND CUCUMBERS. USE IN GREENHOUSE
NON-INJURIOUS TO EITHER BLOSSOMS OR FOLIAGE WHEN USED AS DIRECTED.

ACTIVE INGREDIENTS

1. Dibrom 2. ... 3. ... 4. ... 5. ... 6. ... 7. ... 8. ... 9. ... 10. ... 11. ... 12. ... 13. ... 14. ... 15. ... 16. ... 17. ... 18. ... 19. ... 20. ... 21. ... 22. ... 23. ... 24. ... 25. ... 26. ... 27. ... 28. ... 29. ... 30. ... 31. ... 32. ... 33. ... 34. ... 35. ... 36. ... 37. ... 38. ... 39. ... 40. ... 41. ... 42. ... 43. ... 44. ... 45. ... 46. ... 47. ... 48. ... 49. ... 50. ... 51. ... 52. ... 53. ... 54. ... 55. ... 56. ... 57. ... 58. ... 59. ... 60. ... 61. ... 62. ... 63. ... 64. ... 65. ... 66. ... 67. ... 68. ... 69. ... 70. ... 71. ... 72. ... 73. ... 74. ... 75. ... 76. ... 77. ... 78. ... 79. ... 80. ... 81. ... 82. ... 83. ... 84. ... 85. ... 86. ... 87. ... 88. ... 89. ... 90. ... 91. ... 92. ... 93. ... 94. ... 95. ... 96. ... 97. ... 98. ... 99. ... 100. ...

WILL DESTROY

WILL DESTROY

WILL DESTROY

WILL DESTROY

WILL DESTROY

WILL DESTROY

P

N

FLORA-FOG DIBROM

DIRECTIONS FOR USE

PREPARATION OF GREENHOUSE

METHOD OF APPLICATION

RECEIVED
71
8-17
INSECTICIDE
REGISTERED
with comments



GREENHOUSE FOGGING INSECTICIDE

FORMULATED SPECIFICALLY FOR USE IN THERMAL FOG GENERATORS

HIGHLY CONCENTRATED INSECTICIDE FOR THE CONTROL OF INSECTS AND MITES DESTRUCTIVE TO GREENHOUSE

ORNAMENTALS SUCH AS ROSES, CHRYSANTHEMUMS, CARNATIONS, SNAPDRAGONS, AND POINSETTIAS

ALSO GREENHOUSE VEGETABLES SUCH AS TOMATOES AND CUCUMBERS. See limitations below.

NON INJURIOUS TO EITHER BLOSSOMS OR FOLIAGE WHEN USED AS DIRECTED

WILL DESTROY

ACTIVE INGREDIENTS

RECOMMENDATIONS

Santitas

FLORA-FOG DIBROM
PRECAUTIONS


ANTIDOTES

For information on antidotes, contact your local health department or the nearest hospital.

WARNING

Keep out of reach of children. Do not use in occupied buildings. Do not use in areas where food is prepared or stored.

USDA REGISTRATION NO. 6218-17




GREENHOUSE FOGGING INSECTICIDE

FORMULATED SPECIFICALLY FOR USE IN THERMAL FOG GENERATORS. HIGHLY CONCENTRATED INSECTICIDE FOR THE CONTROL OF INSECTS AND MITES DESTRUCTIVE TO GREENHOUSE PLANTS. USE IN GREENHOUSES AND PLANT ROOMS. ALSO GREENHOUSE VEGETABLES SUCH AS TOMATOES AND CUCUMBERS. See limitations below. NON-INJURIOUS TO EITHER BLOSSOMS OR FOLIAGE WHEN USED AS DIRECTED.

ACTIVE INGREDIENTS

RECOMMENDATIONS

Manufactured by **Sanit Chemical Corporation**, Malvern, Pa.
A PRODUCT OF



MADE IN U.S.A.

WARNING! KEEP OUT

SEE LABEL FOR DIRECTIONS



GREENHOUSE FOGGING INSECTICIDE

FORMULATED SPECIFICALLY FOR USE IN THERMAL FOG GENERATORS... CONCENTRATED INSECTICIDE FOR THE CONTROL OF INSECTS AND MITES... EFFECTIVE TO GREENHOUSE PLANTS... SUCH AS ROSES, CHRYSANTHEMUMS, CARNATIONS, SNAPDRAGON, AND POINSETTIA... ALSO GREENHOUSE VEGETABLES SUCH AS TOMATOES AND CUCUMBERS... NON INJURIOUS TO EITHER BLOSSOMS OR FOLIAGE WHEN USED AS DIRECTED


INGREDIENTS

RECOMMENDATION

USE FOR GREENHOUSE VEGETABLES

Formulated by E. I. du Pont de Nemours and Company, Inc., Haverhill, Pa.

BALTIMORE



MARYLAND

FLORA-FOG DIBROM

DIRECTIONS FOR USE

PREPARATION OF GREENHOUSE

METHOD OF APPLICATION

NET CONTENTS 1 GALLON