DANGER

ANTIDOTES:

If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately!

If on skin: Wash immediately with soap and water.

Atropine and 2-PAM are antidotal

DANGER:

ALWAYS WEAR A GAS MASK OR RESPIRATOR OF A TYPE PASSED BY THE U. S. DEPARTMENT OF AGRICULTURE FOR PROTECTION AGAINST DDVP INSECTICIDE. WORKERS SHOULD NOT RE-OCCUPY TREATED AREAS UNTIL THEY HAVE BEEN COMPLETELY VENTILATED.

Poisonous by skin contact, inhalation, or swallowing! Rapidly absorbed through skin! Do not get in eyes, on skin, or on clothing. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty. I water for at least 15 minutes. For eyes, get medical attention! Do not breathe fog. Wash thoroughly with soap and water after handling and cofore eating or smoking, change to clean clothing. Keep away from heat and open flame.

TIO NOT BE USE CONTAINER DESTROY WHEN EMPTY

Seller's quarantee shall be limited to the terms of the label and subject thereto, the bayer assumes any risk to persons or property arising out of a selor handling and accept the product on these terms

USDA REGISTRATION NO. 6218-21

ACCEPTED

9-17-70 DANGER! KEEP OUT OF REACH POISON

6218-21

UNDER THE FEDERAL INSECTICIDE FUNGICIDE ACT FOR FOUNDIAL POISON REGISTERED UNDER HOLDEN

SEE LEFT PANEL FOR ANTIDOTES AND

Sammit

MUSHROOM HOUSE FOGGI

FORMULATED FOR USE IN THERMAL FOG GENERAL FOR THE CONTROL OF FLY

NON-INJURIOUS TO MUSHROOMS WHEN US!

WILL DESTROY: Sciarid Flies, Phorid Flies, and Cecid Flies

ACTIVE INGREDIENTS:

2. 2 dichlorovinyl dimethyl phosphate:

9.3%
Related Compounds:

9.7%
Petroleum Distillate:

30.0%

RECOMMENDATIONS

FOR ALL APPLICATIONS, CAREFULLY FOLLOW "DIRECTIONS FOR USE

It is recommended that applications be made even. 4 days as a preventative present Repeat as often as necessary to maintain control. FOR USE BY TRAINEL IMPORTANT: 24 HOURS MUST BE PERMITTED TO ELAPSE BETWEEN TIN

PRODUCT OF

BALTIMORE



ACCEPTED WITH COMMENTS

OUT OF REACH OF CHILDREN! **POISON** FOR ANTIDOTES AND PRECAUTIONS



USE FOGGING INSECTICIDE

IR USE IN THERMAL FOG GENERATORS ONLY

E FOR THE CONTROL OF FLYING INSECTS DESTRUCTIVE TO MUSHROOMS TO MUSHROOMS WHEN USED AS CIRECTED

s, Phorid Flies, and Cecid Flies in Mushroom Growing Houses

	100%	
	9.3%	Vapona
	0.7%	Low phytotoxic mushroom house fogging oil
	30.0%	

RECOMMENDATIONS

LOW "DIRECTIONS FOR USE" ON THE RIGHT PANEL OF THIS LABEL.

le every 4 days as a preventative treatment or on each day insect infestations are control FOR USE BY TRAINED PERSONNEL ONLY

ED TO ELAPSE BETWEEN TIME OF FINAL TREATMENT AND HARVESTING

PRODUCT OF



MARYLAND

DIRECTIONS FOR USE

PREPARATION OF MUSHROOM HOUSE

- 1. Close all windows, doors, and ventilators
- 2. Take all precautions necessary to prevent unprotected persons from entering the treated area.

METHOD OF APPLICATION

- 1. Calculate the area in cubic feet of the house to be treated.
- 2. Use two (2) fluid ounces of Summit MUSHROOM HOUSE FOGGING INSECTICIDE per 3000 cubic feet of space.
- 3. Pour the exact amount of insecticide needed for the calculated area into the insecticide tank of the thermal fog generator.
- 4. Adjust the metering valve or orifice size in the insecticide line to produce a dry fog. Never apply a wet fog. A flow rate of 8 oz. per minute is recommended. (For the DYNA-FOG "70", use the No. 4 setting from the closed position of the insecticide metering valve.)
- 5. Walk down the center aisle of the house, directing the fog upward. Do not aim the nozzle directly at mushrooms on the growing beds.
- 6. For best results, the mushroom house should remain closed for $1\frac{1}{2}$ hours after fogging. The house should then be completely ventilated for at least 1 hour before re-entering.

Insecticides for the Food Industry