PRECAUTIONARY STATEMENTS **CAUTION**

ARDS TO HUMANS AND DOMESTIC ANIMALS

e harmful if swallowed, inhaled, or absorbed through the void breathing of spray mist and provide adequate ventilaarea being treated. Contact with skin, eyes, or clothing also be avoided. Wash thoroughly after using. Avoid nination of food and utensils. Should poisoning occur, get t medical aid.

ENVIRONMENTAL HAZARDS

roduct is toxic to birds and wildlife. Keep out of lakes. is, or ponds. Do not apply where runoff is likely to occur. contaminate water by cleaning of equipment, or disposal tes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

use or store near heat or open flame.

DIRECTIONS FOR USE

tion of Federal law to use this product in a manner inconsists label.

STORAGE AND DISPOSAL

AGE: Store in a cool, dry place. Do not store near heat or

CIDE DISPOSAL: Do not contaminate water, food or feed torage or disposal.

Cans: Securely wrap original container in several layers ewspaper and discard in trash.

: Wastes resulting from the use of this product may be osed of on site or at an approved waste disposal facility.

AINER DISPOSAL:

Cans: Do not reuse container. Rinse thoroughly before arding in trash.

: Triple rinse (or equivalent). Then offer for recycling or onditioning or puncture and dispose of in a landfill, or by r procedures approved by State and local authorities.

TIONS: Do not use as a space spray. Do not use in edible areas of food processing plants or in commercial food on areas except for careful crack and crevice treatment. Do to rugs, draperies, wallpaper, or similar materials that may be void excessive wetting of plastic, rubber, and asphalt surh as tiles and floor coverings.

NET CONTENTS

PERMACIDE® **PLUS**

INSECT SPRAY CONTAINING BAYGON® PROPOXUR

For Long-Term Residual Control Of Insects Which Have Become **Resistant To Other Insecticides**

When Used As Directed, This Insecticide Product May Be Applied In Food Processing Plants, Restaurants. Warehouses, Homes and Apartments

KILLS Roaches, Waterbugs, Ants, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Fleas, Flies, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders, Saw-toothed Grain Beetles (exposed stage)

Petroleum distillate 83%

ACTIVE INGREDIENTS:

BALTIMORE

INERT INGREDIENTS: 16% Contains Petroleum distillates 100% KEEP OUT OF REACH OF CHILDREN Under the Tonord Indepticids. **CAUTION**

STATEMENT OF PRACTICAL TREATMENT

If case of poisoning, call a physician immediately. Have patient lie down and keep quiet

IF SWALLOWED: Do not induce vomiting; vomiting may cause aspiration hazard. Never give anything by mouth to an unconscious person. Get medical attention immediately.

IF ON SKIN: Wash skin immediately with soap and warm water, If irritation occurs, get medical

IF IN EYES: Wash with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

SYMPTOMS OF POISONING: A sense of tightness in the chest. Sweating, Contracted pupils. Stomach pains. Vomiting and diarrhea.

NOTE TO PHYSICIAN: Antidote — Administer atropine sulfate in therapeutic doses. Repeat as necessary to the point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

See Left Side Panel For Other Precautionary Statements

A PRODUCT OF

MARYLAND

as amended for the pesticide

registered under

EPA Reg. No. 102

DIRECTIONS FOR USE (continued)

HOW TO USE: This insecticide product containing BAYGON propoxur is ready-to-use undiluted as it comes out of the container, and may be applied with power-operated or hand sprayers.

NDOOR USE

"OUSEHOLD AND INDUSTRIAL APPLICATIONS OTHER THAN FOOD HANDLING ESTABLISHMENTS

SPOT TREATMENT

- # # (Ants) Cockroaches, Waterbugs, Crickets, Silverfish, Spiders, Scorpions. Saw-Toother! Grain Beetles (aids in control of the exposed stages of the saw toulned heart beetle which come into contact with treated surfaces).
- Egray into cruckst crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray feedstuffs or house plants. Do not allow children to contact treated areas until surfaces are thoroughly dry

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared, or served.

Ants, Cockroaches, Waterbugs, Crickets, Silverfish, Spiders and Saw-Toothed Grain Beetles (aids in the control of the exposed stages of the saw-toothed grain beetle which come into contact with treated surfaces). Food Areas — Application limited to CRACK AND CREVICE TREATMENT **ONLY.** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving Areas (when food is exposed and facility is in operation) also would be considered a food area. Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, junction boxes or switch boxes, conduits, or hollow equipment legs where the above listed insects hide. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Serving Areas — Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a SPOT TREATMENT to selective surfaces, such as baseboards. under elements of construction, into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

Non-Food Areas — Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms. boiler rooms, garages, mop closets, and storage rooms (after canning or bottling). Apply as a SPOT TREATMENT to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter.

OUTDOOR USE:

Ants, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Mosquitoes, Sow-bugs, and Brown Dog Ticks. Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

PERMACIDE is a registered trademark of Summit Chemical Co., Baltimore, Maryland. BAYGON is a registered trademark of the Parent Company of Farbenfabriken Bayer Gmbh, Germany.

EPA Registration No. 6218-24