

PM 10 6218-39 85 185

APR 02 1991

APR 02 1991

Mr. Lawrence E. Kase
Summit Chemical Company
7657 Canton Center Drive
Baltimore, MD 21224

Dear Mr. Kase:

Subject: Revised Label, Formula
Summit SHP-1382 21b E.C.
EPA Registration No. 6218-39
Your Submission Dated March 12, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

BEST AVAILABLE COPY

Sincerely yours,

Rfm Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

62482; I:A-4; Mountfort; L10-7; KEVRIC; 03/29/91; 04/27/91; CL; WO; CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

245

"center panel"

S U M M I T

SBP-1382 - 21D. E.C.

A SYNTHETIC PYRETHROID
For Use in Warehouses, Food Processing Plants, Business
Offices, Industrial Plants and Greenhouses

ACTIVE INGREDIENT.

Resmethrin* 29.54%

INERT INGREDIENTS.....

Contains petroleum distillates 70.46%

*Resmethrin is composed of 30% cis and 70% trans isomers.
Contains 2 pounds SBP-1382 per gallon

SBP-1382 is a registered trademark of Roussel Bio Corp.

APPROVED
APR 02 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended under
registered for the pesticide
EPA Reg. No. 6218-39

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. call a physician or
poison control center immediately.

IF INHALED: Remove to fresh air.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush eyes with plenty of water.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting
may cause aspiration pneumonia.

See Side Panel for Additional Precautionary Statements

EPA Registration No. 6218-39

EPA Establishment: No. 6218-MD-2

-----A PRODUCT OF-----

S U M M I T

CHEMICAL COMPANY

7657 CANTON CENTER DRIVE

BALTIMORE, MARYLAND 21224

BEST AVAILABLE COPY

57

"side panel"

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing spray mist. Do not remain in enclosed areas after use. Ventilate enclosed areas before reoccupying. Avoid contamination of food and food utensils. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. ~~Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg product inspection programs.~~ After spraying in meat packaging plants, bakeries and other food processing plants, all equipment, benches, shelving, etc. where exposed food will be handled must be washed with an effective cleaning compound and rinsed with potable water to remove all traces of contamination. Remove pets and birds. Cover and turn off fish aquariums before spraying.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat and open flame.

NET CONTENTS

BEST AVAILABLE COPY

1150014193 for the Food Industry

1150014193

1150014193

"back panel"

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GREENHOUSE PESTS:

For infestation of whiteflies on begonia, fuchsia, salvia, poinsettia, chrysanthemums, coleus, geraniums, ageratum, petunia, aster, calendula, marigold, roses, azalea and ivy.

Contact Spray - For whiteflies apply Summit SBP-1382 - 21b E.C. spray using 1 pint per 100 gallons of water or 1 teaspoonful per gallon. Spray upper and lower surfaces of plant foliage to point of runoff. Spray in late afternoon and at night only when the temperature ranges from 50 degrees F to 72 degrees F. Repeat application weekly for four weeks or longer for control of adults, pupae, and nymphs. Complete spray schedule on poinsettia before blooms form.

Where fewer applications are preferred, spray at the rate of 1 qt. per 100 gallons of water or 2 teaspoonfuls per gallon. Repeat as necessary. Apply sprays as indicated above.

HOUSEHOLD PESTS:

For use in warehouses, food processing plants, business offices and industrial plants.

Contact Spray - For Cockroaches, mix 1 1/3 fluid ounces of Summit SBP-1382 - 21b. E.C. in a gallon of water to make a 0.25% emulsion. Mix well before using. Spray thoroughly into hiding places such as cracks, crevices, and moist area around pipes, under refrigerators and along baseboards. Spray directly on insects when possible. Repeat as necessary.

444
76-071-2

BEST AVAILABLE COPY

444
76-071-2

continued:

Space Spray - For control of flies, mosquitoes and gnats. Remove or cover exposed food and food handling surfaces including utensils. Remove animals. Shut off ventilating systems, air ducts and air conditioning equipment. Mix 1/2 fluid oz. of Summit SBP-1382 - 2lb. E.C. in a gallon of water to make 0.10% emulsion. Apply as a fine spray at the rate of 2 fluid ozs. per 1,000 cubic feet or 1 gallon per 64,000 cubic feet. Mix well before using. Direct nozzle to upper corners of the room and along ceiling. Avoid inhaling the spray mist. Close off room for at least 1/2 hour after spraying. Ventilate room before re-entry. Repeat as necessary.

STORAGE AND DISPOSAL

STORAGE: Store in original container. Keep closed and store above 40 degrees F. If exposed to temperatures below 40 degrees, warm to 80 degrees F and mix well before using.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

443

16014

94
55

BEST AVAILABLE COPY