

Summit

**DIRECTIONS FOR USE**

**STORAGE AND DISPOSAL**

**STORAGE:** Keep container closed when not in use. Store in a cool, dry place.

**PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerator, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**FOR TRUCK MOUNTED ULV SPRAYERS:**—The objective is to treat the area with 0.01 to 0.02 pounds of actual Dibrom<sup>®</sup> per acre.

Summit DIBROM<sup>®</sup> ULV INSECTICIDE is a ready-to-use formulation which should be applied without further dilution. Dispense fog at the following rates depending upon the speed at which the truck is moving.

Truck Speed Miles per Hour	Flow Rate of Summit DIBROM <sup>®</sup> ULV INSECTICIDE Fluid Ounces per Minute
5	3 to 6 fl. oz.
10	6 to 12 fl. oz.
15	9 to 18 fl. oz.

Use the higher rate to penetrate dense vegetation. As a rule, however, delivery rate and traveling speeds should be varied only slightly so long as the basic objectives of 0.01 to 0.02 pounds of actual Dibrom<sup>®</sup> per acre is maintained. Use a swath width of 300 feet for acreage calculations.

For LECO equipment, formulation pressure on the machine should be at 1 1/2 lbs. per square inch.

Best results are obtained by application when there is a slight breeze — 5 miles per hour or less — and thermal activity is low. Fog with breeze so that the wind will carry fog from roads or paths into the area to be treated. Repeat applications as needed to obtain the desired reduction in adult mosquito population.

NET CONTENTS

# DIBROM<sup>®</sup> ULV INSECTICIDE

## Highly Concentrated, Ready-To-Use Insecticide For Use In Ultra Low Volume Cold Aerosol Fog Generators For Large Area, Outdoor, Adult Mosquito Control

**ACTIVE INGREDIENTS:**

Naled<sup>\*</sup> ..... 15%

**INERT INGREDIENTS:** ..... 85%

<sup>\*</sup> 1,2-dibromo-2,2-dichloroethyl dimethyl phosphosphate  
Dibrom<sup>®</sup> is a registered trademark of Chevron Chemical Co.

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
See other cautions on side panel

Summit DIBROM<sup>®</sup> ULV INSECTICIDE is formulated for use in cold aerosol fog generators, such as the Leco ULV, Model HD, which will produce a fog having most of its particles in the 5 to 50 micron range.

This product may be used in mosquito adulticiding programs involving residential areas, municipalities, tidal marshes, swamps, woodlands, livestock pastures, feed lots and pastures including dairy cattle. It is not necessary to avoid farm buildings, dairy barns, feed or forage areas.

A PRODUCT OF

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BALTIMORE



MARYLAND

Summit

**DANGER**

For outdoor use only. Do not use inside dwellings. Do not get on skin, eyes, or clothing. Harmful if swallowed. Avoid breathing. Concentrate causes eye damage. Concentrate may cause skin irritation. Use water proof gloves and face shield or goggles when using concentrate. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water. If swallowed, get medical attention. Avoid contamination of food, stuff, drinking water. DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of streams or ponds. Do not apply when weather conditions favor runoff from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment. Apply product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Flush all equipment out with LECO<sup>®</sup> ULV Flushing Solution after use to prevent corrosion.

**NOTE TO PHYSICIANS:** Naled is a cholinesterase inhibitor. Atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine. Mucosal damage may occur and if gastric lavage is indicated it should be performed cautiously.

**NOTICE**

Seller's guarantee shall be limited to the terms of the label subject thereto, the buyer assumes any risk to persons or property arising out of use or handling, and accepts the product on these terms.

EPA REGISTRATION NO. 6218-40

EPA EST. 6218-MD-2