

CAUTIONS

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove nets, birds and cover fish aquariums before spraying

Physical Hazards

Do not store near heat or open flame.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed. Pesticide Disposal: Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Container Disposal: a) Containers of 30 gallons or more — reseal container and offer for reconditioning, or:

 All containers — triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

General: Consult, Federal, State or Local authorities for approved alternative procedures.

MISTOCIDE®

HIGHLY CONCENTRATED, DEODORIZED, NON-STAINING INSE FOR RESIDENTIAL, INDUSTRIAL AND INSTITUTIONAL U

For Use in the Home, and Non-Food and Food Areas of Food Processing Plants, Schools, Warehouses,
Office Buildings, Theatres, Garages,
Hotels, Motels, Kennels,
and Hospitals.

*d-trans-Chrysanthemum monocarboxylic acid ester of ...
d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one ... 0.32
Other Isomers ... 0.02
**Piperonyl butoxide, technical ... 0.70
***N-Octyl bicycloheptene dicarboximide ... 1.16
Petroleum distillate ... 97.78

- * S-bioallethrin from ESBIOL®, Roussel-Uclaf
- ** Equivalent to .56% (butylcarbityl)(6-propylpiperonyl) ether and .14% related compounds
- *** MGK-264, Insecticide Synergist

CAUTION: KEEP OUT OF REACH OF CHILDS

See other cautions on side panel.

Insecticides for the Food Industry

BALTIMORE

Sümmit

MAF

1 ...

ISTOCIDE®-B

Y CONCENTRATED, DEODORIZED, NON-STAINING INSECTICIDE

OR RESIDENTIAL, INDUSTRIAL AND INSTITUTIONAL USE

For Use in the Home, and Non-Food and Food Areas of: Food Processing Plants, Schools, Warehouses, Office Buildings, Theatres, Garages, Hotels, Motels, Kennels, and Hospitals.

*d-trans-Chrysanthemum monocarboxylic acid ester of		
d-2-aliyi-4-hydroxy-3-methyl-2-cyclopenten-1-one Other Isomers **Piperonyl butoxide, technical. ***N-Octyl bicycloheptene dicarboximide Petroleum distiflate	0.325%	
	0.025% 0.700% 1.168%	
		97.782%
		* S-bioaliethrin from ESBIOL®, Roussel-Uclaf
	** Equivalent to .56% (butylcarbityl)(6-propylpiperonyl) ether and .14% related compounds	
*** MGK-264, Insecticide Synergist		

CAUTION: KEEP OUT OF REACH OF CHILDREN See other cautions on side panel.

MORE



MARYLAND

ummit

DIRECTIONS FOR USE

(CONTINUED)

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

Space Spray to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Close room and shut off all air conditioning and ventilating equipment. Apply with mechanical or compressed air sprayer or with fogger that gives small particle size. Direct spray upwards toward upper corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounces per 1,000 cubic feet of space to be treated. Vacate room and leave closed for 10 to 15 minutes. Ventilate theroughly gives to repeated. thoroughly prior to re-entry. Sweep up and destroy fallen insects. Repeat as necessary.

Contact or Surface Spray to Kill Cockroaches, Ants and Crickets: Apply with a sprayer that will give coarse wet droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harbourages. Use one gallon of spray per 1,000 sq. ft. of surface to be treated. For ants, spray trails and all points of entry into building. Spray ant nests directly with a soaking application. In all cases contact as many insects as possible with the spray. Repeat application as necessary for control. To Kill Carpet Beetles: Directly spray as many insects as possible Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards, floor boards and wall cracks and crevices. Allow spray to dry before contact. Repeat frequently.

To Kill Expused Forms of Confused Flour Beetles, Sawtoothed Grain Beetles, Lesser Grain Borers and Rice Weevils: Find and Destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Fleas: Remove and destroy animals' bedding and spray sleeping quarters freely. Direct spray into cracks and crevices. Allow spray to dry and replace clean bedding. Do not spray animals directly. Repeat as necessary. Also treat animals with a registered flea control product before allowing them to enter treated areas.

MISTOCIDE®

Registered trademark of Summit Chemical Co.

NET CONTENTS

EPA REGISTRATION NO. 6218-43%

ęτj て

m