MISTOCIDE®-B

For Use in and around the Home, and Non-Food and Food Areas of Food Processing Plants, Schools, Warehouses, Office Buildings Theaters, Garages, Hotels, Motels, Kennels, and Hospitals.

Active Ingredients:		2.128%
*d-trans-Chrysanthemum monocarboxylic acid este		
d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one	0.325%	
other isomers	0.025%	
**Piperonly butoxide, technical	0.700%	
***N-Octyl bicycloheptene dicarboximide		
INERT INGREDIENTS		97.782%
Contains Petroleum Distillate		
to bigallabaia from Ecolor Day and Mark		

*S-bioallethrin from ESBIOL, Roussel-Uclaf

Equivalent to 0.56% (butylcarbityl) (6-propylpiperonyl) ether and 0.14% related compounds *MGK 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advise.
l l	Have a person sip a glass of water if able to swallow.
I	♦ Do not induce vomiting unless told to do so by the poison control center or doctor.
<u> </u>	Do not give anything by month to an unconscious person.
IF ON SION	Take on contaminated clonning.
	 Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advise.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advise.
IF INHALED	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.
. 17 1	 Call a poison control center or doctor for treatment advise.
The Has product as	

have the product container of label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1.800.227.8664 for emergency medical treatment information. Note to physician: May pose an aspiration pneumonia hazard.

EPA REGISTRATION NO. 6218-43

EPA ESTABLISHMENT NO. 6218-MD-2

BALTIMORE

SUMMIT

MARYLAND

CHEMICAL CO.

ACCEPTED

MAY 1 5 2001

Under the Federal Insecticide, Fungicide, and Rodemicide Act, as amended, for the pesticide registered under EPA Reg. No. 62/8-43

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space spray while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs. After spraying in meat packing plants, bakeries and other food processing plants, all equipment, benches, shelving, etc., where exposed food will be handled must be washed with an effective cleaning compound and rinsed with potable water. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

NET CONTENTS:



Summit MISTOCIDE®-B

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: When used in hospitals, patients should be removed prior to treatment Ventilate for two hours after treatment Do not return patients to room until after ventilation.

Space Spray to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Close room and shut off all air conditioning and ventilating equipment Apply with mechanical or compressed air sprayer or with fogger that gives small particle size. Direct spray upwards toward upper comers of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1,000 cubic feet of space to be treated. Vacate room and leave closed for 10 to 15 minutes. Ventilate thoroughly prior to re-entry. Sweep up and destroy fallen insects. Repeat as necessary.

Contact or Surface Spray to Kill Cockroaches, Ants, and Crickets: Apply with a sprayer that will give coarse wet droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harborages. Use one gallon of spray per 1,000 sq. ft of surface to be treated. For ants, spray trails and all points of entry into building. Spray ant nests directly with a paking application. In all cases contact as many insects as possible with the spray. Repeat application as necessary for control.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards, floor boards and wall cracks and crevices. Allow spray to dry before contact Repeat frequently.

To Kill Exposed Forms of Confused Flour Beetles, Sawtoothed Grain Beetles, Lesser Grain Borers and Rice Weevils: Find and destroy infested packaged goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present Place clean paper on the shelves and return packages after shelves have died. Repeat as necessary.

To Kill Fleas: Remove and destroy animals' bedding and spray sleeping quarters freely. Direct spray into cracks and crevices. Allow spray to dry and replace clean bedding. Do not spray animals directly. Repeat as necessary. Also treat animals with a registered flea control product before allowing them to enter treated areas.

Space Spray to Kill Flying Insects Outside: Apply fog only in unoccupied areas... Stay out of treated area until no visible fog or residue remains. Fog should be directed downwind, using the prevailing wind to carry the fog into pass to be treated. Walk crosswind to cover the entire area. Use approximately 1 fluid ounce to each 250 square set of area to be treated. Allow sufficient fogging time for each area so that the fog will remain in the area for a minimum of 10 seconds.

MISTOCIDE® Registered trademark of Summit Chemical Co.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Do not contaminate water, food or teed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a landfill, or by other procedures approved by State and local authorities.

4/4

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerator, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

