# 6218-45



# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard.

Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg. grading and egg products inspection programs. After spraying in meat packing plants, bakeries and other food processing plants, all equipment, benches, shelving, etc. where exposed food will be handled must be washed with an effective cleaning compound and rinsed with potable water to remove all traces of contamination.

Remove pets and cover fish bowls before spraying.

### **Environmental Hazards**

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**Physical or Chemical Hazards** Do not use or store near heat or open flame.

### **DIRECTIONS FOR USE** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not store near heat or open flame. PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL:

Drums: Triple raise (or equivalent) Then offer for recycling or reconditioning, or puncture anticipaese of in a landfill, or by other procedures approved by State and local authorities

Plastic Containers? Prople rinse (or equivalent) Then offer for recycling or exconditioning or functure and dispose of in a sanitary landfill, or Incinerator, or, gallowed by State and local authorities, by burning. If burned, stay out of smoke

....

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

. ..

....

# PYRETHRINS 12/12/89 FOGGING CONCENTRATE II

# For Use In Meat, Poultry, Egg. and Rabbit Processing Plants

ACTIVE INGREDIENTS:	<b>7</b> ° c
P 14 prints	2.3
t Piper in this water ten in the	
The octy bioly, cheptere dicarta and def	25
INERT INGREDIENTS	93° c
Tortan KiPetroleum Distillar	

"Equivalent to 20 — buty carbity in biology operative ether and 15 reliated configurates MGK 264 Insectic de Syneralist

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

## STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician or Poison Control Center.

IF IN EYES: Flush with plenty of water. Consult a physician if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing, wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim into fresh air. Ar. 1/ artificial respiration if needed.

### SEE LEFT SIDE PANEL FOR ADDIT ONAL PRECAUTIONARY STATEMENTS.

This synergized pyrethrins insecticity formulation is especially designed for use in Meat, Poultry, Egg and Rabbit Processing Plants. It may also be used in other indoor facilities where the insets shown on this label are present.



Because of the small micron size particles emitted from cold aerosol foggers, such as the LECO and MICRO-GEN, this dual synergized insecticidal formulation is extremely effective on those insects listed. The small particle size permits greater insectinsecticide contact than previously attainable by other methods of space spraving.

Prior to application, close all doors and windows. Turn off airconditioning or ventilating systems. Cover or remove all food and food handling surfaces.

Space Soray to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Using a spraying device similar to the Micro-Gen or Mini Leco, apply ½ ounce pe. 1,000 cu. ft. of room space. The applicator should be centrally located or moved around the room as necessary to achieve uniform distribution of the insecticide mist. Vacate premises and leave room closed for one hour. Ventilate room thoroughly prior to re-entry. Repeat as necessary for control.

-	_		
-			-

Insecticides for the Food Industry

MARYLAND

**REPreviewed.** Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BALTIMORE

# Summit **DIRECTIONS FOR USE (continued)**

Contact Spray to Kill Roaches, Silverfish, Waterbugs, Earwigs, Ants, Spiders, and Beetles in Shellered Situations: With equipment described above, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat dosages as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

