

## DIRECTIONS FOR USE

### General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry area away from heat or open flame.

**Pesticide Disposal:** Do not contaminate water, food, or feed by storage or disposal. Awaiting disposal, the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Replace cap and dump and container in trash. Do not incinerate or puncture.

**SUMITHRIN GREENHOUSE AEROSOL** kills on contact adult whiteflies, aphids, and spider mites when applied directly to the following ornamental foliage and flowering plants:

Roses, Chrysanthemums, Gardenias, Snapdragons, Marigolds, African Violets, Fuchsia, Begonia, Impatiens, Crassula, Carnation, Geraniums, Ferns, Hibiscus, Poinsettias, Gardenias, Fuchsia, Hibiscus, Pelargonium, Azaleas, Peperomia, Hydrangea, Calceolarias, Scheffera, Oleander, Jerusalem Sage, Rattle Plant, Nerve Plant, and Spider Plant.

For best results, apply during early evening when temperatures are cool and humidity is high. Shut off all exhaust fans and open windows, ventilators, and doors. Greenhouse cannot be tightly sealed. Use higher spray dosage. Keep greenhouse sealed at least 24 hours, preferably overnight, following treatment. All human occupants and pets must be removed from the greenhouse prior to treatment. Do not allow children to enter the building until they have been thoroughly ventilated. This spray may harm the young tender foliage of some plants. However, this is a temporary condition with no lasting effects.

### APPLICATION DIRECTIONS:

**Dosage:** Apply 1.0 ounce per 100 square feet of foliage. For plants 1 to 2 feet high, use 2.0 ounces per 100 square feet of foliage. Dosage is based on two-foot high plants. Lower or higher dosage should be given based on the height of foliage.

Do not spray on foliage lower than 4 feet and do not spray upwards so that the spray part of the container under the plant leaves. Do not spray on foliage lower than 4 feet to avoid damage to foliage. Do not spray on foliage lower than 4 feet to avoid damage to foliage.

# Summit SUMITHRIN GREENHOUSE AEROSOL

**KILLS ON CONTACT ADULT WHITEFLIES,  
APHIDS, SPIDER MITES.**

### ACTIVE INGREDIENTS:

*3-phenoxybenzyl d-cis and trans** 2, 2-dimethyl-3- (2-methylpropenyl) cyclopropanecarboxylate	0.956%
*Other isomers	0.044%
†N-octyl bicycloheptene dicarboximide	1.000%

### INERT INGREDIENTS

†d-cis trans isomer ratio	98.000%
*c-cis trans isomer ratio	100.000%
Max 25% (- or ) cis	
Min 75% (- or ) trans	
†MGK 264, Insecticide Synergist	
SUMITHRIN® Registered Trademark of Sumitomo Chemical Co.	

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See Side Panel for Additional  
Precautionary Statements

A Product Of

BALTIMORE  MARYLAND  
CHEMICAL CO.

## Precautionary Statements

Hazards to Humans and  
Domestic Animals

### CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

### Physical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130 F may cause bursting.

EPA Reg. No. 6218-46  
EPA Est. No. 43686 NJ 1

Net Weight 15 oz.