



CAUTIONS

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Contains petroleum distillate. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before re-use. After spraying in meat packing plants, bakeries and the food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards

Do not store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

Container Disposal: Rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

NET CONTENTS

PYRETHRINS FOGGING CONCENTRATE 123

For Use in Household and Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels.

Table with 2 columns: ACTIVE INGREDIENTS and percentage. Includes Pyrethrins (1.00%), *Piperonyl butoxide, technical (2.00%), †N-Octyl bicycloheptene dicarboximide (3.00%), Petroleum distillate (94.00%), *Equivalent to 1.6% (butylcarbityl) (6-propylpiperonyl) ether and .4% related compounds, and †MGK-264, Insecticide Synergist.

CAUTION: KEEP OUT OF REACH OF CHILDREN See other cautions on side panel.

A PRODUCT OF

BALTIMORE



MARYLAND

General... LEC... Note:

FOR... AND... Space... Small... or ver... the ra... output... room... Space... ment:... Cover... room... Dilute... 9 part... spray... toward... closed... room... Contact... to the... Beetles... all air... aerosol... ing the... surface... ever th... faces a... Ventilat... Contact... Wetting... of Gran... Beetles... Larvae... Beetles... scribed... Concent... grain bi... baseboa... harbours... spray in... sary. FOR US... Space S... Mosquit... Cover of... house as... sene at... well. Di... Keep clo... Space... ment. To... Prepare... kerosene... (0.4 gal.)... upward t... and leav...

6128-48

PYRETHRINS FOGGING CONCENTRATE 123

For Use in Household and Food Processing Plants,
Restaurants, Industrial Buildings: schools,
warehouses, offices, theatres, garages, hotels,
motels, hospitals and kennels.

ACTIVE INGREDIENTS:	100%
Pyrethrins	1.00%
*Piperonyl butoxide, technical.....	2.00%
† N-Octyl bicycloheptene dicarboximide	3.00%
Petroleum distillate	94.00%
*Equivalent to 1.6% (butylcarbityl) (6-propylpiperonyl) ether and .4% related compounds	
† MGK-264, Insecticide Synergist.	

CAUTION: KEEP OUT OF REACH OF CHILDREN
See other cautions on side panel.

Summit

DIRECTIONS FOR USE
(CONTINUED)

General: This product is designed for use undiluted in mechanical sprayers which produce particles of aerosol size, such as the LECO or MICRO-GEN.

Note: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

FOR USE IN HOMES, RESTAURANTS, FOOD PROCESSING PLANTS AND OTHER INDUSTRIAL AREAS:

Space Spray Undiluted: To Kill Houseflies, Mosquitoes, Gnats and Small Flying Moths: Close room and shut off all air conditioning or ventilating equipment. Using a cold fog generator, apply at the rate of one-half (.5) ounce per 1,000 cu. ft. of space. Direct output from aerosol generator upwards toward upper corners of room and ceiling. Leave room closed for one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

Space Spray — Diluted for Ordinary Mechanical Fogging Equipment: To Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 9 parts of oil and mix well. Apply at the rate of 50 fl. oz. of dilute spray (.4 gal.) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for 1/2 hour. Do not remain in treated areas. Ventilate room thoroughly before re-entry.

Contact Spray Undiluted: To Kill Cockroaches, Rice Weevil, Saw-toothed Grain Beetles, Confused Flour Beetles, Black Carpet Beetles and Indian Meal Moth Larvae: Close room and shut off all air conditioning or ventilation equipment. Using a cold fog aerosol generator, direct discharge into areas suspected or harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, and where ever these pests are suspected of hiding. Spray until treated surfaces are moist with deposit. Leave room closed one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

Contact Spray — Diluted for Use with Sprayers that Give Large Wetting Spray Particles: To Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Rusty Grain Beetles, Red Flour Beetles, Indian Meal Moth Larvae and Adults, Caddisflies, Grain Mites and Sawtoothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 9 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harbourages using 1 gal. of spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary.

FOR USE IN DAIRY AND BEEF BARN, SWINE HOUSING:
Space Spray — Diluted for Use in Aerosol Generators: To Kill Flies, Mosquitoes, Gnats, Small Flying Moths and Exposed Cockroaches: Cover or remove exposed food and watering troughs and close house as tightly as possible. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 1 part of oil and mix well. Direct spray upward and apply until room is filled with mist. Keep closed for 1/2 hour and ventilate thoroughly prior to re-entry.
Space Spray — Diluted for Ordinary Mechanical Fogging Equipment: To Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Prepare for application as above. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 9 parts of refined kerosene and mix well. Apply at the rate of 50 fl. oz. dilute spray (.4 gal.) per 25,000 cu. ft. of space above animals. Direct fog upward toward upper corners of room and ceiling. Vacate room and leave closed for 1/2 hour.

A PRODUCT OF

BALTIMORE



MARYLAND

EPA REGISTRATION NO. 6218-48
EPA ESTABLISHMENT NO. 6218-MD-2