PYRETHRINS FOGGING CONCENTRATE 1-2-3

For Use in Households and Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels.

ACTIVE INGREDIENTS:		 								6.00%
Pyrethrins *Piperonyl butoxide, technical		11.								1.00%
*Piperonyl butoxide, technical	- 1	3	• •	•	• -					2.00%
31 Outyl hinyclohieptene dicarboxiin			•	٠.						3 00%
INERT INGREDIENTS:	•	٠.,		٠.	• .					94.00%
Court en Petrojenia Destitato										

*Equivalent to 1.63- (butylcarbityl) (6-propylpiperonyl) ether and 4% related compounds. FMCK 264-3co.o.tc do Synorget.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Wash skin with soap and warm water. Remove contaminated clothing and wash before reuse.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

See Side Panel For Additional Precautionary Statements

NOTE: This sprity, when diluted properly as described, and applied per the directions and cautions in this label, conforms, with Food, Additive Regulations, 40 CFR. Title, 21, Section, 172,884, and the food, additive to tental additive to the conformal throughout the conformal additive.

EPA Registration No. 6218-48

A PRODUCT OF

EPA Establishment No. 6218-MD-2

BALTIMORE





PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful If swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Salety Administration and the National Institute for Occupational Salety and Health under the provisions of 30 CFR Part II. Contains petroleum distillate.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in meat packing plants, bakeries and other food processing plants, wash with an acceptable detergent solution and rinse with potable water to remove all traces of contamination on the equipment, benches, shelving, etc., where exposed food will be handled. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NDPES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

NET CONTENTS

"Insecticides for the Food Industry

PYRETHRINS FOGGING CONCENTRATE 1-2-3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General: This product is designed for use undifuted in mechanical sprayers which produce particles of aerosol size, such as the LECO or MICRO-GEN.

Note: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

FOR USE IN HOMES, RESTAURANTS, FOOD PROCESSING PLANTS AND OTHER INDUSTRIAL AREAS:
Space Spray Unditated: To Kill Houseflee, Mosquitoes, Gnats and Small Flying Moths: Close room and shut off all air
conditioning or ventilating equipment. Using a cold fog generator, apply at the rate of one-half (.5) ounce per 1,000 cu. st. of
space. Direct output from aerosol generator upwards toward upper corners of room and ceiling. Leave room closed for one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

Space Spray — Diluted for Ordinary Mechanical Fogging Equipment: To Kill Files, Mosquitoes, Small Flying Moths and Gnate: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 9 parts of oil and mix well. Apply at the rate of 50 fl. oz. of dilute spray (.4 gal.) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for ½ hour. Do not remain in treated areas. Ventilate room thoroughly before re-entry.

Contact Spray Undituted: To Kill Cockroaches, Rice Weevils, Saw-toothed Grain Beetles, Confused Flour Beetles, Black Carpet Beetles and Indian Meal Moth Larvae: Close room and shut off all air conditioning or ventilation equipment. Using a cold fog aerosol generator, direct discharge into areas suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, and wherever these pests are suspected of hiding. Spray until treated surfaces are moist with deposit. Leave room closed one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

Contact Spray -- Diluted for Use with Sprayers that Give Large Wetting Spray Particles: To Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Rusty Grain Beetles, Red Flour Beetles, Indian Meal Moth Larvae and Adults, Candelles, Grain Miles and Saw-toothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 9 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harborages using 1 gal, of spray per 1,000 sq. ft, of surface, Force spray into all cracks and crevices. Repeat applications as necessary.

FOR USE IN DAIRY AND BEEF BARNS, SWINE HOUSING:

Space Spray — Diluted for Use in Aerosol Generators: To Kill Files, Mosquitoes, Gnats, Small Flying Moths and Exposed Cockroaches: Cover or remove exposed food and watering troughs and close house as tightly as possible. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 1 part of oil and mix well. Direct spray upward and apply until room is filled with mist. Keep closed for 1/2 hour and ventilate thoroughly prior to re-entry.

Space Spray — Diluted for Ordinary Mechanical Fogging Equipment: To Kill Files, Mosquitoes, Small Flying Moths and Gnats: Prepare for application as above. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 9 parts of refined kerosene and mix well. Apply at the rate of 50 fl, oz. dilute spray (0.4 gal.) per 25,000 cu. ft. of space above animals. Direct fog upward toward upper corners of room and ceiling. Vacate room and leave closed for 1/2 hour.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not store near heat or open flame. PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL:

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerator, or, if allowed by State and local authorities irning, If burned, stay out of smoke. **Drums:** Triple rinse (or equivalent). Then offer for recycling or reconditioning ncture and dispose of in a landfill, or by other procedures approved by State and local authorities.



ACCEPTED

Under the Federal Insecticite, Fungoide, and Rodenticide Act, as amended, for the pesticide registered under 218-48