

6218 48

6/15/2004

1/2

JUN 15 2004

SUMMIT
7657 Canton Center Drive
Baltimore, MD 21224-2079

Dear Mr. Cohen:

Subject: Revised Labels
Product Name: Pyrethrins Fogging Concentrate 123
EPA Registration No. 6218-48
Resubmission date: MAY 4, 2004


The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, subject to the comment listed below.

a) In the Storage and Disposal section "Drums" revise the sentence Triple rinsedisposal of in a sanitary landfill,authorities.

A copy of your label is Accepted with Comments. Submit four (4) copies of the final printed labeling prior to releasing product for shipment.

To expedite handling, please return a copy of this letter with your final labels to Ms. Pat Quarles. If you have any questions please call (703) 305-6876.

Sincerely



Richard Gebken
Acting Product Manager 10
Insecticide Branch
Registration Division 7505

enclosure

ACCEPTED
with COMMENTS
In EPA Letter Dated:

JUN 1 - 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
provided for the pesticide
EPA Reg. No. 6218-48

PYRETHRINS FOGGING CONCENTRATE 1-2-3

For Use in Households and Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels.

ACTIVE INGREDIENTS:
 Pyrethrins 1.00%
 Piperonyl butoxide 2.00%
 1-N-Octyl-bicycloheptene diol boronate 3.00%
INERT INGREDIENTS: 94.00%
 (Contains Petroleum Distillate)
 *Equivalent to 1.8% (butylparathion) 6-phosphorothioic acid dimethyl 4-methyl compounds
 *MKG 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN CAUTION FIRST AID

IF SWALLOWED: • Call poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIANS: Contains petroleum distillate—vomiting may cause aspiration pneumonia.
HOT LINE NUMBERS: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-740-6712 for emergency medical treatment information.

NOTE: This spray will be used primarily as described on label. For more information and cautions on this label, contact your State Department of Agriculture, or the National Agricultural Experiment Station and the State Entomology Laboratory, University of Maryland.

EPA Registration No. 6218-48 EPA Establish. Reg. No. 6218 MD 2

BALTIMORE

SCOTT'S
CHEMICAL CO.

MARYLAND

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Contains petroleum distillate.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces, bakeries and other food processing plants, wash with an acceptable detergent solution and rinse with potable water to remove all traces of contamination on the equipment, benches, shelving, etc., where exposed food will be handled. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flames.

NET CONTENTS

Insecticides for the Food Industry

PYRETHRINS FOGGING CONCENTRATE 1-2-3

It is a violation of Federal law to use

General: This product is designed for use undiluted as the LECO or MICRO-GEN.

Note: When used in hospitals, patients should be returned to room until after ventilation.

FOR USE IN HOMES, RESTAURANTS, FOOD PROCESSING PLANTS:

Space Spray Undiluted: To Kill Houseflies, Mosquitoes, and other flying insects. Use in a well-ventilated space. Direct output from aerosol generator upward for one half hour. Ventilate room thoroughly before re-entry.

Space Spray — Diluted for Ordinary Mechanical Fogging: Cover or remove exposed food and food handling equipment. Dilute Concentrate with oil at the rate of 50 fl. oz. of dilute spray (4 gal.) per 25,000 cu. ft. of area. Leave room closed for 1/2 hour. Do not re-enter until room is thoroughly ventilated.

Contact Spray Undiluted: To Kill Cockroaches, Rats, Carpet Beetles and Indian Meal Moth Larvae: Close room and fog aerosol generator, direct discharge into a cold fog aerosol generator as described above. Behind hiding. Spray until treated surfaces are moist with before re-entry. Repeat as necessary.

Contact Spray — Diluted for Use with Sprayers that Kill Stages of Granary Insects: Granary Weevils, Beetles, Indian Meal Moth Larvae and Adults, Can be used on exposed food and close room as described above. of oil and mix well. Spray outside walls of grain bins, behind cabinets, around pipes and other insect harborage areas. Repeat applications as necessary.

FOR USE IN DAIRY AND BEEF BARNS, SWINE HOUSES:

Space Spray — Diluted for Use in Aerosol Generators: Cockroaches: Cover or remove exposed food and water. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate to 10 parts of kerosene. Spray until room is filled with mist. Keep closed for 1/2 hour.

Space Spray — Diluted for Ordinary Mechanical Fogging: Gnats: Prepare for application as above. Dilute Concentrate with refined kerosene and mix well. Apply at the animals. Direct fog upward toward upper corners of room.

STORAGE: Store in a cool, dry place. Do not store near heat or open flames.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed with spray drift or other residues. This product may be disposed of on site or at a hazardous waste incineration facility.
 CONTAINER DISPOSAL: Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or other procedures approved by State and local authorities. Metal Containers: Triple rinse (or equivalent). Then offer for recycling or other procedures approved by State and local authorities.