

# Summit

## PRECAUTIONARY STATEMENTS CAUTION

### Hazards to Humans and Domestic Animals

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs. After spraying in meat packing plants, bakeries and other food processing plants, all equipment, benches, shelving, etc., where exposed food will be handled must be washed with an effective cleaning compound and rinsed with potable water.

Remove pets and cover fish bowls before spraying.

### Environmental Hazards

Do not spray on, over, or near fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Do not store near heat or open flame.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Keep container closed.

**Pesticide Disposal:** Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

**Container Disposal:** Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

**NOTE:** When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

### IN FOGGING EQUIPMENT AND HAND SPRAYERS

**To Kill Accessible Stages of Insects\* Infesting Dried Fruit Products in Storage or Being Processed:** Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Fogmaster machine or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a

(continued on right panel)

# MISTOCIDE®

# PLUS

## Syngerized Pyrethrin Industrial Spray

**For Use in the Home, and  
Non-Food and Food Areas of:  
Food Processing Plants, Warehouses,  
Office Buildings, Hotels, Motels,  
Schools, Theatres, Kennels, Hospitals.**

### ACTIVE INGREDIENTS:

Pyrethrins ..... 0.50

\*Piperonyl butoxide, technical ..... 1.00

†N-Octyl bicycloheptene dicarboximide ..... 1.67

**INERT INGREDIENTS:** ..... 96.83

*Contains Petroleum Distillates* ..... 100.00

Equivalent to 80% (butylcarbitol) (6-propylpiperonyl) ether and 20% related compounds.

†MGK 264, Insecticide Synergist

**KEEP OUT OF REACH OF CHILDREN.**

## CAUTION

See other cautions on side panel.

## STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Do not induce vomiting. Call a physician or Poison Control Center.

**IF IN EYES:** Flush with plenty of water. Consult a physician if irritation persists.

A PRODUCT OF

**Summit**  
CHEMICAL CO.

BALTIMORE

MARYLAND

# Summit

## DIRECTIONS FOR USE

(Continued)

dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications as necessary for insect control, but do not exceed more than ten applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after the treatment is completed. Maximum dilution is 1 part Mistocide Plus and 5.6 parts oil.

\***Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-toothed Grain Beetle and Roaches.**

**To Kill the Adult and Accessible Forms of Insect Pests\* of Stored Food (Stored in Multiwall Paper Bags or Cloth Bags) in Warehouses, Storage Rooms and Similar Locations:** Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Fogmaster machine or use fixed ceiling sprayers that produce a very fine mist. Use a dosage of 1 fluid ounce of this spray per 1,000 cubic feet of room space. Do not remain in treated area. Ventilate the area after treatment is completed. Repeat application as necessary for insect control.

\***Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.**

**To Kill Flies, Mosquitoes and Gnats:** Close room and discharge spray mist as described above. Use a dosage of 1 to 1 fluid ounce per 1,000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

### IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS

**As a Surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-toothed Grain Beetles, Caddises, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils:** Apply as a coarse wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1,000 square feet. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found (for Flying Moths and Beetles, treat as for Flies, Mosquitoes and Gnats. See above.) **Do not apply this spray to surfaces that may come in contact with food; excessive residues in food may result.**

**To Kill Roaches, Silverfish and Waterbugs in Sheltered Situations:** Apply this spray with a sprayer that produces coarse wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

**MISTOCIDE®** Registered trademark of Summit Chemical Co.

NET CONTENTS

EPA REGISTRATION NO. 6218-49

EPA EST. 6218-MD-2

This product is registered under the Federal Insecticide, Fungicide, and Rodenticide Act, and is sold in accordance with the requirements of the Federal Insecticide, Fungicide, and Rodenticide Act for Phase 2. The registration number is 6218-MD-2. The registration number is 6218-MD-2. The registration number is 6218-MD-2.