
Ry # 6218-53 PM 12

Summit PERMACIDE' W

INSECTICIDE

Controls Numerous Pests In and Around Households



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if strallowed. Avoid contact with eyes, skin or clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

If SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON \pm KIN: In case of ϵ -stact, remove contaminated clothing and immediately wait skin with plenty of soap and water.

IF IN EYES: Flush eyes with plenty of water.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptom atically. Alropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM pre-pam, may be therapeutic if used early; however, use only in conjunction with the pre-

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish, birds and other wildlife. Do not apply directly k water. Drift and runoff from treated area may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of wastes.

li

This product is highly toxic to bees exposed to direct treatment or residues on plants Protective information may be obtained from your Cooperative Agriculture Extension Service

PHYSICAL OR CHEMICAL HAZARDS

Do it usi or store near heat or open flame. Do not store below 32 degrees F

STORAGE AND DISPOSAL

STORAGE: Do not use of store main heat or open flame. Do not store below 32°F PESTICIDE DISPUSAL: Do not contaminate water, lood or feed by storage or disposal Securely whap original container in several layers of newspaper and discard in trash CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash

Summit PERMACIDE® W

INSECTICIDE

Controls Numerous Pests in and Around Households

General Information

Use SUPER PERMACIDE W insecticide to control the pests indicated in the areas listed below by application of the product as an undiluted spray (0.5% chlorpyrifos). Repeat the treatment as needed.

Do not apply sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedst... and water supplies. Thoroughly wash dishes and food handling utensits with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PESTS INDOORS

Application Within Residential Buildings including Homes and Apartment Buildings and Within Nonfood Areas of Industrial, Institutional, and Commercial Buildings Including Hospitals, Stores, Manufacturing Plants and Warehouses: For Spot Treatment Only— Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to other insecticides), ants, clover mites, crickets, firebrats, silverfish, and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls; along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Note: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

For control of carpet beetles, thoroughly apply as a spray for spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

For control of fleas and brown dog ticks, thoroughly apply as a spray for not treatment to infested areas such as pet beds and resting Hs, nearby cracks and crevices; along and behind baseboards, now and door frames and localized areas of floor and floor overing where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet area. DO NOT TREAT PETS WITH THIS PRODUCT. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

PESTS-OUT-OF-DOORS

Files, mosquitoes: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as neces-

Ants, brown dog ticks, crickets, fless and serwigs: For treatment of localized infestation of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hilin and runways. Repeat applications as infestations warrant and as ninfestation occur.

ACCILTED

APR 1 8 1986

Un rederal Insecticide, Eurgi i ie, and Rodenticide Act, 46 a.nendud, for the pesticide registered under 12/8-53

STORAGE AND DISPOSAL

STORAGE: Do not use or store near heat or open flame. Do not store below 32° F.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal, Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before distarding in trast.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

!F SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.

IF IN EYES: Flush eyes with plenty of water.

Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This pesticide is externely toxic to fish, birds and other wild-life. Do not apply directly to water. Drift and runoff from treated area may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agriculture Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not store below 32 degrees F.

WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably forseeable to seller, and buyer assumes the risk of any such use.

A PRODUCT OF

Baltimore Summit

Maryland

PERMACIDE® is a registered trademark of SUMMIT CHEMICAL COMPANY