

ASG  
WAG

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (TS-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.

6210-56

DATE OF ISSUANCE

OCT 16 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE:

REGISTRATION  
 REREГИSTRATION

(Under the Federal Insecticide, Fungicide  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Summit Pyrethrins Fogging  
Concentrate 3610

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Summit Chemical Company  
7657 Canton Center Drive  
Baltimore, MD 21224

16, / 162, 086  
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 6210-56" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

10-16-85

SUMMIT

PYRETHRINS FOGGING CONCENTRATE 3610

For Application by Trained Personnel Only

For Use in Homes, Restaurants, Food Processing Plants,  
Warehouses, and Industrial Installations.

OCT 16 1985

ACTIVE INGREDIENTS:	100%
Pyrethrins	3%
*Piperonyl butoxide, technical	6%
<sup>1</sup> N-octyl bicycloheptene dicarboximide	10%
Petroleum distillate	81%

6210-56

\*Equivalent to 4.8% (butylcarbityl)(6-propylpiperonyl) ether  
and 1.2% related compounds.

<sup>1</sup>MGK 264, Insecticide Synergist.

DIRECTIONS FOR USE

General: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size, such as the LECO Mini ULV or Micro-Gen Micron Generator. It can be diluted with refined kerosenes which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Space Spray - Undiluted in Aerosol Generators - to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 oz. of undiluted Concentrate per 1000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for  $\frac{1}{2}$  hour. Ventilate room thoroughly before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment - to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gal.) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for  $\frac{1}{2}$  hour. Ventilate room thoroughly before re-entry.

Contact Spray - Diluted for Use with Sprayers that Give Large, Wetting Spray Particles to Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Red Flour Beetles, Meal Moth Larvae and Adults, Cadelles, Grain Mites and Saw-Toothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, area behind cabinets, around pipes and other insect harbourages using 1 gal. spray per 1000 sq. ft. of space. Force spray into all cracks and crevices. Repeat applications as necessary.

Contact and Space Spray - Undiluted - to Kill Cockroaches, Silverfish, Larvae, Ants, Spiders, in Sheltered Situations: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately  $\frac{1}{4}$  fl. oz. per 1000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas, apply only when the facility is not in operation.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before re-use.

Remove pets, birds and cover fish aquariums before spraying.

Mix well before sampling and each use. Do not store, pour or spill near open flame. Keep container tightly closed.

### STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Gallon Cans or Smaller: Securely wrap original container in several layers of newspaper and discard in trash.

Drums: Wastes resulting from the use of this product may be disposed of on site at an approved waste disposal facility.

#### CONTAINER DISPOSAL:

Gallon Cans or Smaller: Do not reuse containers. Rinse thoroughly before discarding in trash.

Drums: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a landfill, or by other procedures approved by State and local authorities.

Note: This spray when diluted properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 121, 1074, 121.1075, and 121.1205 and the food additive tolerances established thereunder. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under USDA poultry, meat, rabbit and egg products inspection program.

Net Contents \_\_\_\_\_

A PRODUCT OF  
BALTIMORE SUPPLY MARYLAND  
CHEMICAL CO.

EPA Reg. No. 6218-

EPA EST. NO. 6218-MD-2