

PYRETHRINS FOGGING CONCENTRATE 3610

For Use In Homes, Restaurants, Food Processing Plants
Warehouses and other Industrial Installations and outside
Applications For Mosquito & Gnat Control

ACTIVE INGREDIENTS:

- Pyrethrins.....3%
- *Piperonyl butoxide, technical.....6%
- +N-octyl bicycloheptene dicarboximide.....10%

INERT INGREDIENTS:.....81%

Contains Petroleum distillates

*Equivalent to 4.8% (butylcarbityl) (6-propylpiperonyl) ether and 1.2% related compounds.

+MGK 264, Insecticide Synergist.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Wash skin with soap and warm water. Remove contaminated clothing and wash before reuse.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

See Side Panel For Additional Precautionary Statements.

This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size. It can be diluted with refined kerosenes which meet Food Additive Regulation CFR Title 21,172,884 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Fogmaster machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown on this label.

EPA REGISTRATION No. 6218-56

EPA ESTABLISHMENT No. 6218-MD-2

A PRODUCT OF

Summit Chemical Co.
7657 Canton Center DR.
Baltimore, MD 21224

ACCEPTED
APR 28 1998
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 6218-56

284

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Contains petroleum distillate.

Do not apply directly to food. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces before reuse. After spraying in meat packing plants, bakeries and other food processing plants, wash with an acceptable detergent solution and rinse with potable water to remove traces of contamination on the equipment, benches, shelving, etc., where exposed food will be handled. Food Processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries,, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

NET CONTENTS

PYRETHRINS FOGGING CONCENTRATE 3610

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Mix well in drum before sampling and each use. Keep container closed and store in a cool place. **DO NOT STORE, POUR OR SPILL NEAR OPEN FLAME.**

Note: This spray when diluted properly as described, and applied per the directions and cautions given above, conform with Food Additive Regulations 40 CFR, Sections 185.45, 185.49 185.52 and the food additive tolerances established thereunder. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under USDA poultry, meat, rabbit and egg products inspection programs.

Contact and Space Spray - Undiluted - To Kill Cockroaches, Silverfish, Earwigs, Ants, Spiders, in Sheltered Situations: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stores food. Use at a dosage rate of approximately 1/2 fl. Oz. per 1,000 cu. Ft. of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Do not allow this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Space Spray - Undiluted in Aerosol Generators - To Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at a rate of 1.0 oz. of undiluted Concentrate per 1,000 cubic feet of space. Direct output from aerosol generator upward towards upper corners of the room and ceiling. Leave room closed for one hour. Ventilate room thoroughly before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment - To Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at a rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at a rate of 50 fluid ounces dilute spray (0.4 gallons) per 25,000 cubic feet of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for one half hour. Ventilate room thoroughly before re-entry.

Contact Spray - Diluted for Use with Sprayers that Give Large, Wetting Spray Particles - To Kill Cockroaches and Accessible Stages of Granary Insects: Weevils, Flour Beetles, Meal Moth Larvae and Adults, Cadelles, Grain Mites and Saw-tooth Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of miling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harbourages using one gallon spray per 1,000 square feet of surface. Force spray into all cracks and crevices. Repeat applications as necessary.

9/84

OUTSIDE SPACE SPRAY USE: To Kill Gnats And Mosquitoes: In open areas, diluted concentrate with petroleum distillate at a rate of one part Concentrate to two parts oil and mix well. Use at a time when the temperature is cool (75 F. or less) and the wind speed does not exceed 10 mph. With a mechanical sprayer which gives particles of aerosol size, spray at a dosage rate not more that 15 ounces per minute upwind of the area to be controlled. Truck mounted equipment please refer to the table below keeping a 300 foot swath.

USE RECOMMENDATIONS FOR TRUCK-MOUNTED ULV APPLICATION
(LESS THAN MAXIMUM LABEL RATE ABOVE)

<u>SPEED</u> <u>WIDTH</u>	<u>FLOW RATES</u>		<u>SWATH</u>
	<u>NORMAL</u> <u>INFESTATIONS</u>	<u>HEAVY</u> <u>INFESTATIONS</u>	
2.5 MPH 300 FT.	1.5 OZ./MIN.	3.0 OZ./ MIN.	
5.0 MPH 300 FT.	3.0 OZ./MIN.	6.0 OZ./MIN.	
10 MPH 300 FT.	6.0 OZ./MIN.	12.0 OZ./MIN.	

HAND HELD SPRAYERS: Use the 2.5 mph rate recommended above.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not store near het or open flame.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting in the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke

Drums: Triple rinse (or equivalent). The offer for recycling or reconditioning, or puncture and dispose of in a landfill, or by procedures approved by State and local authorities.