tio supposition and a second	EPA REGISTRATION NO.	DATE OF ISSUANCE
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	6218-57	JUN 27 1986
REGISTRATION DIVISION (TS-767)	TERM OF ISSUANCE	
WASHINGTON, DC 20460	Until keregister	ea •
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT	4
(Under the Federal Insecticide, Fungicide,		! •
and Rodenticide Act, as amended)	հատում 5% DDVP	
NAME AND ADDRESS OF REGISTRANT (Include 21P code)		
٦	// ٦	11174400
	' 14	1
Similar Character Contains 2007 Canton Canton Disco	7	4
For One St., etc. 21226	<i>'</i>	0
,		•
L	Ь	
-	4	
l		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this		
product always refer to the above U.S. EPA registration number		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency, In order to protect		
health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is constituently registered in accurance with (IFM), section $S(c_1(7)(n))$ provides that you:		
1. Substit analyticate all data required for registration/relegistration		
of your product under FIFFA section 3(c)(5) then the Agency requires at		
lugistionts of similar products to submit such data.		
2. hake the labeling changes as sed below before you terease the croduct tor shipment:		
a. Add the phrase "EPA Registration No. 6218-57."		
D. Change "Ohly FOR SALE TO, etc." to "RECGMELIDED FOR COMMERCIAL/INDUSTRIAL USE."		
c. Add "artificial" before "respiration" in the if inhaled section.		
 Submit five (5) copies of your 	rinal owing a labority	. .
3. Submit rive (5) copies of your rinal printed labeling before you release the product for shipment. Refer to the n=79 Enclosure for a further		
description of final printed labeling.		
		·
ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		IDATE /- /-
151	1 1/2	6/27/46
EPA Form 8570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.		

86108:Newkirk:LR-12:KENCO:6/23/85:7/2/86:EK:VO

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

SUMMIT C

FOR USE IN BAKERIES, CANNERIES, BOTTLING PLANTS, WAREHOUSES, RAILROAD CARS AND STATIONARY TRUCKS, FLOUR MILLS, GRAIN MILLS, RICE MILLS

ONLY FOR SALE TO, USE AND STORAGE BY SERVICEPERSONS

JUN 2 7 1986

ACCEPTED

with COMMENTS in EPA Letter Dated

Finder the Federal Insecticide, Pengicide, and re-conticide Act as amended, for the posticide registered under EPA Reg. No.

5.00%

ACTIVE INGREDIENTS:

*2,2-dichlorovinyl dimethyl phosphate...4.65%

*Related Compounds......0.35%

INERT INGREDIENTS:

95.00%

Contains Petroleum Distillates
*Equivalent to 5% DDVP Insecticide

KEEP OUT OF REACH OF CHILDREN

DANGER

See left panel for additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

<u>If swallowed</u> - Call a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. If possible, vomiting should be induced under medical supervision. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

In inhaled - Remove victim to fresh air and apply respiration if indicated.

If on skin - Remove all contaminated clothing and wash with soap and water. If signs of cholinesterase inhibition appear, of if irritation persists, get medical attention.

If in eyes - Flush with plenty of water. If irritation persists, get medical attention.

NOTE TO PHYSICIAN:

POISONING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete Atropinization has occured...2-PAN is also antidotal and may be administered in conjunction with Atropine. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase-regeneration has been allowed as determined by blood test.

A PRODUCT OF

BALTIMORE

MARYLAND

SUMMIT CHEMICAL CO.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

DANGER

Do not get in mouth, fatal if swallowed, inhaled or absorbed through skin. Wear rubber gloves while filling, running or emptying machine. Do not get liquid in eyes. Avoid contact with skin, eyes, or clothing. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Do not contaminate food products by direct contact with liquid. Wear clean natural rubber gloves, protective clothing, and goggles, face shield or equivalent. Wear a pesticide respirator jointly approved by the Mine Safety and Health Administration and by the National Institute for Occupational Safety and Health under provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. See center panel for Statement of Practical Treatment and Note to Physician.

. . .

DIRECTIONS FOR USE

-- --- ----

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

The building should be opened and aired prior to re-entry of unprotected workers or remain unoccupied by unprotected workers for at least 6 hours after treatment.

Summit 5% DDVP is a specially formulated insecticide designed for use in the control of exposed stages of stored-product insects infesting warehouses containing non-perishable, packaged or bagged raw or processed food commodities. The term "non-perishable, means any raw or processed food not subject to rapid decay or deterioration that would render it unfit for consumption. Raw commodities would include cocoa beans, field-dried beans, field-dried peas, grains and nuts. Not included are eggs, milk, meat, poultry, fresh fruits and vegetables such as onions, parsnips, potatoes and carrots. Processed foods would include flour, sugar, cereal, packaged cookies, and crackers. Not included are hermetically scaled foods or manufactured dairy products and other processed foods requiring refrigeration.

APPLICATION DIRECTIONS:

Undiluted ULV Space Spray:

For control of the exposed stages and the prevention of migration of most species of stored product insects, rice weevils, confused flour beetles, saw-toothed "grain beetles, cigarette beetles, Indian-meal moths, and cocoa bean moths in

EPA Registration 6218-EPA Est. No. 6218-MD-2

RIGHT PANEL /

DIRECTIONS FOR USE (continued)

warehouse storage areas, and in food processing areas of flour and grain mills, bakeries, canning and bottling plants, and brewery warehouses during times when the plant is not in operation and no food products are exposed. If bulk, unpackaged foods are exposed, remove or cover before spraying begins. Food should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas apply only when the facility is not in operation. Use Summit 5% DDVP in a ULV type machine, adjusted to deliver small particles. The rate of application should be between 1-2 grams of actual DDVP per 1,000 cu. ft. or 1/2 to 1 oz. of liquid per 1,000 cu. ft. Check amount in insecticide tank or auxiliary tank before and after treatment to assure proper dosage has been applied.

Treatment should be made during the hours when buildings are unoccupied. Buildings treated should be closed and ventilation kept at a minimum during application of the insecticide. Lock all entrances and do not allow unprotected workers to enter while being treated. Place Caution Signs at all entrances stating, "Do not enter prior to o'clock (date) without protection". Repeat treatment at weekly intervals during season of peak insect activity for optimum results.

Diluted Space And Contact Spray:

Dilute with oil to 1-3% and apply at the rate of 1 gallon of spray per 64,000 cu. ft. to kill roaches, silverfish, fleas, waterbugs, earwigs, ants, spiders, in sheltered situations. Adjust a ULV Spraying device to a coarse spray for control of the above listed crawling insects. Contact as many of the insects with the spray as possible. Thoroughly spray all parts of the room suspected of harboring these insects. Special attention should be paid to cracks, hidden surfaces under equipment, and food storage areas. Then adjust the ULV device to deliver a fine spray for use as a space spray. Sweep up and destroy dead insects. Repeat treatment as necessary. Exposed food should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before processing is resumed. When using this product in these areas, apply only when facility is not in operation.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not store near heat or open flame. Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions. contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste; ': representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitar, landfill, or by other procedures approved by state and local authorities.

Glass Containers: Triple rinse (or equivalent). Then dispose of ir a sanitary and fill or by other approved state and local procedures.

<u>Plastic Containers</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NET CONTENTS-