

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION 6218-65	DATE OF ISSUANCE DEC 28 1988
	TERM OF ISSUANCE Initial Registration	
	NAME OF PESTICIDE PRODUCT Summit Pesticide 1-1	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

*Under the Federal Insecticide, Fungicide,
 and Rodenticide Act*

NAME AND ADDRESS OF REGISTRANT (If different from label):

~~161 / 18~~ ~~236246~~ / 21

NOTE: Changes in labeling, formula, or other information on the label of a pesticide registered under this Act must be approved by the Registration Division before the pesticide can be marketed. In any correspondence on the product label, refer to the above EPA registration number.

Under this Act information furnished by the registrant, the label and the pesticide are registered/ke registered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the label must be submitted to the Registration Division, Office of Pesticides Programs, with each registration application. The Agency will review the application and, if approved, will issue a registration. The Agency will also issue a registration for a pesticide if it is found to be in compliance with the Act. The registration number will be printed on the label of the pesticide. A pesticide that is not registered under this Act may not be marketed in the United States.

1. The product is a pesticide registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

2. The product is a pesticide registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

3. Make the appropriate changes to the label and release the product for shipment:

a. Add the phrase "EPA Registration No. 6218-65."

b. The full name of the registrant must appear on the label (including, street address, city, state, and zip code).

4. Submit a copy of the label to the Registration Division, Office of Pesticides Programs, for review and approval. The label must be approved before the product is marketed.

ATTACHMENT IS APPLICABLE

SIGNATURE OF REGISTRANT:



DATE:

12/28/88

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors.

SURFACE SPRAYING To control cockroaches, waterbugs, palmetto bugs, scorpions, millipedes, centipedes, sowbugs, pillbugs, ants, silverfish, firebrats, spiders, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, drugstore beetles, meal worms, grain mites and earwigs: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, part locally around tufts and seams. Turn beds apart and spray in all joints. Treat baseboards, wall sags and floors. Allow mattresses and other articles to dry thoroughly before use. Repeat treatment as needed.

To control fleas and ticks (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, walltags, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping usually at least three feet from fabric to avoid staining.

To kill lice and loose eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

ON LIVESTOCK To protect pigs and horses from horn maggot and gnats: Apply surface of the skin. Do not spray into eyes.

To control stable flies: Rate of 2 ounces per adult thoroughly. Repeat treatment for continued protection.

To control poultry lice: Apply liberally. Repeat every 3 weeks.

To control poultry lice: Thoroughly. This should be done with a fine mist.

To control bedbugs and dust mites: Spray in wall and under beds.

ON SOGS To control fleas: Apply to the underside of the sogs. Repeat every 3 weeks. Do not spray directly on the sogs. Do not spray on faces. Avoid contact with eyes.

Not recommended.

OUTDOOR APPLICATION

Do not use on plants or for spot treatments of lawns spreading to large gardens.

May also be used on other insects, beetles, crickets, earwigs, fleas, gnats, mosquitoes, ticks, and wasps.

Effective when used as directed on and red mites, exposed to paracetamol salts, clover mites.

A Ready-To-Use PIRAZINONE Stable Emulsion

READY TO USE

For Control of Fleas, Brown Dog Ticks and Lice

On Poultry and On Dogs

On Poultry Fleas and Ticks on Dogs for 33 Days

For Control of Fleas on Dogs for an Adult and 3 Weeks

ACTIVE INGREDIENT

1.2.3.4.5.6.7.8.9.10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.25.26.27.28.29.30.31.32.33.34.35.36.37.38.39.40.41.42.43.44.45.46.47.48.49.50.51.52.53.54.55.56.57.58.59.60.61.62.63.64.65.66.67.68.69.70.71.72.73.74.75.76.77.78.79.80.81.82.83.84.85.86.87.88.89.90.91.92.93.94.95.96.97.98.99.100.

2.1.3

1.2.3.4.5.6.7.8.9.10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.25.26.27.28.29.30.31.32.33.34.35.36.37.38.39.40.41.42.43.44.45.46.47.48.49.50.51.52.53.54.55.56.57.58.59.60.61.62.63.64.65.66.67.68.69.70.71.72.73.74.75.76.77.78.79.80.81.82.83.84.85.86.87.88.89.90.91.92.93.94.95.96.97.98.99.100.

1.2.3

1.2.3

1.2.3.4.5.6.7.8.9.10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.25.26.27.28.29.30.31.32.33.34.35.36.37.38.39.40.41.42.43.44.45.46.47.48.49.50.51.52.53.54.55.56.57.58.59.60.61.62.63.64.65.66.67.68.69.70.71.72.73.74.75.76.77.78.79.80.81.82.83.84.85.86.87.88.89.90.91.92.93.94.95.96.97.98.99.100.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for use and first aid.

PIRAZINONE - Registered Trademark of Parke-Davis and Company

1.2.3.4.5.6.7.8.9.10.11.12.13.14.15.16.17.18.19.20.21.22.23.24.25.26.27.28.29.30.31.32.33.34.35.36.37.38.39.40.41.42.43.44.45.46.47.48.49.50.51.52.53.54.55.56.57.58.59.60.61.62.63.64.65.66.67.68.69.70.71.72.73.74.75.76.77.78.79.80.81.82.83.84.85.86.87.88.89.90.91.92.93.94.95.96.97.98.99.100.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 F. Conduct effects slightly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May be absorbed through skin. Avoid contamination of spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before cooking or eating. Avoid contact with food or food stuffs. Remove sets and cover fish tanks before spraying. This product is not for use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN Remove clothes and clothing and wash affected areas with soap and water.

IF IN EYES Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not use directly to any body of water. Do not contain safe water when spraying of the pest washwaters.

Never reuse all rights of use, storage or handling of this product not in strict accordance with directions given herein.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

12-24-83

Under the Federal Insecticide,
Fungicide, and Herbicide Act
as amended, the pesticide
registered under EPA Reg. No.
42715-2-105