



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Robert I. Rose Agent for Summit Chemical Company 235 S. Kresson Street Baltimore, MD 21224-2616

SEP 2 7 2012

Subject: Amended Reregistration Label for Summit Permacide® P-I D413330

EPA Reg. No. 6218-65

Dear Mr. Rose:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the referenced product in connection with the **Permethrin RED**, and has concluded that your submission is acceptable.

PLEASE NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

PLEASE NOTE: That the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSF's are superseded.

Basic CSF, dated February 23, 2010

A copy of your label stamped Acceptable is enclosed. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Linda A. DeLuise at (703) 305-5428 or via e-mail at <u>deluise.linda@epa.gov</u> or Mr. Richard J. Gebken at (703) 305-6701 or via e-mail at <u>Gebken.Richard@epa.gov</u>.

Sincerely yours,

Richard Gebken
Product Manager 10
Insecticide Branch

Registration Division (7505P)

Enclosure: Label stamped Accepted dated: September 21, 2012

SUMMIT Responsible Solutions® PERMACIDE® P-I

A Ready-To-Use Permethrin Emulsion

Production and Recenticide Ass. en emended, for the positives suddiesed under

For Homeowner Use, Both Indoors and Outdoors To Control fleas, Ticks, and Lice On Premises and On Dogs

ACTIVE INGREDIENTS:

*Permethrin:	
OTHER INGREDIENTS	99.50%
TOTAL	100.000/

^{*}cis/trans ratio: min. 35% (+\ -) cis and max. 65% (+\ -) trans

KEEP OUT OF REACH OF CHILDREN	
FIRST AID	
If swallowed	Immediately call a poison control center or doctor.
•	• Do not induce vomiting unless told to do a poison control center or
	doctor.
	 Do not give any liquid to the person.
·	 Do not give anything by mouth to an unconscious person.
If on skin or	Take off contaminated clothing.
clothing	 Rinse skin immediately with plenty of water for 15-20 minutes.
	 Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-
	20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes,
	then continue rinsing.
	 Call a poison control center or doctor for treatment advice.
If inhaled	 Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then
	give artificial respiration, preferably by mouth-to-mouth if possible.
	• Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
Have the produ	act container or label with you when calling a poison control center, or circuit
doctor, or goin	g for treatment. For additional information on this product (including
health concern	s, medical emergencies, or pesticide incidents), you may the National
	rmation Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am ^c to
	c Time (NPIC Web site: www.npic.orst.edu).

See side panel for additional precautionary statements.

Contents: X gallon, quarts, pints

Lot No.

Summit®

235 South Kresson Street

Phone: (410) 522-0661

Toll-Free: (800) 227-8664

Baltimore, MD 21224-2616

Fax: (410) 522-0833

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Wash the outside of gloves before removing. **DO NOT USE ON CATS**. May be toxic or potentially fatal if applied to or ingested by cats. Accidental application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE USE. Affix trigger, pump, or other type of sprayer to container for application. Do not transfer to another container.

General Precautions and Restrictions:

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Not for broadcast use. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held care Remove or cover exposed food and drinking water before application. Do not allow spray to contact food, feedstuffs or water supplies. Remove or cover dishes, utensils food processing equipment, and food preparation surfaces, or wash them before use. Do not use treated article until spray has dried. Do not wet articles to point of runoff or drip. Remove pets, birds, and cover fish aquariums before use. Not for use in outdoor residential misting systems.

INDOOR APPLICATION: FOR SPOT APLICATION ONLY. Do not use as a space spray indoors. Also, treat your yard with a product registered for yard application.

SURFACE SPRAYING: To control cockroaches, waterbugs, palmetto bugs, scorpions, millipedes, centipedes, sowbugs, pillbugs, ants, silverfish, firebrats, spiders, crickets, clover motes, cheese mites, granary weevils, rice weevils, confused flour beetles, red flour beetles, drugstore beetles, meal worms, grain mites and cadelles; direct spray into hiding places, cracks and crevices and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests, and points of entry.

To control carpet beetles; spray edges of carpeting and under carpeting and rugs. Make localized applications to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving.

To control bedbugs; spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, and floors. Allow mattresses and other articles to dry thoroughly before use.

To control fleas and ticks (adults and larvae); thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, and window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment.

To control clothes moths; remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet to avoid staining.

To kill lice and louse eggs; spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture, that cannot be either laundered or dry-cleaned. Allow all treated articles to dry thoroughly before use.

ON LIVESTOCK: To protect cattle (beef and dairy), goats, sheep, hogs and horses from horn flies, face flies, house flies, mosquitoes and gnats; apply a light mist sufficient to wet the surface of the hair. For face flies spray face and head, but do not spray into eyes.

To control stable flies, horse flies and deer flies; apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

To control blood-sucking lice; Apply to the infested areas of the animal using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control poultry lice; spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

To control bedbugs and mites in poultry houses; spray crevices of roosts, poles, cracks in walls, and cracks in nests where bedbugs and mites hide.

ON DOGS to control fleas, ticks and lice; start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Use

protective gloves (mitts) to prevent contact with hands. Make sure spray wets thoroughly. Do not spray into eyes or face. Avoid contact with genitalia. NOTE: Do not use on animals under 12 weeks of age.

OUTDOOR APPLICATION: Do not use on edible crops. For use on roses, dahlias, asters, and other ornamentals to kill Japanese beetles hit by spray, as well as whiteflies, aphids, exposed thrips, spiders, red mites, and leafminers. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, euonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jew and zinnias. Effective when used directly against whiteflles, aphids, spider and red mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, clover mites, and armyworms. When spraying plants do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants, and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Do not store near heat or open flame.

DISPOSAL if empty: Do not reuse this container. Place in trash or offer for recycling, if available

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place any unused product down any indoor or outdoor drain.

Notice: To the extent consistent with applicable law, the seller makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extends beyond the statements made on this label. To the extent consistent with applicable law, the seller shall not be liable for consequential, special or indirect damages resulting from the use, handling, application, storage or disposal of this product or for occordanges in the nature of penalties, and the buyer and the user waive any right that they may have to such damages.