



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 3, 2021

Tim McGonegal
Authorized Agent
Summit Chemical Co.
c/o Scientific Coordination, Inc.
4629 Cherry Valley Drive
Rockville, MD 20853

Subject: Label Amendment – Adding inadvertently removed statements from the previously accepted label, icons, and marketing claims; incorporating Permethrin Interim Decision changes
Product Name: Summit Mosquito & Gnat Barrier
EPA Registration Number: 6218-76
Application Date: 7/8/19 & 12/18/20
Decision Number: 553232 & 568971

Dear Mr. Gonegal:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Jasmin Jackson by phone at 703-347-0732, or via email at jackson.jasmin@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Paul Di Salvo".

Paul Di Salvo, MPS, AWB®
Special Assistant / Wildlife Biologist
Registration Division (7505P)
Office of Pesticide Programs

Enclosure: Stamped Label

SUMMIT ...*responsible Solutions*[®]
MOSQUITO & GNAT BARRIER
**[Alternate Brand Names: TICK & FLEA SPRAY/
 Mosquito & Gnat Barrier Concentrate / Tick & Flea
 Spray Concentrate]**

For Outdoor Use Only

**Spray on Yard, Patio, Plants, and Flowers.
 Contains Permethrin for Long-Lasting Control of Listed
 Insect Pests.**

ACTIVE INGREDIENT:

*Permethrin:2.50%

OTHER INGREDIENTS:.....97.50%

TOTAL100.00%

*cis/trans ratio: min. 35% (+\ -) cis and max. 65% (+\ -) trans

CAUTION
KEEP OUT OF REACH OF CHILDREN

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment information.

See side panel for additional precautionary statements.

EPA Reg. No. 6218-76
Contents: 32 ounce, 64 ounce

EPA Est. No. 6218-MD-2
Lot No. _____

Summit[®]

235 South Kresson Street
Phone: (410) 522-0661

Toll-Free: (800) 227-8664

Baltimore, MD 21224-2616
Fax: (410) 522-0833

ACCEPTED

8/3/2021

Under the Federal Insecticide, Fungicide
 and Rodenticide Act as amended, for the
 pesticide registered under
 EPA Reg. No. 6218-76

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long sleeved shirt, long pants, shoes and socks, and waterproof gloves. Remove and was contaminated clothing before reuse.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees or other pollinators are foraging the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Entry Restrictions:

- Do not allow adults, children or pets to enter the treated area until sprays have dried.

Application Restrictions:

- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying.
- For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- Do not spray the product into fish pools, ponds, streams, or lakes. Do not apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not allow the product to enter any drain during or after application.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- Do not apply or irrigate to the point of run-off.
- All outdoor spray applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 1. Application to pervious surfaces such as soil, lawn, turf, and other vegetation;
 2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, or lawn);
 3. Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
 4. Applications around potential exterior pest entry points into man-made structures such as doorways and windows, when limited to a band not to exceed one inch;
 5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks, etc.), up to 2 feet above ground level;
 6. Applications to vertical surfaces directly above pervious surfaces, such as soil, lawn, turf, mulch

or other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

- Spot treatments must not exceed two square feet in size.
- To treat insects harbored in voids and cracks-and-crevices, applications must be made in such a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

APPLICATION INSTRUCTIONS

- The best times to spray are early evening and early morning.
- The target pest and plant should be completely covered with spray.
- Do not apply when the wind speed is greater than 15 mph.
- Do not make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- Treat surfaces to ensure thorough coverage but avoid runoff.

DIRECTIONS FOR USE THROUGH HOSE-END SPRAYER

Make sure the spray equipment to be used is clean and dry. The attached hose-end type sprayer must be adjusted to deliver a 1 to 100 dilution.

Make sure knob is twisted fully to off position. Shake well before attaching to hose. Bend safety tab down and turn control knob to "water". Avoid squeezing bottle. Only clear water will spray when water is turned on. Point nozzle toward item to be sprayed and turn the control knob to "on" to automatically mix insecticide with water. When finished spraying turn control knob to "off/closed" position.

Hose-end convenience!

Automatically mixes with water! No measuring or separate applicator!



1. Attach garden hose to spray nozzle and turn on water supply.
2. Bend safety tab down and turn control to "Water". Clear water will spray.
3. Point nozzle toward item to be sprayed and turn water control knob to "On" to automatically mix with water.
4. Hold bottle level. Use with average water pressure. When finished spraying turn knob to off/closed position.

DIRECTIONS FOR USE THROUGH COMPRESSED SPRAY TANKS

Mix 1.28 oz of concentrate to 1 gallon of water. Mix thoroughly before spraying and shake hand-held sprayers periodically while using. This mixture will produce the same dilution as the hose-end applicator (100 parts water: 1-part Insecticide).

NUISANCE PESTS IN OUTDOOR AREAS:

PESTS: ants, clover mites, crickets, earwigs, millipedes, sowbugs (pill bugs).

To help prevent infestation of buildings, treat the building foundation, where pests are active and may find entrance. Also, apply as a crack and crevice residual spray to outside surfaces of building, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Repeat the treatment as needed to maintain effectiveness.

OTHER OUTDOOR PESTS:

PESTS: ants, crickets, earwigs, fleas, deer ticks (which may carry Lyme Disease), and brown dog ticks:

For treatment of localized infestations of these insects in areas where there are weeds or bushy areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as re-infestation occurs.

BARRIER SPRAY:

PESTS: cluster flies, flying moths, gnats, house flies, mosquitoes:

For use as an aid in reducing annoyance from these insects. Spray as a crack and crevice to outside surface of screens, doors, window frames or wherever these insect may enter the house. Also treat surfaces around light fixtures on porches or other places where these insects may land or congregate. May be used as a barrier spray for mosquitoes. Treat lawns, shrubs and trees surrounding the home. Repeat as necessary.

GRASSES: Bent, Bermuda, bluegrass, dichondra, fescue, Irish moss, Merion, St. Augustine:

PESTS: ants, armyworms, ticks, chinch bugs, crickets, cutworms, fleas, grasshoppers, Japanese beetle grubs, mole crickets, sod webworms: Thoroughly wet down grass a few hours before applying. Home lawns should be no taller than 3 inches at time of application. For heavy infestations repeat application after 2 weeks.

TREES & SHRUBS:

All trees and shrubs:

PESTS: tent caterpillars:

Application should be made when caterpillars are young and tents are first noticed. For best results, apply in the late afternoon or evening when caterpillars have returned to their tents. Wet tents with spray on all sides. A few caterpillars may be seen escaping from the tent, however, they should die within several hours.

TREES & SHRUBS: Arizona cypress, azalea, birch, non-bearing citrus, conifers, elm, English ivy, euonymus, weeping fig, fir, poinsettia, tulip poplar, rhododendron, taxus:

PESTS: aphids, bagworms, cicadas, exposed thrips, fall cankerworms, inchworms, leafminers, leafrollers, mealybugs, spider mites, whiteflies

For all other Trees and Shrubs Listed: Ensure spray completely covers the target pests and the plants they are infesting. Ensure that applicator follows all precautions listed to ensure there is no runoff and/or spray drift. It is always best practice to apply the product towards the evening when the sun is not as strong. It is most effective to apply Summit Mosquito & Gnat Barrier when insects are first spotted. Do not allow pets and persons to enter the treatment area until the product is dry.

Cherry, honeysuckle:

PESTS: fall webworms

Conifers:

PESTS: budworms

Elm:

PESTS: elm leaf beetle, elm spanworm, fall webworms

Douglas and grand Firs: PESTS: tussock moths

Non-bearing citrus: PESTS: citrus black flies

Oak: PESTS: oakworm

Pine: PESTS: pine beetles, pine moths, pine needle miners, needle scales

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Do not store near heat or open flame.

PESTICIDE DISPOSAL & HANDLING: if empty: Do not reuse this container. Place in trash or offer for recycling, if available. If partly filled, do not pour or dispose down-the-drain or sewer. Call your local solid waste Agency for local disposal options.

Notice: To the extent consistent with applicable law, the seller makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extends beyond the statements made on this label. To the extent consistent with applicable law, the seller shall not be liable for consequential, special or indirect damages resulting from the use, handling, application, storage or disposal of this product or for damages in the nature of penalties, and the buyer and the user waive any right that they may have to such damages.

PRODUCT FACTS		PRODUCT FACTS	
What It Is:	Insecticide spray for mosquitoes, gnats, ants, ticks, fleas, and other listed insect pests.	What It Is:	Insecticide spray for mosquitoes, gnats, ants, ticks, fleas, and other listed insect pests.
What It Does:	Attach to water hose and spray to kill mosquitoes, gnats, ants, ticks, fleas and other insects as listed.	What It Does:	Mix concentrate with water and spray to kill mosquitoes, gnats, ants, ticks, fleas and other insects as listed.
Where To Use:	Treat lawns, shrubs, and trees, around doors and window frames or where insects may land or congregate around the home.	Where To Use:	Treat lawns, shrubs, and trees, around doors and window frames or where insects may land or congregate around the home.
Coverage	Covers up to 5,000 [10,000] square feet.	Coverage	Makes up to 25 [50] gallons of finished spray.
Questions & Comments:	Call 1-800-227-8664 or visit our website at www.SummitResponsibleSolutions.com	Questions & Comments:	Call 1-800-227-8664 or visit our website at www.SummitResponsibleSolutions.com

[For Hose-End]

[For Concentrates]

OPTIONAL MARKETING LANGUAGE, SYMBOLS & GRAPHICS:

- Kills ticks and fleas outdoors
- Kills, ants, ticks, fleas, mosquitoes & gnats
- Spray outdoors around yard and plants
- Works up [Controls up] to 4 weeks
- Treats up to 5,000 [10,000] sq. feet
- Spray on yard, patio, plants, and flowers.
- Contains Permethrin for long-lasting Control of listed insect pests.
- Hose-end convenience
- Automatically mixes with water! No measuring or separate applicator
- Use dilution rates as indicated. 1.28 oz = 2.56 Tbsp.
- Mix with water (for concentrates)
- Makes up to 25 [50] gallons of finished spray

Graphics and Icons:

