<b></b>		1	
U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460	EPA Reg. Number: 6218-78	Date of Issuance: MAR 3 0 2009	
NOTICE OF PESTICIDE:		Ulicoliulional	
Registration Reregistration (under FIFRA, as amended)	Name of Pesticide Ready-To-Use Yea	Product: ar-Round Spray Oil	
Name and Address of Registrant (include ZIP Code):	<u> </u>		
Summit Chemical Company dba Summit Responsible Solutions 235 South Kresson Street Baltimore, MD 21224		· · · ·	
On the basis of information furnished by the registrant, the above named pesticide is hereby regist Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or re- order to protect health and the environment, the Administrator, on his motion, may at any time su accordance with the Act. The acceptance of any name in connection with the registration of a pro- the registrant a right to exclusive use of the name or to its use if it has been covered by others.	commendation of this pro- spend or cancel the registr oduct under this Act is not	duct by the Agency. In ation of a pesticide in to be construed as giving	
Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or re order to protect health and the environment, the Administrator, on his motion, may at any time su accordance with the Act. The acceptance of any name in connection with the registration of a pro-	ecommendation of this pro- spend or cancel the registr oduct under this Act is not eccision, EPA has n ecction $4(g)(2)(C)$ istration under thi	duct by the Agency. In ration of a pesticide in to be construed as giving reregistered the of the Federal is section does not	
Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or re order to protect health and the environment, the Administrator, on his motion, may at any time su accordance with the Act. The acceptance of any name in connection with the registration of a pro- the registrant a right to exclusive use of the name or to its use if it has been covered by others. Based on your response to the Reregistration Eligibility De- product listed above. This action is taken under the authority of s Insecticide, Fungicide, and Rodenticide Act, as amended. Reregi- eliminate the nced for continual reassessment of pesticides. EPA	ecommendation of this pro- spend or cancel the registr oduct under this Act is not eccision, EPA has n ecction $4(g)(2)(C)$ istration under this may require subu	duct by the Agency. In ration of a pesticide in to be construed as giving reregistered the of the Federal is section does not mission of data at	
Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or re order to protect health and the environment, the Administrator, on his motion, may at any time su accordance with the Act. The acceptance of any name in connection with the registration of a pro- the registrant a right to exclusive use of the name or to its use if it has been covered by others. Based on your response to the Reregistration Eligibility De- product listed above. This action is taken under the authority of s Insecticide, Fungicide, and Rodenticide Act, as amended. Reregi eliminate the need for continual reassessment of pesticides. EPA any time to maintain the registration of your product. Generic data requirements that have been identified in the F active ingredient contained in the subject product will continue to	commendation of this pro- spend or cancel the registr duct under this Act is not eccision, EPA has r section 4(g)(2)(C) istration under thi may require subu RED as confirmate to be tracked and a	duct by the Agency. In ration of a pesticide in to be construed as giving reregistered the of the Federal is section does not mission of data at ory data for the assessed in the ler the Federal	
Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or re order to protect health and the environment, the Administrator, on his motion, may at any time su accordance with the Act. The acceptance of any name in connection with the registration of a pro- the registrant a right to exclusive use of the name or to its use if it has been covered by others. Based on your response to the Reregistration Eligibility De- product listed above. This action is taken under the authority of s Insecticide, Fungicide, and Rodenticide Act, as amended. Reregi- eliminate the need for continual reassessment of pesticides. EPA any time to maintain the registration of your product. Generic data requirements that have been identified in the H active ingredient contained in the subject product will continue to Agency's continual reassessment of pesticides. The labeling referred to above, submitted in connection with Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended	commendation of this pro- spend or cancel the registr duct under this Act is not eccision, EPA has r section 4(g)(2)(C) istration under thi may require subu RED as confirmate to be tracked and a	duct by the Agency. In ration of a pesticide in to be construed as giving reregistered the of the Federal is section does not mission of data at ory data for the assessed in the ler the Federal	
Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or re order to protect health and the environment, the Administrator, on his motion, may at any time su accordance with the Act. The acceptance of any name in connection with the registration of a pro- the registrant a right to exclusive use of the name or to its use if it has been covered by others. Based on your response to the Reregistration Eligibility De- product listed above. This action is taken under the authority of s Insecticide, Fungicide, and Rodenticide Act, as amended. Reregi- eliminate the need for continual reassessment of pesticides. EPA any time to maintain the registration of your product. Generic data requirements that have been identified in the H active ingredient contained in the subject product will continue to Agency's continual reassessment of pesticides. The labeling referred to above, submitted in connection with Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended comments:	commendation of this pro- spend or cancel the registr oduct under this Act is not eccision, EPA has n ecction 4(g)(2)(C) istration under this may require sub- RED as confirmate to be tracked and a th registration und d, is acceptable with fore you release the Notice or the nex- stamped copy of	duct by the Agency. In ration of a pesticide in to be construed as giving reregistered the of the Federal is section does not mission of data at ory data for the assessed in the ler the Federal ith the following the product for st printing of the the label is	

### Label Comments

- On page 1, add the following text directly under the product name: "For Residential Use Sites Only. Not for Use in Commercial Agricultural Sites."
- On page 1, delete the following text: "Environmentally Responsible Insecticide."
- On page 1, in the "Kills" list, change the phrase "& more" to "and other listed pests."
- On page 1, revise the active ingredient to read "Mineral Oil."
- On page 1, revise the phrase "Inert Ingredients" to read "Other Ingredients."
- On page 2, under the First Aid section, add the following statements to the 'lf Swallowed' section: "Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person."
- On page 2, under the First Aid section, correct the last word under the 'If Inhaled' section so it reads, "advice."
- On page 2, under the first paragraph in the First Aid section, add the following text: For emergency information, call [1-XXX-XXX-XXXX], or call your poison control center at 1-800-222-1222." (You may use the number for the National Pesticide Information Center: 1-800-858-7378).
- To increase prominence and ensure consistency with other product labels, it is strongly recommended that you format the First Aid section, in boxes of solid line, as shown on page 6 of PR Notice 2001-1.
- On page 2, under the Precautionary Statements heading, add a "Hazards to Humans and Domestic Animals" heading, and the following statements: "Wear long sleeved shirt, long pants, shoes, and socks."
- On page 2, after the First Aid section, add an "Environmental Hazards" heading and the following statements: "Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems."
- On page 2, directly after the Environmental Hazards section, add a "Physical or Chemical Hazards" heading and the following statement: "Avoid contact with powerful oxidants such as liquid chlorine, concentrated oxygen, sodium hypochlorite, and calcium hypochlorite".

- To increase prominence and ensure consistency with other product labels, the storage and disposal information must appear, preferably in a box of solid line, within the Directions for Use section (see 40 CFR 156.10(i)(2)(ix). Typically, the storage and disposal instructions appear at the end of the Directions for Use.
- On page 2, under the Storage and Disposal section, revise the "Storage" subheading so it reads, "Pesticide Storage."
- On page 2, under the Storage and Disposal section, revise the text in the Pesticide Disposal section so it reads, "If partly filled: Call your local solid waste agency [or toll free number] for disposal instructions. Never place unused product down any indoor or outdoor drain."
- On page 2, under the Storage and Disposal section, revise the text in the Container Disposal section so it reads, "If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available."
- On page 2, add the following statements to the Use Precautions section: "Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried."
- On page 3, under the Application Instructions, revise the second bullet so it reads, "Completely cover the target pest and plant with spray solution."
- On page 4, revise the last sentence so it reads, "Conduct a small scale test during bloom period to determine application safety for individual plant species."
- On page 5, revise the first sentence of the second to last paragraph so it reads, "Test for phytotoxicity by treating a few specimens before making a large scale application."

-End of comments-

Page 3 of 3

#### SHAKE WELL BEFORE USE

# READY-TO-USE YEAR- ROUND SPRAY OIL

# KILLS INSECTS FOUND ON FRUIT & ORNAMENTAL TREES VEGETABLES, HOUSEPLANTS & ORNAMENTALS ENVIRONMENTALLY RESPONSIBLE INSECTICIDE

KILLS: Whitefly, Aphids, Spider Mites, Mealybug, Scale, Mites, Thrips, Fungus Gnats & More...... USE ON: House Plants, Fruits Trees, Vegetables (Up To The Day Of Harvest), Flowers, Ornamentals Trees & Shrubs......

### KEEP OUT OF THE REACH OF CHILDREN CAUTION

See back panel for additional precautions. EPA Reg.# 6218-**78** EPA Est.# 6218-MD-2

ACTIVE INGREDIENT.....Petroleum Oil\*1.00%INERT INGREDIENTS.....99.00%\*Unsulfonated Residue of Paraffinic Oil 92.0% Min.

NET CONTENTS

Summit Responsible Solutions 235 South Kresson Street Baltimore, MD 21224

ACCEPTED With COMMENTS In EPA Letter Dated:

MAR 3 () 2009 Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

15

# CAUTION KEEP OUT OF REACH OF CHILDREN

## PRECAUTIONARY STATEMENTS

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If swallowed \*Call a poison control center or doctor immediately for treatment advice. \*Do not induce vomiting unless told to by a poison control center or

doctor.

If in eyes

\*Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

\*Call a poison control center or doctor for treatment advise.

If on skin

\*Rinse skin immediately with plenty of water for 15-20 minutes.

\*Call a poison control center or doctor for treatment advise.

If inhaled

\*If person is not breathingcall 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

\*Call a poison control center or doctor for further treatment advise.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

\*Take off contaminated clothing.

\*Move person to fresh air.

**Storage:** Keep container tightly closeed in storage to prevent entry of contaminants. Store in cool, dry, locked area out of the reach of children. Do not store this product in direct sunlight for prolonged periods of time. This product should be stored in its original container only.

**Pesticide Disposal**: Securely wrap original container in several layers of newspaper and discard in the trash.

**Container Disposal**: Do not reuse container. Rinse thoroughly before discarding in trash.

### **USE PRECAUTIONS**

Do not spray plants suffering from drought (mositure stress). Do not apply during periods of prolonged high temperature combined with high relative humidity. Do not use this product with dimetholate, herbicides or fungicides such as Captan, Folpet, Dyrene, Karathene, Morestan or any product containing sulfur. Do not use with Sevin 50W formulation (carbaryl) on deciduous fruit trees.

16

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

### **APPLICATION INSTRUCTIONS**

Shake the container vigoriously prior to use.

- The best times to spray are the early evening and early morning.
- The target pest and plant should be completely covered with the spray solution to be effective.
- Certain plants may be sensitive to oil. A small number of plants should be test sprayed prior to general spraying.
- Use caution on open blooms-bleaching and spotting have been observed on the open bloom of certain plants.
- May be used up to the day of harvest.

### FRUIT & NUT TREES

TREEPESTAPPLICATION NOTESApple ,PearAphids(eggs) Apple Red Bug/Do not apply over fruitAlmonds,Apricots,Mites (eggs) including Europeanafter waxy bloom forms.Cherries,Peaches,Red Mite/Scales(hard, soft)/Sourly Scale/Application should not be

Cherries, Peaches, Nectarines, Plum Prune, Pecans

Mites (eggs) including European a Red Mite/Scales(hard, soft)/Sourly Scale/ FruitTree Leaf Roller(eggs),Pear Leal, Blister Mite (eggs),Pear Psylla,Two Spotted Spider Mite, Pear Rust Mite, Tent Caterpillans, San Jose Scale, t Peach Twig Borer (hibernacules),Cottony Peach Scale,

after waxy bloom forms. Application should not be made on oil sensistive varities-Do not apply to treeslacking adequate moisture.

#### CITRUS TREES

Lemon & Grapefruit fall, Naval & Valencia Oranges, other Citrus easily Varities including Nonbearing oil. Mites including: Rust Mite, Spider Mite

Scales including: Black Scale, California Red Scale, Whitefly & Blackfly, Sooty Mold

ia early Winter & Spring months

when Red Scale are mpore

For best results spray during

controlled and trees are generally less reactive to

For all Citrus trees ensure

equate moisture.

# SHADE TREES, SHRUBS, ORNAMENTALS, FLOWERS & FOLIAGE PLANTS, CONIFERS

ad-

#### TREE OR PLANT

Shade Trees dormant, and shrubs Conifers, Deciduous, Broadleaf Evergreens & Woody Ornamentals Ornamental Trees Shrubs including Conifers, Deciduous and Broadleaf Evergreens

Flowering & Foliage Plants including: Roses and other Flowering Shrubs, Bedding Plants, Foliage Ornamentals.

CAUTION: Up to 4 applications during the growing season are typically sufficient to control pests. Use a 2 week application interval. Do not spray when buds are fully open and elongation is occurring.

### SMALL FRUITS

Blueberries, Strawberries, Grapes

Mites, Sawfly(eggs), Scales Aphids, Mealybugs

#### VEGETABLES

Beans, Corn, Peppers, Squash Tomatoes, Asparagus, Beets Cabbage, Cauliflower Cucurbits, Eggplants, Lettuce Melons, Potatoes, Radishes

Aphids, Mites, Beetle Larvae Leafminers, Thrips, Leafhopper Whitefly

### **HOBBY GREENHOUSE**

Azaleas, Begonia, Camellia Chrysanthemum, Oleffenbacfia Easter Lily, Fern, Gardenia Geranium, Hibiscus Foliage, Jade Plant, New Guinea Impatiens, Palms, Philodendron, Poinsettia Portulaca, Reiger Begonia, Zinnias Dieffenbachia, Poinsettias,

Leaf Polish for Hardy Plants

Aphids, Fungus Gnats, Leafminers, Mealybugs, Scales (soft & hardy), Spider Mites, Thirps Whitefly(immature)

Do not use on **Coconut Palms** or Maidenhair Fern. Chrysanthemum and Geranium Blooms have shown phytotoxicity at high rates

FREQUENCY OF APPLICATION: For the greenhouse pests listed, use once a week initially. As the pest is controlled, decrease the frequency to 2-3 weeks as needed.

Application safety during bloom period should be determined for each individual plant to

#### PEST

Aphids, Adelgids, Eriophyid Mites, Gall Mits, Lace Bugs Leaf Beetle Larve, Leafminer Mealybugs, Psylids (Immature) Spider Mites, Whitefly

#### **APPLICATION NOTES**

Oils remove the glaucus (blue) bloom from such evergreens as Colorado Blue Spruce and Koster Spruce. Always test spray sensitive Sawfly Larvae, Scale(immature) plants such as Cryptomeria,Smoke Tree, chamaecypris, Juniper, Japanese

Holly & Spruce. Do not spray Walnut foliage. Most effective on Whitefly during immature stages.

be treated by conducting a small test.

# INTERIORSCAPES & HOUSEHOLDS

# PLANTS

#### PEST

#### **APPLICATION NOTES**

19.

Chrysanthemum, Dieffenbachia, Dracaena, Fern, Ficus, Gardenia Jade Plant, Palm, Philodendron, Schefflera

Aphids, Leaf Miner Meal Bugs, Scales Spider Mites, Whitefly

Do not apply to plants in direct sunlight. Behind glass. Do not use on Coconut Palms, & Maidenhair Ferns. Chrysanthemum blooms have shown phytotoxic symptoms at higher usage.

Applicator should conduct a test for phytotoxicity by treating a few specimens before making a large scale application. Protect floor and floor coverings and furnishings from over spray.

CAUTION: Do not exceed 3 consecutive applications without allowing a 2-week interval without application.