UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES, AND TOXIC SUBSTANCES

February 23, 2010

Mr. Jonathan S. Cohen Summit Chemical Company 235 South Kresson Street Baltimore, MD 21224

Dear Mr. Cohen:

Subject:

Submission of amended labeling

Ready-to-Use Year-Round Spray Oil

EPA Registration No. 6218-78

Submission dated November 13, 2009; resubmission dated February 19, 2010

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable. A stamped copy is enclosed for your records. Please submit two copies of your final printed labeling before you release the product for shipment.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself. This information can be added by non-notification per PR Notice 98-10.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions, please contact Julie Chao by phone at: (703) 308-8735, or by email at: chao.julie@epa.gov.

Sincerely,

Kable Davis, Acting PM Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure



www.bizerbalabelsolutions.com



ACCEPTED

FEB 2 3 2010
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 6218-78

PROOF VERSION

1

ARTIST: ME

DATE: 3/1/10

QC: _____

BARCODE MAG:

APPROVAL SIGNATURE

PLEASE REVIEW CAREFULLY - CLIENT IS RESPONSIBLE FOR CHECKING SPECIFICATIONS, COLOR REFERENCE, DIE TEMPLATES AND FINAL PROOFREADING. Proofread all copy carefully to insure accuracy and legal compliance. Once approved, customer is responsible for errors or omissions. Any changes after the release of art will be made at the client's expense.


EXCESSIVE REVISIONS MAY RESULT IN ADDITIONAL ARTWORK CHARGES. PROOFS WHICH DO NOT CONVERT TO A LABEL ORDER WITHIN 30 DAYS MAY BE CLOSED AND INVOICED FOR ARTWORK CHARGES.

WHEN APPROVED, SIGN AND RETURN TO CUSTOMER SERVICE.

CUSTOMER APPROVAL.

__ DATE_

COPY 3



Customer: Summit Chemical Spec: 2330 BLS# 67101

Item Description: Year Round Garden RTU Qt (F)

Label Size: 3.50" Across x 4.00" Around **Corner Radius:** .125" ■ Dieline Does Not Print

INKS & VARNISHES



PROCESS CMYK





Colors shown may not be an exact match to actual inks used. Refer to Pantone color swatches found in the pantone matching system color guide book for closest match to actual ink color.

105 INDUSTRY LANE, PO BOX 363 • FOREST HILL, MD 21050 • 410-879-8220 • FAX 410-838-9182

www.bizerbalabelsolutions.com

SHAKE WELL BEFORE USE
READY-TO-USE
YEAR- ROUND® SPRAY OIL

FOR ORGANIC GARDENING

For Residential Use Sites Only. Not for Use in Commercial Agricultural Sites.

KILLS INSECTS FOUND ON FRUIT & ORNAMENTAL TREES VEGETABLES, HOUSEPLANTS & ORNAMENTALS

KILLS: Whitefly, Aphids, Spider Mites, Mealybug, Scale, Mites, Thrips, Fungus Gnats and other listed pests. USE ON: House Plants, Fruits Trees, Vegetables (Up To The Day Of Harvest), Flowers, Ornamentals Trees & Shrubs........

KEEP OUT OF THE REACH OF CHILDREN
CAUTION HILLIE

See back panel for additional precautions.

EPA Reg.# 6218-78

EPA Est.# 6218-MD-2

ACTIVE INGREDIENT......Mineral Oil*

ral Oil* 1.00%

18506 00122

OTHER INCREDIENTS....
*Unsulfonated Residue of Paraffinic Oil 92.0% Min.

Peel Here

Peel Here

Net Contents: 1 Quart

PROOF VERSION

2

ARTIST: ME

DATE: 2/19/10

QC: 80%

APPROVAL SIGNATURE

PLEASE REVIEW CAREFULLY - CLIENT IS RESPONSIBLE FOR CHECKING SPECIFICATIONS, COLOR REFERENCE, DIE TEMPLATES AND FINAL PROOFREADING. Proofread all copy carefully to insure accuracy and legal compliance. Once approved, customer is responsible for errors or omissions. Any changes after the release of art will be made at the client's expense.


EXCESSIVE REVISIONS MAY RESULT IN ADDITIONAL ARTWORK CHARGES PROOFS WHICH DO NOT CONVERT TO A LABEL ORDER WITHIN 30 DAYS MAY BE CLOSED AND INVOICED FOR ARTWORK CHARGES.

WHEN APPROVED, SIGN AND RETURN TO CUSTOMER SERVICE.

CUSTOMER APPROVAL

_ DATE





Customer: Summit Chemical Co. **Spec:** 2829 **BLS#** 66905

Item Description: Year Round Garden Insects (Base)

Label Size: 3.50" Across x 400" Around Corner Radius: .125" Dieline Does Not Print

INKS & VARNISHES



Colors shown may not be an exact match to actual inks used. Refer to Pantone color swatches found in the pantone matching system color guide book for closest match to actual ink color.

105 INDUSTRY LANE, PO BOX 363 • FOREST HILL, MD 21050 • 410-879-8220 • FAX 410-838-9182

CAUTION KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS

FIRST AID

FIRST AID

FIRST AID

FIRST AID

FIRST AID

For emergency information, call your poison control center at 1-800-222-12222.

If swallowed 'Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconacious person.

**Call a poison control center or doctor immediately for treatment advice.

**Do not induce vomining unies told to by a polino control center or doctor.

If in eyes 'Hold eye open and rinse dowly and gently with water for 15-20 minutes.

**Remove contact lense, if present, after the first 3 mixutes, then continue rinsing,

**Call a poison control center or doctor for treatment advise.

**Take off contaminated clothing,

**Rinse skin immediately with plenty of water for 15-20 minutes,

**Call a poison control center or doctor for treatment advise.

**Move person to fresh air.

**If person is not breathing call 911 or an ambulance, then give artificial regiration, preferably mouth-te-mouth if possible.

**Call apoison control center or doctor for further treatment advice.

EVEROMMENTAL HAZARDS

Environmental acceptance of the control of the cont

PHYSICAL OR CHEMICAL HAZARDS

Avoid contact with powerful exidents such as liquid chlorine, concentrated oxygen, sodium hypochlorite, and calcium hypochlorite.

hypochiomite, and definition of the dependent of the depe

product in direct suntignt for protonged persons of units. The process of the state of the state

USE PRECAUTIONS

Hazards to Humans and Domestic Animals Wear long-sleeved shirt, long pants, shoes, and socks.

Do not spray plants suffering from drought (midsutter stress). On not apply during periods of prolonged high temperature combined with high relative humidity. On not use this product with dimetholate, herbicides or fungicides such as Captan, Folpet, Dyrene, Karathene, Morestan or any product containing sulfur. Do not use with Sevin SOW formulation (carbanyl) on deciduous fruit trees. Do not apply this product in a way that will contact any person or pet, clither directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Not to be applied to plants being grown for commercial use.

APPLICATION INSTRUCTIONS Shake the container vigorously prior to use.

- Shake the container vigorously prior to use.

 The best times to spray are the early evening and early morning.

 Completely cover the target pest and plant with spray solution.

 Certain plants may be rensitive to oil. A small number of plants should be test sprayed prior to general spraying.

 Use caution on open blooms-bleaching and spotting have been observed on the open bloom of certain plants.
- May be used up to the day of harvest.

FRUIT & NUT TREES PEST

TREE

Apple, Pear
Apple,

APPLICATION NOTES Do not apply over fruit after waxy bloom forms. Application should not be made on oil sensitive varieties-Do not apply to frees

CITRUS TREES

Lemon & Graperinit
Naval & Valencia
Oranges, other Citrus
Red Scale, Whitelity & Blackfly, Sould wile
Varieties including Nonbearing
Naval Bush (Tribus)
Red Scale, Whitelity & Blackfly, South Wold
Varieties including Nonbearing
Her Red Scale are more easily
controlled and trees are generally
controlled and trees are generally

PROOF VERSION ARTIST: ME DATE: 10/30/09 BARCODE MAG: 80% APPROVAL SIGNATURE

PLEASE REVIEW CARFFILLY - CUENT IS RESPONSIBLE FOR CHECKING SPECIFICATIONS, COLOR REFERENCE, DIETEMPLATES AND FIRML PROOFFEEDING, PROPRIES ALLOW carefully to heave excuracy and legal compliance. Once approved, customer la responsible for error or ordinations. Any changes after the release of art will be made at the client's expense.

EXCESSIVE REVISIONS MAY RESULT IN ADDITIONAL ARTWORK CHARGES PROOFS WHICH DO NOT CONVERT TO A LABEL ORDER WITHIN 30 DAYS MAY BE CLOSED AND INVOICED FOR ARTWORK CHARGES. OVED, SIGN AND RETURNTO CUSTOMER SERVICE.

CUSTOMER APPROVAL ___ __ DATE

28A 28A **INKS & VARNISHES**

COPY 3

Customer: Summit Chemical Co. Spec: 2829 BLS# 65866

Item Description: Year Round Garden Insects (Back)

Label Size: 3.50" Across x 4.00" Around Corner Radius: .125" Dieline Does Not Print



Colors shown may not be an exact match to actual links used. Refer to Pantone color swatches found in the pantone matching system color guide book for closest match to actual ink color.

www.bizerbalabelsolutions.com

SHADE TREES, SHRUBS, ORNAMENTALS, FLOWERS & FOLIAGE PLANTS, CONIFERS R PLANT PEST APPLICATION NOTES

TREE OR PLANT

Shade Trees dormani, and shrubs Conifers, Occiduous, Broadleaf Evergreens & Woody Ornamentals Ornamental Trees Shrubs including Conifers, Deciduous and Broadleaf

Aphids, Adelgids, Eriophyid Mites, Gall Mites, Lace Bugs

APPLICATION ROTES
Olis remove the glascon (blue)
bloom from such evergreen as
Colorado illue Spruce and Koste
Spruce. Always test spray sensitive
plants such as Cryptomeria, Smoke
Free, Schamschytts, Juniper.
Japanese Holly & Spruce. On out
appry Vidmid boilings.
Most effective on Whilefly during
immature stage.

Flowering & Foliage Plants including: Roses and other Flowering Shrubs, Bedding Plants, Foliage Ornamentals.

CAUTION: Up to 4 applications during the growing season are typically sufficient to control pests. Use a 2 week application interval. Do not spray when buds are fully open and clongation is occurring.

Blueberries, Strawberries, Grapes

SMALL FRUITS Mites, Sawfly (eggs), Scales Aphids, Mealybugs

VECETABLES

Beans, Corn, Peppers, Squash Tomatoes, Asparagus, Beels Cabbage, Cauliflower Cucurbits, Eggplants, Lettuce Melons, Potatoes, Radishes

Aphids, Mites, Beetle Larvae Leafminers, Thrips, Leafhopper Whitefly

HOBBY GREENHOUSE

Azaleas, Begonia, Camellia Chrysanthemum, Oleffenbacfia Easter klly, Fern, Gardenia Geranium, Hibiscus foltage, Jade Plant, New Guinea Impatiens, Palms, Philodendron, Poinsettia Portulaca, Reiger Begonia, Zinnias Dieffenbachia, Poinsettias,

Aphids, Fungus Gnats, Leafminers, Mealybugs, Scales (soft & hardy), Spider Mites, Thrips Whitefly (immalure)

Do not use on Cocconut Palms or Maidenhair Fern. Chrysan-themum and Geranium Bloom have shown phyt toxicity at high rates

FREQUENCY OF APPLICATION: For the greenhouse pests listed, use once a week initially. As the pest is controlled, decrease the frequency to 2-3 weeks as needed.

Conduct a small scale test during bloom period to determine application safety for individual plant species.

INTERIORSCAPES & HOUSEHOLDS

PLANTS

PEST

APPLICATION NOTES

Chrysanthemum, Dieffenbackia, Dracaena, Fern, Ficus, Gardenia Jade Plant, Palin, Philiodendron, Schefflera

Do not apply to plants in direct sunlight. Behind glass. Do not use on Cocanuf Palms, & Maldenhair Ferns. Chrysanthemum blooms have shown phytotoxic symptoms at shown phytot higher usage.

Test for phytotoxicity by treating a few specimens before making a large scale application. Protect floor and floor coverings and furnishings from over spray.

CAUTION: Do not exceed 3 consecutive applications without allowing a 2-week interval without application.

SHAKE WELL BEFORE USE READY-TO-USE YEAR- ROUND* SPRAY OIL FOR ORGANIC GARDENING

For Residential Use Sites Only. Not for Use in Commercial Agricultural Sites. KILLS INSECTS FOUND ON FRUIT & ORNAMENTAL TREES VEGETABLES, HOUSEPLANTS & ORNAMENTALS

KILLS: Whitelly, Aphida, Spider Miles, Mealybug, Scale, Miles, Thrips, Fungur Gnats and other listed pests. USE ON: House Plants, Fruits Trees, Vegetables (Up To The Day Of Harvest), Flowers, Ornamentals Trees - S. Chwid

KEEP OUT OF THE REACH OF CHILDREN
CAUTION

See back panel for additional precautions. EPA Reg.# 6218-78 EPA Est.# 6218-MD-2

PROOF VERSION ARTIST: ME DATE: 2/19/10 80% BARCODE MAG:

APPROVAL SIGNATURE

NET IN WHILD STARRA LUNCE
PLEASE REVIEW CAREFULLY CLIENT IS RESPONSIBLE FOR
CHECKING SPECIFICATIONS, COLOR REFERENCE, DIE TEMPLATES
AND FINAL PROOFREGATION, Propinted at copy carridly to insure
accuracy and tegal compliance. Once approved, customer is
responsible for error or emissions, any changes after the release of art
well as made at the client's expense.

WHE DE MINDER STATE CHIEFLY EXPENSE.

EXCESSIVE REVISIONS MAY RESULT IN ADDITIONAL ARTWORK CHARGES

PROOFS WHICH DO NOT CONVERT TO A LABEL ORDER WITHIN 39 DAYS

MAY BE CLOSED AND BYOICED FOR ARTWORK CHARGES. WHEN APPROVED, SIGN AND RETURN TO CUSTOMER SERVICE.

CUSTOMER APPROVAL . DATE. COPY 3 ABC ABC #000 → F

Customer: Summit Chemical Co. Spec: 2829 BLS# 65866

Item Description: Year Round Garden Insects (Front)

Label Size: 3.50" Across x 4.00" Around Corner Radius: .125" Dieline Does Not Print

INKS & VARNISHES



Colors shown may not be an exact match to actual inks used. Refer to Pantone color swatches found in the pantone matching system color guide book for closest match to actual ink color.