



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 5, 2026

Jonathan Cohen  
Authorize Agent  
Summit Chemical Co.  
235 South Kresson St.  
Baltimore, MD 21224

Subject: Label Amendment - Registration Review Mitigation for Esfenvalerate and  
Prallethrin  
Product Name: Summit Ultra Permacide  
EPA Registration Number: 6218-88  
Case Number: 482810 & 481349  
Application Dates: 10/30/2020 & 3/19/2021

Dear Jonathan Cohen:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Esfenvalerate and Prallethrin Interim Decisions, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Andrew Muench by phone at 202-566-2355, or via email at [muench.andrew@epa.gov](mailto:muench.andrew@epa.gov).

Sincerely,



Cathryn Britton  
Chief, Risk Management and Implementation  
Branch V  
Pesticide Re-evaluation Division (7508M)  
Office of Pesticide Programs

ENCLOSURE: Stamped label

# SUMMIT ULTRA PERMACIDE®

[ ] indicates optional wording or language

[Ready-To-Use-Liquid]  
 [Fast Effective Control]  
 [Residual Long-Term Action]  
 [Rapid Knockdown]  
 [Kills on Contact and Keeps Killing Cockroaches up to 4 months]  
 [Effective Long-Term Control of Adult Fleas and Brown Dog Ticks]

[Kills Deer Ticks and other Ticks that may carry and transmit Lyme disease]

[Ready to Use / No Measuring / No Mixing / No Mess / Easy To Use] [Kills Cockroaches, Black Carpenter Ants, and Centipedes]  
 [Kills Black Widow Spiders and Scorpions]  
 [Kills Fleas and Ticks]  
 [Kills Fire Ants]

[General: Use this spray as a spot or crack and crevice treatment to control Cockroaches, Fleas, Silverfish, Ticks, Waterbugs, and other insects listed below. Apply this product only as a coarse spray or crack and crevice treatment to localized areas where pests are found or may occur. Spray surfaces until wet but not to the point of runoff.]

## ACTIVE INGREDIENTS:

Prallethrin ((RS)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl (1RS)-cis, transchrysanthemate ..... 0.03%  
 Esfenvalerate ..... 0.05%  
 \* OTHER INGREDIENTS ..... 99.92%

\* Contains petroleum distillates 100.00%

0.0020 lbs prallethrin per gallon  
 0.0032 lbs esfenvalerate per gallon

PERMACIDE® - Registered trademark of Summit Chemical Company

KEEP OUT OF REACH OF CHILDREN

## CAUTION

### FIRST AID

IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>■ Take off contaminated clothing.</li> <li>■ Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>■ Call a poison control center or doctor for treatment advice.</li> </ul>
IF IN EYES:	<ul style="list-style-type: none"> <li>■ Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>■ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>■ Call a poison control center or doctor for treatment advice.</li> </ul>
IF SWALLOWED	<ul style="list-style-type: none"> <li>■ Immediately call a poison control center or doctor.</li> <li>■ Do not induce vomiting unless told to do so by a poison control center or a doctor.</li> <li>■ Do not give <b>any</b> liquid to the person.</li> <li>■ Do not give anything by mouth to an unconscious person.</li> </ul>

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712

Manufactured by

**Summit®**

235 S. Kresson Street  
 Baltimore, MD 21224-2616

EPA Reg. No. 6218-88

EPA Est. No. 6218-MD-2

Net Contents: \_\_\_\_\_ [16 FL OZ, 32 FL OZ, 1 Gallon, 5 Gallon]

**ACCEPTED**

01/05/2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under  
 EPA Reg. No. 6218-88

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Wear protective eyewear\*, long sleeved shirt and long pants, socks, shoes and chemical resistant gloves (made of barrier laminate, nitrile rubber, neoprene rubber or viton).

\*protective eyewear may be worn, if appropriate.

### PHYSICAL OR CHEMICAL HAZARDS

**Combustible.** Do not use or store near heat or open flame. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

Kills [controls] insects [on contact (residually)]

American Cockroaches [adults (nymphs)], American Dog Ticks, Asian Cockroaches [adults (nymphs)], Australian Cockroaches [adults (nymphs)], Booklice, Brown Dog Ticks, Brown-banded Cockroaches [adults (nymphs)], Caderelles, Carpenter Ants [Eastern (Western)], Carpet Beetles [Dermetids (Trogoderma)], Centipedes, Cheese Mites, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches [adults (nymphs)], Confused Flour Beetles, Crickets [adults (nymphs)], Deer Ticks, Drugstore Beetles, Earwigs, Firebrats, Flat Grain Beetles, Fleas [adults (larvae) (preadult)], Flies, Flour Beetles, Flying Moths, Foraging Ants (Fire ants), German Cockroaches [adults (nymphs)], Gnats, Grain Mites, Grain Weevils, Gulf Coast Ticks, Lesser Grain Borers, Lone Star Ticks, Merchant Grain Beetles, Midges, Millipedes, Mosquitoes, Oriental Cockroaches [adults (nymphs)], Other Ixodid species, Palmetto Bugs, Pillbugs, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Scorpions, Silverfish, Sowbugs, Spiders, Ticks [that may carry and transmit Lyme disease], Warehouse Beetles, Waterbugs [adults (nymphs)].

For use in food and non-food areas of [including, but not limited to] [such as]:

Apartments, Ant Hills, Atriums, Attics, Automobiles, Basements, Bathrooms, Bedrooms, Bookcases, Buses, Cabins, Cafeterias, Campers, Carpets, Cat Sleeping Quarters, Chests, Closed Barns, Closed Porches, Closets, Clothes Storage, Commercial Buildings, Condominiums, Crematoriums, Day Care Centers, Dens, Dog Houses, Dormitories, Draperies, Drive-Ins, Drugstores, Factories, Floors, Food Plants, Funeral Parlors, Furniture, Garages, Garbage Cans, Gazebos, Homes, Hospitals, Hotels, Household Contents, Indoor Eating Establishments, Industrial Plants, Institutions, Jails, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Mausoleums, Mobile Homes, Morgues, Mortuaries, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pantries, Pet Bedding, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Pet Carriers, Play Houses, Play Rooms, Porches, Prisons, Railroad Cars, Recreational Vehicles, Recreational Areas, Restaurants, Rooms, Rugs, Schools, Solariums, Storage Areas, Sun Porches, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trains, Trucks, Utility Rooms, Verandas, Veterinary Clinics and Hospitals, Warehouses, Washrooms, and Zoos.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

Non-food/feed areas where this product can be applied include areas such as garbage rooms, lavatories, floor drains (to sewers), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Do not allow to enter indoor or outdoor drains unless labeled for drain treatments. Follow proper disposal procedures on this label.

No permita la entrada a desagües internos o externos a menos que el etiquetado indique que está permitido el uso del producto para tratamiento de desagües. Siga las indicaciones del etiquetado para el desecho apropiado del producto.



Hold container upright. Do not spray in air. Turn tip to proper setting, (broad) (fine) spray for surfaces or pin stream for cracks and crevices. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray. Spray until surface is slightly moist but not to the point of runoff. [Do not operate in OFF position]. [After use, turn tip to OFF to avoid accidental spraying].

Follow directions for specific use areas. Avoid excessively wetting furniture and carpeting. Always test in an inconspicuous [hidden] area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product.

### RESTRICTIONS:

For Indoor Use Only

Remove pets and birds and cover fish aquariums before spraying.

Do not allow children or pets into the treated area until it is dry.

Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly, or infirm. Do not apply in classrooms when in use. Do not apply to institutions (including libraries, sports facilities, etc.) in the immediate area where occupants are present. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where food may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

For indoor use only. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use on animals.

### To Kill Ants, Black Widow Spiders, Carpet Beetles, Cockroaches, Crickets, Scorpions, Silverfish, Sowbugs, and Spiders:

CRACK AND CREVICE SPRAY: (Use a pin stream spray). Pay special attention to areas such as behind baseboards, connection areas around drains and pipes, behind and beneath sinks, stoves, and plumbing, and other visible cracks and crevices. Spray these areas thoroughly; making certain that spray penetrates well. Treat surfaces to ensure thorough coverage but avoid runoff.

CONTACT APPLICATION: (A [broad] [fine] spray pattern should be used on all surfaces). Spray at the rate of 1 pint [16 fluid ounces] per 125 square feet [1 fluid ounce per 8 square feet] and contact as many insects as possible with this spray, in addition to thoroughly spraying of all parts of the room suspected of harboring these pests. Pay special attention to hiding places such as beneath sinks, behind and beneath stoves and refrigerators, around garbage cans and cabinets, along the outside of baseboards, door sills, frames and floors, around and on drains, pipes and plumbing, behind bookcases, storage, and other utility installation areas, contacting insects with spray when possible. Retreat 30 days after first application.

**EXPOSED STAGES OF** Flour Beetles, Cadelles, Rice Weevils, Flat Grain Beetles, Cigarette Beetles, Confused Flour Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Sawtoothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Grain Mites, and Cheese Mites: Find and dispose of infested packaged goods. Remove all other items from pantry, shelves, and drawers and clean thoroughly. Spray into cracks, crevices, and areas where these insects tend to congregate. Place clean paper on shelves and drawers and return packages after spray has dried.

**Carpet Beetles [Dermestids (Trogoderma)]:** Directly spray as many insects as possible. Where possible, bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture, on floors and walls, around windowsills and baseboards, and wherever these insects are seen or suspected. Backing of carpets and rugs should be allowed to dry before re-laying on floor.

**To kill Ticks and Fleas:** Thoroughly spray, as a spot treatment, infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings where these pests may be present. Pet's old bedding should be removed and replaced with clean, fresh bedding after treatment. **DO NOT SPRAY PETS WITH THIS PRODUCT.** Pets should be treated with a registered flea and tick control product prior to reentering treated areas. Also, treat your yard with a product registered for yard application.

**Foraging Ants and Foraging Carpenter Ants:** To kill foraging Ants including Carpenter Ants directly spray insects and ant trails.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

### **PESTICIDE STORAGE**

Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food and out of the reach of children

### **PESTICIDE DISPOSAL AND CONTAINER HANDLING**

Non-refillable container. Do not reuse or refill this container.

#### **If empty:**

Place in trash or offer for recycling if available.

#### **If partly filled:**

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Optional storage and disposal for containers larger than 5 gallon capacity:]

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place. Keep container closed and out of the reach of children.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### **CONTAINER HANDLING & DISPOSAL:**

#### **[For Non-refillable Containers:]**

Empty the remaining contents into the application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

#### **[For Refillable Containers:]**

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.