


SPEE-DEE

RAT and MOUSE KILLER

GUARANTEE
ON
BACK

READY
FOR
INSTANT
USE



SUPER
PROLIN* PELLETS

*RATS AND MICE LIKE IT!
IT KILLS 'EM!*

The
**EFFECTIVE
RODENT
DESTROYER**

INGREDIENTS:
ACTIVE -

ACCEPTED
AUG 15 1953
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C.

ONE
POUND *6 1/2*
NET WEIGHT



AUG 15 1973
 FEDERAL BUREAU OF INVESTIGATION
 U.S. DEPARTMENT OF JUSTICE
 PROJECT

INGREDIENTS:

ACTIVE -

N¹-2-QuinoxalinyI sulfanilamide (Sulfaquinoxaline) 0.025%
 Warfarin 3-(a-Acetylbenzyl)-4hydroxycoumarin 0.025%

INERT

99.950%

EPA REGISTRATION NO. 6219-4

TOTAL 100.000%

ONE
 POUND
 NET WEIGHT

6.5 lbs

CAUTION
KEEP OUT OF REACH OF CHILDREN

Protect children, pets and domestic animals from bait. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.

SPEE-DEE CHEMICAL PRODUCTS CO.
 Manufacturers of SPEE-DEE Products
 DAVISON, MICHIGAN 48423

* Prolin is the trademark of Wisc. Alumni Research Foundation
 U.S. Patent No. 2,427,578 & others pending.

SPEE-DEE RAT & MOUSE KILLER is so effective when used as directed that the purchase price will be refunded if you are not completely satisfied. Return empty container to manufacturer.

GUARANTEE:

NOTE: Bait or destroy rodents found on premises. Replace bait that has become wet or moldy as rodents like clean, dry bait.

Treat-baits should be placed in locations not accessible to children, pets, birds, and domestic animals or in tamper-proof bait boxes. Do Not contaminate water by cleaning of equipment, or disposal of wastes. Apply the product only as specified on this label.

DO NOT REUSE CONTAINER DESTROY WHEN EMPTY

NOTE: For general baiting rules apply for mice as for rats except that bait stations are required with smaller amounts of bait. Place bait stations at 5 to 12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

NOTE: Bait or destroy rodents found on premises. Replace bait that has become wet or moldy as rodents like clean, dry bait.

Treat-baits should be placed in locations not accessible to children, pets, birds, and domestic animals or in tamper-proof bait boxes. Do Not contaminate water by cleaning of equipment, or disposal of wastes. Apply the product only as specified on this label.

DO NOT REUSE CONTAINER DESTROY WHEN EMPTY


SPEE-DEE SUPER PROLIN* PELLETS contain WARFARIN, a MOST EFFECTIVE Rat & Mouse Killer. This anticoagulant chemical reduces the clotting ability of the blood and upon repeated feedings, causes fatal hemorrhage in rats and mice. It also contains an antibacterial agent which inhibits bacteria that produce vitamin K, an antidote for warfarin.

SPEE-DEE PROLIN PELLETS are Ready to Use in convenient pellet form. Rats & Mice keep coming back for more and more, never realizing that the SPEE-DEE PELLETS they like are killing them.

DIRECTIONS

RATS Place 4 oz. to one pound SPEE-DEE RAT & MOUSE KILLER PROLIN PELLETS in a dish, small pan, box or leave in bag under rat holes or along walls in corners and in concealed locations where rats and mice can feed unobserved.

Baits should be placed in areas not accessible to children, pets, wildlife and domestic animals or in tamper proof bait boxes. Place in box with holes cut in all sides to allow rodents to enter. Or nail two boards together 4 1/2 inches wide and 2 1/2 feet long or nail board along side of building to cover bait as shown in illustrations. An uninterrupted supply of bait should be maintained for at least 10 days and as long as evidence of feedings is observed. Where a continuous source of infestation is present (nearby dumps) permanent bait station should be established and the bait replenished as needed.



MOUSE The same general baiting rule apply for mice as for rats, except that bait stations are required with smaller amounts of bait. Place 1/2 to 1 ounce of bait at 8 to 12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

NOTE Buy or destroy rodents found on premises. Replace bait that has become wet or moldy as rodent like clean, dry bait.

Treated bait should be placed in location not accessible to children, pets, wildlife and domestic animals or in tamper proof bait boxes. Do not contaminate water by cleaning of equipment, or disposal of waste. Supply the product only as specified on the label.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

GUARANTEE:

SPEE-DEE RAT & MOUSE KILLER is so effective when used as directed that the purchase price will be refunded if you are not completely satisfied. Return empty container to manufacturer.

* Prolin is the trademark of Wisc. Alumni Research Foundation
U.S. PATENT 2,407,570