DIRECTIONS FOR USE:

Thoroughly clean all areas to be sanitized. Rinse cleaned surfaces with fresh water. To sanitize walls, floors, hard-surfaces in bathrooms and lavatories, food handling equipment, kitchen utensils and dishes, rinse with solution containing 1 oz. of Baktri-Side per 4 gal. of water. No rinse required after sanitization.

To Deodorize floors, tables, mops, garbage cans, garbage rooms, loading platforms, refrigerators, freezers, use a solution containing 1 oz. of Baktri-Side per gallon of water.

Manufactured by Wes-Tex Chemical Co. 287 E. 3rd St., Mt. Vernon, New York
Net Contents 1 gallon



Active Ingredients:

n-Alkyl (50% C₁₄, 40%C₁₂, 10%C₁₆) dimethyl benzyl
Chloride

Inert Ingredients

EPA Registration No. 6231-3

Phenol Coefficients:
Salmonella typhosa
Staphylococcus

DANGER:

KEEP OUT OF REACH OF CHILDREN Corrosive, causes severe Do not get in eyes, on skin or on clothing. Wear goggles or face sl when handling. Harmful or fatal if swallowed. Avoid contamination When empty rinse container thoroughly with water and destroy it it in a safe place.


FIRST AID

In case of contact, immediately flush eyes or skin with plenty of minutes. For eyes, call a physician. Remove and wash contaminated if swallowed, drink promptly a large quantity of milk, egg whites these are not available, drink large quantities of water. Avoid all immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric la circulatory shock as well as oxygen and measures to support mechanically may be needed. If persistent, convulsions may be continuated intravenous injection of a short-acting barbituate drug.

This product is toxic to fish. Do not discharge into lake, ponds or



Ini-

esh

rd-

ies,

ten-

MIN-

gal.

fter

pps,

ling

ktri-

Active Ingredients:

n-Alkyl (50% C₁₄, 40%C₁₂, 10%C₁₆) dimethyl benzyl ammonium
Chloride
Inert Ingredients

EPA Registration No. 6231-3

Phenol Coefficients:
Salmonella typhosa
Staphylococcus

75%

DANGER:

KEEP OUT OF REACH OF CHILDREN Corrosive, causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

When empty rinse container thoroughly with water and destroy it by crushing or burying it in a safe place.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbituate drug.

This product is toxic to fish. Do not discharge into lake, ponds or streams.