For disinfection of previously cleaned surgical instruments, barber tools and dental equipment simply submerge instruments into solution containing 1½ ounces AMADOR WESTO-RIN . per gallon of water for 10 minutes

FOR ROOM FOGGING

DIRECTIONS:

To minimize the danger of cross contamination from environmental surfaces apply solution of AMADOR WESTO-RINSE as a fog as described below, before applying standardroutine terminal cleaning and disinfecting practices. 1. Remove all human, animal and plant life from room. 2. Open closet doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet FOG MASTER TRI-JET MODEL 6208 or other fogging device delivering equivalent spray at 3 RPM. 5. Fill sprayer resevoir with 1.5 oz. of AMADOR WESTO-RINSE to 1 gallon of water to produce 1150 ppm active ingredients, 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes, vary spray time proportionately to ensure complete wetting of exposed surface. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Hemove and wash contaminated clothing before

If swallowed, drink promptly a large quantity of milk.
egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed

AMADOR WESTO-RINSE

DISINFECTANT AND SANITIZER

ACTIVE INGREDIENTS:

n-Alky(60%C14.30%C16,5%C12,5% C18) dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	
INERT INGREDIENTS:	90%
WESTO-RINSE is a concentrate	[00% [e

DANGER: KEEP OUT OF REACH OF CHILDREN.

See left side panel for DANGER and FIRST AID Statement.

Manufactured by

AMADOR CHEMICAL CORPORATION

P. O. Box 4081 Stockton, California 95204

NET CONTENTS -

EPA Reg. No. 6233-16

DO NOT REUSE EMPTY CONTAINER, DESTROY IT BY PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

HOUSEPOLD USE DIRECTIONS

For sanctizing and disinfecting floors, walls and inanimate hard surfaces For Schools, Homes, Locker Rooms, Offices, Garbage Pails, Sink Tops, Corridors, Classrooms, and Shower Stalls Apply solution with mop or cloth. Sanitize with 1 ounce AMADOR WESTO-RINSE to 4 gallons of water. Disinfect with 3 ounces AMADOR WESTO-RINSE to 5 gallons of water Kills Staphylococcus Aureus and Salmonella choleraesurs. For heavily soiled or contaminated areas, a per-cleaning step is required.

HOSPITALS:

For floors, walls and other hard surfaces, in Nursing Homes Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use AMADOR WESTO-RINSE at 3's ounces per 5 gallons of water. Apply with cloth, mop or sponge. At this level AMADOR WESTO-RINSE will be effective against Pseudomonas aeruainosa PRD-10. For heavily soiled or contaminated areas a pre-cleaning step is recommended.

FOOD PROCESSING EQUIPMENT:

For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce AMADOR WESTO-RINSE per 4 gallons of water to provide 200 ppm of active quaternaries. Treated food contact surfaces must be rinsed with potable water prior to reuse.

DAIRIES.

To sanifize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce AMADOR WESTO-BINSE to 4 gallons of water (200 ppm). Treated food contact surfaces must be rinsed with potable water prior to reuse.

RESTAURANT AND BAR RINSES:

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent: rinse thoroughly and immerse in a sanitizing solution containing 1 ounce AMADOR WESTO-RINSE to 4 gallons of water. Treated food contact surfaces must be rinsed with potable water prior to reuse.

This product when used on environmental, inanimate, hard surfaces at 3½ ounces per 5 gallons of water is effective against Influenza A2. Herpes Simplex, Adenovirus type 5 and Vaccinia Viruses.

ACCEPTED

200 3 Div

UNDING CONTRACTOR OF THE CONTRACTOR FUNCTORD ALD ROBBETTO DE ACT WOR ECONOMIC PORSIN REGISTER.