

DIRECTIONS: Manufactured and sold for use in Auto-Chlor Systems only. Equipment adjusted to provide 1/2 ounce of sanitizer per gallon of water. Allow utensils to remain immersed for 1/2 to 2 minutes (as required by local health departments) for full sanitizing. Rinse utensils in potable water. This product fulfills the criteria of Appendix F of Grade "A" Pasteurized Milk Ordinance, 1965 Recommendations of the U.S. Public Health Service in waters up to 550ppm (32 Grains per gallon) hardness calculated as CaCo3 when tested by the AOAC Germicidal and Detergent/Sanitizing Official Method. Return empty container to manufacturer.



SOLUTION - QA

DANGER

Keep Out of Reach of Children.

Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

EPA Reg. No. 6243-1-AA


NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

AUTO-CHLOR SYSTEM MEMPHIS, TENNESSEE

Active ingredients n-alkyl
(50% C14, 40% C12, 10% C16)
dimethyl benzyl ammonium chlorides 4.75%
Inert ingredients..... 95.25%
Total..... 100.00%

Net contents -- One gallon



ACCEPTED WITH COMMENTS