

JAN 18 1989

Auto-Chlor Systems, Inc.  
746 Poplar Avenue  
Memphis, TN 38105

Attention: Greg A. Chapman

Gentlemen:


Subject: Auto-Chlor Solution-QA  
EPA Registration No. 6243-1  
Your Submission Dated September 12, 1988

The amendment referred to above, submitted in connection with registration under FIFRA is acceptable provided that you submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment for the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

  
John H. Lee  
Product Manager  
Antimicrobial Program Branch  
Registration Division (TS-767C)

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JAN 18 1989

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No.

6243-1

DIRECTIONS FOR

HAZARDS TO HUMANS AND ANIMALS

**DANGER** Causes eye damage and may cause skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STORAGE & DISPOSAL

Store product carefully. Do not store on side. Avoid damaging container. If spilled, mop up and rinse the mop and the spill area thoroughly with plenty of water. Do not contaminate water, food or feed by storage or disposal. Return empty container to manufacturer.

ADDITIONAL DIRECTIONS

Mixtures of Auto-chlor Solution QA may be applied with a cloth, mop or sprayer. Apply until surfaces are thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

For Disinfection in Hospitals, nursing homes and other health care institutions, add 2 1/2 oz. per gallon of water and apply to previously cleaned floors, walls, countertops, bedframes, tables, chairs, garbage pails and other non-porous surfaces. This use level is effective against *Pseudomonas aeruginosa*.

For Disinfection in educational, penal, military institutions e.c., add 1.3 oz. per gallon of water. Apply to hard surfaces as above. This level is effective against *Staphylococcus aureus* and *Salmonella choleraesuis*.



**SOLUTION - QA**  
SANITIZER-DISINFECTANT-DEODORIZER

**DANGER**  
KEEP OUT OF REACH OF CHILDREN

PRACTICAL TREATMENT (FIRST AID)

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

(See additional precautions on side panel)

Active Ingredients: n-alkyl  
(50% C14, 40% C12, 10% C16)  
dimethyl benzyl ammonium chlorides.....4.75%  
Inert Ingredients:.....95.25%  
Total.....100.00%

Net Contents: 1-5-15 Gal.

EPA Reg. No. 6243-1

EPA Est. No. 6243

AAACCCCCCCCCFFORLLLLMMNNNOOOOTTTTTTTTTTWW  
RZZAAAAAAAALLABAAAAAHOSEMKRRNNNNNAZZZZAAA  
11212345671121112341111112121234156701111

It is a violation of Fed use this product in inconsistent with its label

This product is manufacturer for use as a terminal sanitizing solution. It is pre-diluted, hand wash washed dinnerware and for automatic dispensing equipment by serviceman to provide sanitizer per gallon of water according to requirements of Health Authorities.

Wash and rinse all articles before immersing in solution. Solution should remain wet for a minute. Then allow for draining and air drying. Fresh solution should be prepared daily. Solution becomes visibly dirty.

At 1/2 oz. per gallon of product fulf's the Appendix F of Grade "A" Pass Ordinance, 1965 Recommendation of U.S. Public Health Service to 550 ppm (32 grains hardness calculated as CaCO<sub>3</sub>) by the AOAC Germicide Detergent/Sanitizing Official.

For additional directions for use, including disinfecting and deodorizing, see other panel or consult your serviceman or sales representative.

AUTO-CHLOR SYSTEM  
MEMPHIS, TENNESSEE