


Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

AUTO-CHLOR® SANITIZING SOLUTION-CL



For Industry (Institutional) Use (Only)

ACTIVE INGREDIENT:	
Sodium Hypochlorite.....	5.0%
INERT (OTHER) INGREDIENTS:	
	95.0%
TOTAL:	
	100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.


**IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145**

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

Net Contents:



(Product of USA)

283

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

Auto-Chlor Sanitizing Solution-CL is recommended for use as a sanitizer in restaurants, dairies, food processing plants and bars. For use on: chopping blocks, countertops, tables, glasses, dishes and utensils.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

(Wisconsin Sanitizer Instructions)

Sanitizing Food Contact Surfaces:

1. Pre-flush, scrape or pre-soak articles to be washed.
2. Wash areas or items to be sanitized with clean water and a recommended detergent.
3. Rinse with potable water.
4. Sanitize in a solution prepared by diluting 2.56 oz. of this product per 10 gallons water to 100 ppm of available chlorine. Immerse or wet all surfaces for at least 2 minutes or as required by local sanitation regulations. When solution depreciates or becomes soiled, discard. Test sanitizer solution periodically with a Chlorine Test Kit to ensure that the available chlorine does not drop below 50 ppm. If no test kit is available prepare a sanitizing solution mixing 5.12 oz. of product per 10 gallons of water to 200 ppm of available chlorine.
5. Drain and allow equipment or utensils to air dry.

Note: NO POTABLE WATER RINSING of equipment is required. Do not soak overnight.

Sanitizing Using Mechanical Warewashing Equipment:

1. Pre-flush, scrape or pre-soak articles to be washed.
2. Load articles into racks.
3. Load rack into dish machine, close door and start wash cycle.
4. Upon completion of wash cycle, apply a sanitizing rinse containing 100 ppm available chlorine by adjusting feeding device to meter 2.56 oz. of product per 10 gallons of water. Test sanitizer frequently during operation with a chlorine test kit to ensure that solution does not drop below 50 ppm available chlorine.
5. After sanitization cycle completes, open door, remove rack, tilt rack to aid in draining of sanitize solution. Sanitizer used in automatic systems may be used in the general cleaning process but may NOT be reused for sanitizing purposes.
6. Allow articles to air dry before removing from rack.

If no test kit is available or if available chlorine has dropped below 50 ppm during sanitizing, either discard the sanitizer solution or add sufficient product to reestablish a 200 ppm available chlorine sanitizer strength. Resanitize equipment. Do not rinse equipment with water after sanitizing and do not soak equipment overnight in sanitizer solution.


STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.



Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

ENVIRONMENTAL HAZARDS (for containers of 5 gallons or more)

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release irritating chlorine gases which are harmful to eyes, lungs and mucous membranes.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

PELIGRO

Si no puede leer en ingles, pregunte a su supervisor sobre las instrucciones de uso apropiadas antes de trabajar con este producto.

EPA Reg. No. 6243-2

EPA Est. No. 875-OH-1 (Please note other establishment numbers may be added as needed.)

Auto-Chlor System, Memphis TN

