

6243-2

12/9/2010

1005



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

DEC - 9 2010

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Kedra C. Wherry
Regulatory Compliance Specialist
Auto-Chlor System
746 Poplar Avenue
Memphis, TN 38105-4596

FILE COPY

Subject: Auto-Chlor Sanitizing Solution-CL
EPA Reg. No. 6243-2
Application Dated: September 21, 2010
Receipt Date: September 22, 2010

Dear Ms. Wherry:

The following amendment in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions below.

Proposed Amendment:

- Label Amendment to add instructions for post sanitizing rinse

Conditions:


1. On page 1, delete the word 'Only' from the phrase "For Industry (Institutional) Use (Only)".
2. On page 2:
 - a. Revise the statement "...Solution-CL is recommended for use as a sanitizer..." to read "...Solution-CL is a sanitizer..."
 - b. Revise the statement "...Solution-CL is recommended for use as a deodorizer/destainer..." to read "...Solution-CL is a deodorizer/destainer..."
 - c. Revise the statement "Test the level of available chlorine, if solution has been allowed to stand." to read "Test the level of available chlorine with a Chlorine Test Kit, if solution has been allowed to stand."
3. On page 3, revise the statement "Wash thoroughly with soap and water after handling." to read "Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet."

General Comments:

A stamped copy of the accepted labeling is enclosed. Submit 1 copy of your final printed label before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact me at Wanda.Henson@epa.gov or call (703) 308-6345.

Sincerely,

A handwritten signature in black ink that reads "Wanda Henson". The signature is written in a cursive style with a large, stylized initial "W" and a long, sweeping tail.

Wanda Henson
Acting Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

30f5

Note to Agency: Text appearing in parentheses brackets is done to show optional text.

AUTO-CHLOR® SANITIZING SOLUTION-CL

Sanitizer • Deodorizer • Destainer • Stain Remover

For Industry (Institutional) Use (Only)

**ACCEPTED
with COMMENTS
in EPA Letter Dated:**

DEC - 9 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. **6243-2**

ACTIVE INGREDIENT:	
Sodium Hypochlorite.....	5.0%
INERT (OTHER) INGREDIENTS:	95.0%
TOTAL:	100.0%

Available Chlorine 4.8%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-866-923-4646
 Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

Net Contents:

(Product of USA)

Note to Agency: Text appearing in parentheses and brackets is done to show optional text.

Auto-Chlor Sanitizing Solution-CL is recommended for use as a sanitizer in restaurants, dairies, food processing plants and bars. For use on: chopping blocks, countertops, tables, glasses, dishes and utensils.

Auto-Chlor Sanitizing Solution-CL is recommended for use as a deodorizer/destainer in restaurants, food processing plants, bars, schools and colleges, offices, hotels, motels, commercial, institutional and industrial buildings.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

(Wisconsin Sanitizer Instructions)

Sanitizing Food Contact Surfaces:

1. Pre-flush, scrape or pre-soak articles to be washed.
2. Wash areas or items to be sanitized with clean water and a recommended detergent.
3. Rinse with potable water.
4. Sanitize in a solution prepared by diluting 2.56 oz. of this product per 10 gallons water to 100 ppm of available chlorine. Immerse or wet all surfaces for at least 2 minutes or as required by local sanitation regulations. When solution depreciates or becomes soiled, discard. Test sanitizer solution periodically with a Chlorine Test Kit to ensure that the available chlorine does not drop below 50 ppm. If no test kit is available prepare a sanitizing solution mixing 5.12 oz. of product per 10 gallons of water to 200 ppm of available chlorine.
5. Drain and allow equipment or utensils to air dry.

Note: NO POTABLE WATER RINSING of equipment is required. Do not soak overnight.

Sanitizing Using Mechanical Warewashing Equipment:

1. Pre-flush, scrape or pre-soak articles to be washed.
2. Load articles into racks.
3. Load rack into dish machine, close door and start wash cycle.
4. Upon completion of wash cycle, apply a sanitizing rinse containing 100 ppm available chlorine by adjusting feeding device to meter 2.56 oz. of product per 10 gallons of water. Test sanitizer frequently during operation with a chlorine test kit to ensure that solution does not drop below 50 ppm available chlorine.
5. After sanitization cycle completes, open door, remove rack, tilt rack to aid in draining of sanitize solution. Sanitizer used in automatic systems may be used in the general cleaning process but may NOT be reused for sanitizing purposes.
6. If dishmachine is equipped for a post-sanitizing rinse, rinse with potable water and allow articles to air dry before removing from rack.

If no test kit is available or if available chlorine has dropped below 50 ppm during sanitizing, either discard the sanitizer solution or add sufficient product to reestablish a 200 ppm available chlorine sanitizer strength. Resanitize equipment. Do not rinse equipment with water after sanitizing and do not soak equipment overnight in sanitizer solution.

For Use as a Commercial Laundry Sanitizer:

Wet fabrics or clothes should be spun dry prior to sanitization. Thoroughly mix 5.12 oz. of product per 10 gallons of water to yield 200 ppm available chlorine. Promptly after mixing the sanitizer, add the solution to the pre-wash prior to washing fabrics/clothes in the regular wash cycle with a good detergent. Test the level of available chlorine, if solution has been allowed to stand. Add more of this product if the available chlorine level has dropped below 200 ppm.

For Use as a Laundry Destainer/Deodorizer:

Use with Auto-Chlor automatic dispensing equipment to feed directly from this container to the washer. Consult your Auto-Chlor representative for additional information.

