

Mr. Terry Sabatelli
AutoChlor System
746 Poplar Avenue
Memphis, TN 38105

MAR - 5 2002

Subject: Auto-Chlor DS-33
EPA Registration No. 6243-3
Amendment Dated: November 27, 2001
EPA Receipt Date: December 5, 2001

Dear Mr. Sabatelli:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

- Updating acute oral precautionary statement, "Harmful or fatal if swallowed"
- Under "First Aid" statements, add the phrase, "have product container or label with you when calling a poison control center or doctor, or going for treatment."

Conditions

The Agency can not approve the statement, "harmful or fatal if swallowed." Even though this statement was accepted on the last accepted label dated January 18, 1989, it is ambiguous and does not clearly define this product's acute oral toxicity. It is our policy to update all product's precautionary statements to reflect the text in 40 CFR 156.10 in addition to the Office of Pesticide Programs Label Manual, 2nd edition. You should refer to the Internet site, www.epa.gov/oppfead1/labeling/lrm, for guidance.

We have used data in our files on substantially similar products to determine your product's acute toxicology profile.

<u>Data Requirement</u>	<u>Toxicity Category</u>
Acute Oral	III
Acute Dermal	III
Acute Inhalation	III
Primary Eye Irritation	I
Primary Skin Irritation	I

Dermal Sensitization non-sensitized CONCURRENCES

SYMBOL							
SURNAME							
DATE							

Revise your "Precautionary Statements" to reflect the aforementioned acute toxicology profile by stating:

Corrosive. Causes irreversible eye damage and skin burns. *Harmful if swallowed or absorbed through the skin.* Do not get in eyes, on skin, or on clothing. Wear protecting eyewear (goggles, face shield, or safety glasses), rubber gloves, and protective clothing when handling. Wash thoroughly with soap and water when handling. Remove contaminated clothing and wash clothing before reuse.


General Comments

You should note that you may have to generate acute toxicology data for this product at the time of product re-registration.

A stamped label is enclosed for your records. Please submit two copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If you have any questions regarding this letter, please contact Jacqueline McFarlane at (703) 308-6416.

Sincerely,



Velma Noble
Product Manager (31)
Regulatory Management Branch I
Antimicrobials Division (7510C)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive: Causes irreversible eye damage or skin burns. Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear protective eye wear (goggles, face shield, or safety glasses), rubber gloves, and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Do not store on side. Avoid creasing of side walls.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Plastic containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 05 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

6243-3

Auto-Chlor® SYSTEM Auto-Chlor DS-33

Sanitizer - Disinfectant - Deodorizer
For Industry Use

ACTIVE INGREDIENT:

n-alkyl (50% C14, 40% C12, 10% C16)	
dimethyl benzyl ammonium chloride.....	4.25%
OTHER INGREDIENTS	95.75%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 -20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See left side panel for additional precautionary statements.

EPA Registration No.: 6243-3

EPA Establishment No. 6243-

AL-1, AL-2, AR-1, AZ-1, CA-1, CA-2, CA-2, CA-3, CA-4, CA-5, CA-6, CA-6,
CA-7, CA-8, CO-1, FL-1, FL-2, FL-3, FL-4, FL-5, FL-5, FL-6, GA-1, IL-1, KS-3, KY-1, LA-1, LA-2,
LA-3, LA-4, LA-5, MD-1, MN-1, MO-1, MS-1, MS-2, NC-1, NE-1, NM-1, NY-1, OK-1, OK-2, OK-1,
OR-2, SC-1, TN-1, TN-2, TN-3, TX-1, TX-5, TX-8, TX-10, TX-11, VA-1, VA-2, WA-1

Auto-Chlor® System - Memphis, TN

24 Hour Emergency Telephone:

Medical: (Call Collect) 303-592-1024 Transportation: (CHIEMTREC) 800-424-9300

NET CONTENTS: 1, 2.65, 5, and 15 Gal.

324

ADDITIONAL INFORMATION

As a detergent Auto-Chlor DS-33 is for light to medium duty. It is not formulated for gross filth and heavy accumulations of soil. Consult your Auto-Chlor serviceman for information about our wide selection of heavy-duty cleansers. After an initial thorough cleaning, use Auto-Chlor DS-33 to maintain the cleanliness of surfaces when they become lightly soiled. Regular and frequent applications are more efficient and practical than irregular cleaning.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Auto-Chlor DS-33 is a multipurpose product especially prepared for use in restaurants, hospitals, nursing homes, schools, and various institutions as a detergent, sanitizer, or disinfectant.

As a detergent/deodorizer, Auto-Chlor DS-33 is used for washing floors, tables, refrigerators, bathroom fixtures, garbage cans, etc., by mixing 1 fl. oz. of Auto-Chlor DS-33 with one gallon of water. For porous surfaces such as brick, tile or wood, a 3 oz. per gallon mixture should be used.

Non-Food Contact Sanitizer: A use dilution of 2 ½ fl. oz. of Auto-Chlor DS-33 per gallon of water may be applied with mop, sponge, cloth or brush to previously cleaned floors, walls, countertops, tables, chairs, garbage pails, and other hard non-porous surfaces. Apply until surfaces are thoroughly wet and allow to remain wet for 5 minutes. Allow surfaces to air dry.

Disinfection: Apply a use dilution of at least 2 ½ fl. oz. per gallon of water with a cloth, mop, sponge, or brush, to previously cleaned floors, walls, bedframes, tables, chairs, garbage pails, and other hard, non-porous surfaces. Surfaces must be thoroughly wetted for 10 minutes. Remove excess liquid.

This use level of Auto-Chlor DS-33 as a disinfectant under these directions is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*.

Fresh solutions should be prepared daily or sooner if solution becomes visibly dirty. For food contact surfaces such as countertops and tables, thoroughly rinse surfaces with potable water.

ACCEPTED
with COMMENTS
in EPA Letter Dated:
MAR 05 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 6243-3

424