

6243-3

1 of 4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

Kendra C. Wherry,
Auto-Chlor System,
746 Poplar Ave.
Memphis, TN. 38105-4596

Subject: Product Name: Auto-Chlor DS-33
EPA Reg. No.: 6243-3
Notification Date: August 22, 2010
EPA Receipt Date: August 23, 2010
Submission #: 882885

DEC 20 2010

Dear Ms. Wherry,

The following amendment, submitted in connection with registration under Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended is acceptable.

Proposed Amendment

- Correct typographical error on the master label

General Comments:

A stamped copy of the labeling accepted with conditions is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Velma Noble PM Team 31 at (703) 308-6233.

Sincerely,

Velma Noble,
Product Manager, Team 31
Regulatory Management Branch
Antimicrobials Division (7510P)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

AUTO-CHLOR DS-33

Sanitizer • Disinfectant • Deodorizer

FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY

ACTIVE INGREDIENT:	
n-alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆)	
dimethyl benzyl ammonium chloride	4.25%
OTHER INGREDIENTS:	<u>95.75%</u>
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE


1-866-923-4946

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See additional precautionary statements on (back) (side) (left) (right) (panel) (of) (label) (below).

Net contents:



Note to Agency: Text appearing in parenthesis is done to show optional text.

As a detergent Auto-Chlor DS-33 is for light to medium duty. It is not formulated for gross filth and heavy accumulations of soil. Consult your Auto-Chlor serviceman for information about our wide selection of heavy duty cleansers. After an initial thorough cleaning, use Auto-Chlor DS-33 to maintain the cleanliness of surfaces when they become lightly soiled. Regular and frequent applications are more efficient and practical than irregular cleaning.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Auto-Chlor DS-33 is a multipurpose product especially prepared for use in restaurants, hospitals, nursing homes, schools and various institutions as a detergent, sanitizer or disinfectant. As a detergent/deodorizer, Auto-Chlor DS-33 is used for washing floors, tables, refrigerators, bathroom fixtures, garbage cans, etc, by mixing 1 oz of Auto-Chlor DS-33 with one gallon of water. For porous surfaces such as brick, tile or wood, a 3 oz per gallon mixture should be used.

Non-Food Contact Sanitizer: A use dilution of 2 1/2 oz of Auto-Chlor DS-33 per 1 gallon of water may be applied with mop, sponge, cloth or brush to previously cleaned floors, walls, countertops, tables, chairs, garbage pails, and other hard non-porous surfaces. Apply until surfaces are thoroughly wet and allow to remain wet for 5 minutes. Allow surfaces to air dry.

Disinfection: Apply a use dilution of at least 2 1/2 ounces per gallon of water with a cloth, mop, sponge, or brush to previously cleaned floors, walls, bed frames, tables, chairs, garbage pails, and other hard non-porous surfaces. Surfaces must be thoroughly wetted for 10 minutes. Remove excess liquid.

This use level of Auto-Chlor DS-33 as a disinfectant under these directions is effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa.

Fresh solutions should be prepared daily or sooner if solution becomes visibly dirty. For food contact surfaces such as countertops and tables, thoroughly rinse surfaces with potable water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Do not store on side. Avoid creasing of side walls. Keep this product in locked storage sufficient to make it inaccessible to children and persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representatives at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

