

CFC
Pool Chemicals

CONCENTRATED
GRANULAR
CHLORINE


NET WEIGHT 5 POUNDS

ACTIVE INGREDIENT
SODIUM DICHLORO-S-TRIAZINETRIONE 100%
AVAILABLE CHLORINE 63%

DANGER: KEEP OUT OF REACH OF CHILDREN
See additional precautions and
first aid on back panel.

NO. 300-010

EPA REG NO. 6284-3



6284-3

CPC GRANULAR CHLORINE
POOL START-UP (PRE-CONDITIONING) INSTRUCTIONS

When filling your new pool or refilling with fresh water at any time:

1. Super Chlorinate pool water by adding CPC concentrated granular chlorine at a rate of 8 oz. per 10,000 gallons of water. Alternate procedure: add CPC pool shock as prescribed on label. Allow the available chlorine residual to drop to 2ppm (1 ppm for unstabilized water) before entering pool. Use appropriate test kit to check.
2. Bring pool water pH to a range reading between 7.2 and 7.6 on your Test Kit and add CPC Water Conditioner.
3. Start daily maintenance dosage.

DAILY MAINTENANCE DOSAGE FOR PROPERLY PRE-CONDITIONED POOLS

Daily dosage--apply the amount (approximately 1 to 2 ounces per 10,000 gallons) of CPC Concentrated granular chlorine required to maintain a test kit reading in the range of 1.0 to 2.0 ppm available chlorine. TEST YOUR POOL WATER DAILY. FOR MAXIMUM PROTECTION SUPER CHLORINATE (SHOCK) YOUR POOL WATER WITH CPC POOL SHOCK EVERY TWO WEEKS AS PRESCRIBED ON THE LABEL.

Slight increases in chlorine dosage may be required from time to time to meet extra demands for chlorine resulting from heavy bathing loads, accumulations of dust and dirt by storms, or continued high temperatures.

DANGER

CORROSIVE

Causes eye damage. May cause burns on broken skin. Irritating to nose and throat if inhaled. May be harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Protect eyes when handling. Avoid breathing dust.

STRONG OXIDIZING MATERIAL. Contact with organic matter or any foreign material may result in fire or explosive decomposition. Moisture contamination or fire may liberate irritating and hazardous chlorine containing gases. Avoid contamination with combustible materials. Keep away from heat and moisture. Store in cool, dry, well-ventilated area. Keep container tightly closed when not in use. Use only dry, clean measures. Mix only with water. Rinse container thoroughly clean with water before discarding.

FIRST AID

Internal- feed cooked cereal or bread soaked in milk, followed by olive oil or cooking oil.

External- in case of contact, immediately flush eyes or skin with cold water for at least 15 minutes.

"CALL A PHYSICIAN IMMEDIATELY."

KEEP OUT OF REACH OF CHILDREN

Distributed by Kiefer-McNeil Akron, Ohio 44311

Dec - 5 - 1973