Granular Chiorinating Concentrate

For effective bacteria and algae control maintain an available chlorine level of 1.0 to 2.0 ppm as determined by Chlorine Test Kit.

DIRECTIONS FOR USE

it is a violation of federal law to use this product in a manner inconsistent with its labeling.

POOL START-UP— (CONDITIONING) INSTRUCTIONS

When first filling your new pool or refilling with fresh water at any time:

- Super Chlorinate (shock treat) pool with Granular Chlorinating Concentrate as prescribed below, to burn out harmful bacteria.
- Test poci water with Test Kit and bring pH into 7.2-7.6 range. Add Dry Acid to reduce pH or Soda. Ash to increase pH as prescribed on labels.
- Add Water Conditioner as prescribed on label to protect chlorine against loss due to sunlight.


MAINTENANCE FEEDING PROGRAM FOR PROPERLY PRE-CONDITIONED POOLS

Two ounces of Granular Chlorinating Concentrate will provide 1 ppm of available chlorine in 10,000 gallons of water. Test pool water daily and apply the amount of Chlorinating Granules required to maintain a test kit reading from 1.0 to 2 ppm. Chlorinating Granules may be added directly to the surface of pool water.

Maintain pH reading in a range from 7.2 to 7.6 on your test kit. Add Dry Acid or Soda Ash as prescribed on labels to reduce or increase pH. PERIODIC SUPER CHLORINATION

Heavy swimmer loads, wind, dust and rainfall can cause bacteria and microscopic debris to accumulate in pool water. To maintain clean, clear water, super chlorinate with Granular Chlorinating Concentrate every two weeks, weekly during hot weather. To super chlorinate add 10 ounces of Granular Chlorinating Concentrate per 10,000 gailons of pool water to bring chlorine level to a range between 5 to 10 ppm. Treat pool at night—do not allow swimmers to enter pool until chlorine level has dropped to 3.0 ppm

STORAGE AND DISPOSAL: Keep this product dry in a tightfy closed container, when not in use. Store in a cholidry, well rentilated area away from heat in open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before distarding this container. Do not reuse empty container but place in trash collection. Do not containinate food or feed by storage, disposal, or cleaning of equipment.




DANGER: O CHILDREN

See additional precautions and first aid on side panel.

333-010

NET WT. 5 LB.



KEEP OUT OF REACH OF CHILDREN

• DANGER HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER: Corrosive, causes eye damage. Make fatal if swallowed. Do not get in eyes, cakin, or on clothing. Irritating to nose ar throat. Avoid breathing dust. May cause burr to broken skin, Wear goggles or face shield ar protective clothing when handling. Wash hancafter handling.

PRACTICAL TREATMENT (FIRST AID): If swe lowed feed gruel, cooked cereal, or bread so a ed in milk, followed by olive oil or cooking oil. case of personal contact, remove excess m terial and flush skin or eyes with cold water frat least 15 minutes. For eyes get medical attetion as soon as possible. Remove and was contaminated clothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing ager Do not use moist or damp utensils. Contamin tion with moisture, dirt, organic matter, or othic chemicals, or any other foreign matter, me start a chemical reaction with generation of heat, liberation of hazardous gases, and posible generation of fire.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Keep out of take streams, ponds, or public waters. Permits me be required for discharges containing the pesticide into public waters. For guidance cotact the regional office of the Environment: Protection Agency.

EPA Est. No. 6284-OH-2 EPA Reg. No. 6284-Sold by: Kiefar McNeil, Medina, Ohio, 44256