

Concentrated—100% Soluble

Chlorinated 1-inch Tablets

Stabilized—Sun Protected

Active Ingredient:

Trichloro-S-Triazinetrione 99%

Inert ingredient 1%


Available Chlorine 90% 100%

DANGER: KEEP OUT OF REACH OF CHILDREN
See additional precautions and first aid on back panel

CONTAINS 800 TABLETS APPROXIMATELY ½ OUNCE EACH

NET WT. 25 LB. (11.25 Kg)
300-133

E.P.A. Reg. No. 6284-11



1-INCH
DIAMETER TABLETS


6284-11
AER 1,1781
MADE IN U.S.A.
EPA REG. NO. 6284-11

to 2.0 ppm as determined by CPC Chlorine Test Kit.
DIRECTIONS FOR USE
It is a violation of federal law to use this product in a manner inconsistent with its labeling.

POOL START-UP—(CONDITIONING) INSTRUCTIONS

When first filling your new pool or refilling with fresh water at any time:

1. Super Chlorinate (shock treat) pool with CPC Concentrated Chlorinating Granules as prescribed on label, to burn out harmful bacteria.
2. Test pool water with CPC Test Kit and bring pH into 7.2-7.6 range. Add CPC Dry Acid to reduce pH or Soda Ash to increase pH as prescribed on labels.
3. Add CPC Water Conditioner as prescribed on label to protect chlorine against loss due to sunlight.



most feeder or skimmer.
To start your tablet feeding program put 10 CPC 1-lob tablets in your feeder for every 10,000 gallons of pool water. TEST YOUR POOL FOR CHLORINE LEVEL DAILY. Add tablets as required to maintain an available chlorine level of 1 to 2 ppm. Do not throw tablets directly into pool—spotting will occur.

Maintain pH reading in a range from 7.2 to 7.6 on your test kit. Add CPC Dry Acid or Soda Ash as prescribed on labels.

PERIODIC SUPER CHLORINATION

Heavy swimmer loads, wind, dust and rainfall can cause bacteria and microscopic debris to accumulate in pool water. To maintain clean, clear water, super chlorinate with CPC Concentrated Chlorinating Granules, as prescribed on label, every two weeks, weekly during hot weather.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in safe place.

nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.


PRACTICAL TREATMENT (FIRST AID): If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals, or any other foreign matter, may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

Sold by
KIEFER McNEIL,
AKRON, OHIO 44311
E.P.A. Est. No. 6284-OH-2

No. 133/137



10