## CHLORINATED 1-INCH TABLETS

For effective bacteria and algae control maintain an available chlorine level of 1.0 to 2.0 ppm as determined by Chlorine Test Kit.

## DIRECTIONS FOR USE

It is a violation of faderal law to use this product in a manner inconsistent with its labeling. POOL START-UP-

(CONDITIONING) INSTRUCTIONS

When first filling your new pool or refilling with fresh water at any time:

- 1. Super Chlorinate (shock treat) pool with Granular Chlorinating Concentrate as prescribed below, to burn out harmful bacteria.
- 2. Test pool water with Test Kit and bring pH Into 7.2-7.8 range. Add Dry Acid to reduce pH or Soda Ash to increase pH as prescribed on labels.
- 3. Add Water Conditioner as prescribed on label to protect chlorine against loss due to sunlight.

## MAINTENANCE TABLET FEEDING PROGRAM FOR PROPERLY PRE-CONDITIONED POOLS

The number of tablets required for your pool will vary depending on temperature, wind, rain. pool usage and feeding method; float feeder or skimmer.

To start your tablet feeding program put 10 1-inch tablets in your feeder for every 10,000 gallons of pool water. ITEST YOUR POOL FOR CHLORINE LEVEL DAILY. Add tablets as reguired to maintain an available chlorine level of 1 to 2 ppm. Do not throw tablets directly into nool-spotting will occur.

Maintain pH reading in a range from 7.2 to 7.6 on your test kit. Add Dry Acid or Soda Ash as prescribed on labels to reduce or increase pH.

PERIODIC SUPER CHLORINATION

Heavy swimmer loads, wind, dust and rainfall can cause bacteria and microscopic debris to accumulate in pool water. To maintain clean, clear water, super chlorinate with Granular Chlorinating Concentrate, as prescribed on label, every tare weeks, weekly during hot

decomposition, legiste treater to classical as a second bissol de-consequed Do had lateral empty container



BEST AVAILABLE COPY



KEEP OUT OF REACH OF CHILDREN DANGER HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eve damage. M be fatal if swallowed. Do not get in eyes, skin, or on clothing, irritating to nose a throat. Avoid breathing dust. May cause bur to broken skin. Wear goggles or face shield a protective clothing when handling. Wash han after handling.

PRACTICAL TREATMENT (FIRST AID): If sw lowed feed gruel, cooked cereal, or bread so: ed in milk, followed by olive oil or cooking oil. case of personal contact, remove excess n terial and flush skin or eyes with cold water: at least 15 minutes. For eyes get medical attution as soon as possible. Remove and wa contaminated ciothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing age Do not use moist or damp utensils. Contamir tion with moisture, dirt, organic matter, or off chemicals, or any other foreign matter, in start a chemical reaction with generation heat, liberation of hazardous gases, and pe sible generation of fire.

ENVIRONMENTAL HAZARDS: This pesticide toxic to fish. Keep out of lakes, streams, ponor public waters. Permits may be required discharges containing this posticide into p ilc waters. For guidance contact the regio: office of the Environmental Protection Agen

E.P.A. Est. No. 6284-071-2 E.P.A. Reg. No. 6284-11

Sold by: Kiefer McNell, Medina, Ohio, 44258

**NET WT. 5 LB.** 

222-135