



Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.



Red Plug Cartridge with Concentrated Chlorinated Tablets

Long Lasting . Slow Dissolving . Will No! Add Scale.

Active Ingradient:
Trichlore-S-Triazinatriene 99%
Inert Ingradient 1%
Available Chlorine 90%

DANGER: KEEP OUT OF REACH OF CHILDREN see additional precautions and first aid on back panel


CONTAINS 160 TABLETS, APPROXIMATELY 1/2 02. EACH

E.P.A. REG. NO. 6284-12 NET WT. 5 LBS. (2.25 Kg) 333-150

MAINTENANCE TABLET
PROPERLY PRE-CC

The number of tablets required for your wind, rain, pool usage and feeding met chlorinator.

HOW TO ACTIVATE AND US



1.	Remove	red	plug	1
	Hale Nun		· · ·	G

CPC RED PLU

DIRECTION

For use in Floating Chlorinator ar

Slow dissolving, completely soluble CPC pool care by providing a continuous antion. For effective bacteria and algae co of 1.0 to 2.0 ppm as determined by CPC

It is a violation of federal law to use the its labeling.

POOL START-UP — (CONI

When first filling your new pool or refilling.

Super chlorinate (shock treat) pool ules, as prescribed on label, to burn.

Test pool water with CPC Test Kit a Dry Acid to fower pH or CPC Soc labels.

labels.
Add CPC Water Conditioner as presloss due to sunlight.

chanical feeders

1 2 3 2. Remove all red plu. 3. Check Chlorine leve of 1.0 to 2.0 ppm CHLORINE LEVEL – ER CHLORINE LEVE Maintain pH reading i kit. Add CPC Dry Acid

BEST AVAILABLE COPY



(

0

CPC RED PLUG CARTRIDGE

se in Floating Chlorinator and/or replacement cartridge for metal feeders lissolving, completely soluble CPC concentrate tablets take the work out of the providing a continuous and economical system of chlorine disinfector effective bacteria and algae control maintain an available chlorine level to 2.0 ppm as determined by CPC Chlorine Test Kit.

DIRECTIONS FOR USE

violation of federal law to use this product in a manner inconsistent with aling.

OOL START-UP — (CONDITIONING) INSTRUCTIONS

first filling your new pool or refilling with fresh water at any time: uper chlorinate (shock treat) pool with CPC Concentrated Chlorinating Granles, as prescribed on label, to burn out harmful bacteria.

est pool water with CPC Test Kit and bring pH into 7.2-7.6 range. Add CPC ry Acid to lower pH or CPC Soda Ash to increase pH as prescribed on boets.

dd CPC Water Conditioner as prescribed on label to protect chlorine against pas due to sunlight.

MAINTENANCE TABLET FEEDING PROGRAM FOR PROPERLY PRE-CONDITIONED POOLS

imber of tablets required for your pool will vary depending on temperature, rain, pool usage and feeding method; float feeder, skimmer or automatic sator.

W TO ACTIVATE AND USE YOUR TABLET CARTRIDGE

1. Remove red plug from hole indicated for gallonage nearest your pool size. Hole Number Gallonage **Hole Number**

40,000 50,000 60,000 10,000 20,000 30,000

2. Remove all red plugs below the one you removed in Step 1.
3. Check Chlorine level daily with a test kit. Maintain readings of 1.0 to 2.0 ppm during the swimming season. To RAISE CHLORINE LEVEL — reinsert plug in top open hole. Maintain pH reading in a range from 7.2 to 7.6 on your test kit. Add CPC Dry Acid or Soda Ash as prescribed on labels.

Periodic SUPER CHLORINATION

Heavy swimmer loads, wind, dust and rainfall can cause bacteria and microscopic debris to accumulate in pool water. To maintain clean, clear water, super chlorinate with CPC Concentrated Chlorinating Granules, as prescribed on label, every two weeks, weekly during hot weather.

STORAGE and DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place container in trash collection or dispose in approved landfili area, or bury in a safe place.

KEEP OUT OF REACH OF CHILDREN DANGER

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing, Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wear goggles or face shield and protective clothing when handling. Wash hands after handling.

PRACTICAL TREATMENT (FIRST Aft): If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals, or any other foreign matter, may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

ENVIRONMENTAL MAZAROS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

Sold by KIEFER McNEIL, AKRON, OHIO 44311 EPA Est. 6284-0H-2

BEST AVAILABLE COPY