


28 -
26 -
24 -
22 -
20 -
18 -
16 -
14 -
12 -
10 -
8 -
6 -
4 -



ACTIVE INGREDIENTS: n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chloride 10.5%
 n-Di-alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) methyl benzyl ammonium chloride 2.0%
INERT INGREDIENTS 87.5%
 100.0%

DANGER: KEEP OUT OF REACH OF CHILDREN
 SEE ANTIDOTE AND PRECAUTIONS ON SIDE PANEL.

6284-15
ACCEPTED
 May 23 1972
 FEDERAL INSECTICIDE
 AND FUNGICIDE ACT
 REGISTERED
 4409607

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.
 THIS PRODUCT IS TOXIC TO FISH. DO NOT DISCHARGE EFFLUENT
 WHERE IT WILL DRAIN INTO LAKES, STREAMS OR PONDS.

TO CONTROL ALGAE IN SWIMMING POOLS
DIRECTIONS

INITIAL DOSE: 10 oz. of Algaecide for every 5000 gallons of water.
MAINTENANCE DOSE: 2½ oz. of Algaecide for every 5000 gallons of water.

Initial dose is used when filling pool at beginning of swimming season. If pool has visible algae growth, treat with initial dose. Vacuum pool after 24 hours to remove algae debris. If visible algae are still present or reappear, repeat this treatment procedure as necessary. When pool is free of visible algae use the recommended maintenance.

Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or pool has unusually heavy use, add maintenance dose more frequently.

If make-up water is added at the rate of more than 10% per week of pool capacity, add 2½ oz. of Algaecide for each 5,000 gallons of fresh make-up water added per week.

When swimming season is over add 10 oz. of Algaecide for every 5,000 gallons of water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

DANGER: Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly, a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. **Call a Physician immediately.**

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbituate drug.

E.P.A. Reg. No. 6284-15

KEEP OUT OF REACH OF CHILDREN

MADE IN U.S.A.
SHERWIN WILLIAMS CHEMICALS
 A DIVISION OF
THE SHERWIN-WILLIAMS CO.
 CLEVELAND, OHIO 44101