

Collateral Labeling

SEARS POOL SHOCK FOR SHOCK TREATMENT OR SUPER CHLORINATION OF POOL WATER

Directions for Swimming Pool Use

Sears Pool Shock is used for periodic shock treatments or super chlorination of water to eliminate a discomforting irritation due to formed chloramines in the pool water and to control algae.

Add 1-2 oz. of Pool Shock per 1,000 gallons of water by sprinkling it over the pool surface, or by sprinkling it into a bucket of water and pouring the dissolved solution into the pool. This procedure should be repeated every 2 weeks and should be done in the evening or at any time when the pool is free of bathers. Allow the available chlorine residual to drop to 3 to 5 ppm in properly stabilized water (1 to 2 for unstabilized water) before entering the pool. Use Sears Test Kit 42 4227.

Frequency of shock treatment depends on the extra demands for chlorine resulting from heavy bathing loads, accumulations of dust and dirt caused by storms, or continued high temperatures.

DANGER

KEEP OUT OF REACH OF CHILDREN, MAY CAUSE CHEMICAL BURNS. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. MAY BE FATAL OR HARMFUL IF SWALLOWED. STRONG OXIDIZING AGENT. NEVER MIX WITH ANY MATERIALS OTHER THAN WATER. FIRE OR EXPLOSION MAY OCCUR IF THESE DIRECTIONS ARE NOT FOLLOWED. DO NOT REUSE CONTAINER. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE DISCARDING. USE ONLY A DRY CLEAN DISPENSER.

In case of fire, drench with large amount of water and cool surrounding areas with spray. Do not get in eyes or on skin. Store in the original container with CLOSED COVER in a COOL, DRY place. Dispose of spilled Sears Pool Shock by immediately flushing with water.


FIRST AID

EXTERNAL—Flush skin or eyes with plenty of water. If skin irritation persists, get medical attention. For eyes, get prompt medical attention.

INTERNAL—Drink large quantities of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

Sold By: SEARS, ROEBUCK AND CO., CHICAGO, ILL. 60684



42 4282




pool shock™

DUSTLESS GRANULAR CHLORINE

FOR SHOCK TREATMENT OR SUPER
CHLORINATION OF POOL WATER

ACTIVE INGREDIENT: Calcium Hypochlorite	65%
INERT INGREDIENTS	35%
Available Chlorine	65%

DANGER
KEEP OUT OF REACH OF CHILDREN
SEE FIRST AID AND ADDITIONAL
PRECAUTIONS ON BACK PANEL
NET WT. 5 POUNDS



E.P.A. REG. NO. 6284-21-AA-539

ACCEPTED

SEARS POOL SHOCK

FOR SHOCK TREATMENT OR SUPER CHLORINATION OF POOL WATER

Directions for Swimming Pool Use

Sears Pool Shock is used for periodic shock treatments or super chlorination of water to eliminate a discomforting irritation due to formed chloramines and to control algae.

Add 2 oz. of Pool Shock per 1,000 gallons of water by sprinkling it over the pool surface, or by sprinkling it into a bucket of water and pouring the dissolved solution into the pool. This procedure should be repeated every 2 weeks and should be done in the evening or at any time when the pool is free of bathers. Allow the available chlorine residue to drop to 3 to 5 ppm in properly stabilized water (1 to 2 for unstabilized water) before entering the pool. Use Sears Test Kit 42 4204.

Frequency of shock treatment depends on the extra demands for chlorine due to heavy bathing loads, accumulations of dust and dirt caused by storms, or high temperatures. For routine chlorine dosage follow the directions for using your regular chlorine product.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DANGER

KEEP OUT OF REACH OF CHILDREN. MAY CAUSE CHEMICAL BURNS. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. MAY BE FATAL OR HARMFUL IF SWALLOWED. STRONG OXIDIZING AGENT. NEVER MIX WITH ANY MATERIALS OTHER THAN WATER. FIRE OR EXPLOSION MAY OCCUR IF THESE DIRECTIONS ARE NOT FOLLOWED. DO NOT REUSE CONTAINER. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE DISCARDING. USE ONLY A DRY CLEAN DISPENSER.


In case of fire, drench with large amount of water and cool surrounding areas with spray. Do not get in eyes or on skin. Store in the original container with CLOSED COVER in a COOL, DRY place. Dispose of spilled Sears Pool Shock by immediately flushing with water.

FIRST AID

EXTERNAL—Flush skin or eyes with plenty of water. If skin irritation persists, get medical attention. For eyes, get prompt medical attention.

INTERNAL—Drink large quantities of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Sold By SEARS, ROEBUCK AND CO., CHICAGO, ILL. 60684



ACCEPTED

NOV 27 1974

THE FEDERAL INSECTICIDE
ACT AND RODENTICIDE ACT
ECONOMIC POISON REGISTER
REGISTER NO. 1-284-21